

LED LUMINAIRES PRICE CUM PRODUCT RECKONER

w.e.f. September 2017

BRANCH OFFICES

NORTH REGION

Chandigarh Tel.: 0172-5103322
 Delhi Tel.: 011-66416100
 Jaipur Tel.: 0141-2388240
 Lucknow Tel.: 0522-4938900-30
 Noida Tel.: 0120-4040400

EAST REGION

Bhubaneswar Tel.: 0674-2390697, 2396980, 2394052
 Guwahati Tel.: 0361-2346497, 2346498, 2346499
 Kolkata Tel.: 033-22622686
 Patna Tel.: 0612-2220155

CENTRAL REGION

Indore Tel.: 0731-4271440/4271439
 Raipur Tel.: 0771-2263976
 Nagpur Tel.: 0712-2811206

WEST REGION

Ahmedabad Tel.: 079-27543964, 27543967
 Mumbai Tel.: 022-22043841
 Pune Tel.: 020-26302000/26302001

SOUTH REGION

Bengaluru Tel.: 080-46339000
 Chennai Tel.: 044-30662200
 Cochin Tel.: 0484-2391119, 2392039
 Hyderabad Tel.: 040-23442932, 23442933



Bajaj Electricals Ltd.
Inspiring Trust

LUMINAIRES BUSINESS UNIT,




601, Rustomjee Aspiree, Bhanu Shankar Yagnik Marg,
 Off Eastern Express Highway, Sion (E), Mumbai 400 022.

Tel.: 022-24064400

E-mail: luminaires@bajajelectricals.com

www.bajajelectricals.com

[f/BajajElecBiz](https://www.facebook.com/BajajElecBiz) [/BajajElecBiz](https://twitter.com/BajajElecBiz) [/bajajelecBiz](https://www.instagram.com/bajajelecBiz)




BAJAJ
Inspiring Trust

content



02-19
commercial lighting



20-25
industrial lighting




26-37
cityscape lighting



38-47
integrated building
management system

48-55
drivers



Downlights

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	--------------------	-------

DOVEE SERIES OF DOWNLIGHTS

DOVEE PRO - Recess Mounting Professional Grade (100lm/W) LED Downlight



112122	BZSLO 12W WH PRO	White	12	1530
112123	BZSLO 12W NW PRO	Neutral White	12	1530
112124	BZSLO 15W WH PRO	White	12	1570
112125	BZSLO 15W NW PRO	Neutral White	12	1570
112126	BZSLO 18W WH PRO	White	12	1650
112127	BZSLO 18W NW PRO	Neutral White	12	1650

Professional grade downlight with efficacy of 100 lm/W. Best suitable for high lux level requirements and replacing existing CFL downlights.

DOVEE - Recess Mounted LED Downlight



▶ 111619	BZSLO 12W WH	White	12	1220
▶ 111621	BZSLO 12W NW	Neutral White	12	1220
▶ 111610	BZSLO 15W WH	White	12	1250
▶ 111612	BZSLO 15W NW	Neutral White	12	1250
▶ 111628	BZSLO 18W WH	White	12	1310
▶ 111630	BZSLO 18W NW	Neutral White	12	1310

Dome shaped and square shaped version available on request.

DOVEE - Recessed Mounted Downlight With Non-integrated Driver



112645	BZSLO 12W WH NI	White	12	1220
112646	BZSLO 12W NW NI	Neutral White	12	1220
112648	BZSLO 15W WH NI	White	12	1250
112649	BZSLO 15W NW NI	Neutral White	12	1250
112651	BZSLO 18W WH NI	White	12	1310
112652	BZSLO 18W NW NI	Neutral White	12	1310

Ideal solution for upgrading and retrofitting application downlight with 'non-integrated' driver for low height area.

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	--------------------	-------



SLEEK SERIES OF DOWNLIGHTS

SLEEK RD - Sleek Round Recess Mounting LED Downlight

112533	BGSLO SLEEK 3W WH RD	Cool White	40	410
112534	BGSLO SLEEK 6W WH RD	Cool White	40	575
112535	BGSLO SLEEK 12W WH RD	Cool White	20	875
112536	BGSLO SLEEK 15W WH RD	Cool White	20	1225
112537	BGSLO SLEEK 18W WH RD	Cool White	20	1225

Ideal solution for low ceiling depth with high aesthetics and color temperature of 6000K.



SLEEK SQ - Sleek Square Recess Mounting LED Downlight

112538	BGSLO Sleek 4W WH SQ	Cool White	40	430
112539	BGSLO Sleek 8W WH SQ	Cool White	40	650
▶ 112540	BGSLO Sleek 15W WH SQ	Cool White	20	950

Ideal solution for low ceiling depth with high aesthetics and color temperature of 6000K.



SLEEK RD - Surface Mounted Round Downlight

112541	BGSLO Sleek Surface 3W WH RD	Cool White	40	730
▶ 112542	BGSLO Sleek Surface 6W WH RD	Cool White	40	750
▶ 112543	BGSLO Sleek Surface 12W WH RD	Cool White	30	1050
112544	BGSLO Sleek Surface 15W WH RD	Cool White	20	1100
▶ 112545	BGSLO Sleek Surface 18W WH RD	Cool White	20	1400

Surface mounted round LED downlight for soft diffused lighting - height only 32mm. Color temperature 6000K.



SLEEK SQ - Surface Mounted Square Downlight

112546	BGSLO Sleek Surface 4W WH SQ	Cool White	20	750
112547	BGSLO Sleek Surface 8W WH SQ	Cool White	20	775
▶ 112548	BGSLO Sleek Surface 15W WH SQ	Cool White	20	1100

Surface mounted square LED downlight for soft diffused lighting - height only 32mm. Color temperature is 6000K.



RADIANCE SERIES OF DOWNLIGHTS

▶ 112671	BPSLR 12W WH	White	12	800
112672	BPSLR 12W WW	Warm White	12	800
112673	BPSLR 12W NW	Neutral White	12	800
▶ 112674	BPSLR 15W WH	White	12	850
112675	BPSLR 15W WW	Warm White	12	850
112676	BPSLR 15W NW	Neutral White	12	850

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	--------------------	-------



RADIANCE SERIES OF DOWNLIGHTS

▶ 112677	BPSLR 18W WH	White	12	900
112678	BPSLR 18W WW	Warm White	12	900
112679	BPSLR 18W NW	Neutral White	12	900

Next generation sleek downlight with engineering thermoplastic technology and great functionality.



TARA - ROUND SURFACE MOUNTING LED DOWNLIGHTS

111644	BGCML 06 01 WH	White	12	1230
▶ 111645	BGCML 12 01 WH	White	8	2100
▶ 111646	BGCML 18 095 WH	White	1	2770

Integral, round shape surface mounting high power LED luminaire, dome shape opal diffuser.



DRONE-i - HIGH POWER DOWNLIGHT

112321	BCDLR 32 WH	White	8	2600
112333	BCDLR 32 NW	Neutral White	8	2600
112320	BCDLR 20 WH	White	8	2190
112332	BCDLR 20 NW	Neutral White	8	2190

Low glare recessed fixed downlight in die cast aluminium frame. Anodised aluminium reflector for high efficiency.



KLASS SERIES OF COB DOWNLIGHTERS

KLASS - Recessed Mounted Adjustable Downlight For Accent Lighting

112372	BRDCSL 6W WH	White	1	1170
112373	BRDCSL 6W NW	Neutral White	1	1170
112374	BRDCSL 6W WW	Warm White	1	1170
112375	BRDCSL 9W WH	White	1	1630
112376	BRDCSL 9W NW	Neutral White	1	1630
112377	BRDCSL 9W WW	Warm White	1	1630
112378	BRDCSL 16W WH	White	1	2250
112379	BRDCSL 16W NW	Neutral White	1	2250
112380	BRDCSL 16W WW	Warm White	1	2250
112381	BRDCSL 30W WH	White	1	4180
112382	BRDCSL 30W NW	Neutral White	1	4180
112383	BRDCSL 30W WW	Warm White	1	4180

Accent LED light family - 6W to 50W. White powder coated recessed mounted fixture. Pressure die cast aluminium housing with high efficiency reflector. Spring loaded mounting brackets for ease of installation.

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	--------------------	-------



KLASS SERIES OF COB DOWNLIGHTS


KLASS - Recessed mounted adjustable downlight for accent lighting

112384	BRDCSL 50W WH	White	1	4870
112385	BRDCSL 50W NW	Neutral White	1	4870
112386	BRDCSL 50W WW	Warm White	1	4870

Accent LED light family - 6W to 50W. White powder coated recessed mounted fixture. Pressure die cast aluminium housing with high efficiency reflector. Spring loaded mounting brackets for ease of installation.



PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	--------------------	-------



DOMINTO DYNA - NEW AGE HUMAN CENTRIC LIGHTING

112827	BCTBLR 36W FP WHN	Warm White ~Cool White	10	7000
--------	-------------------	------------------------	----	------


Colour control & dimming through hand-held remote. Order remote separately. Sleek planar luminaire with dynamic colour control (3000-6500k) & dimming system.



AMERIS RECESS

On Request	BXTAR 30W	White	5	On Request
On Request	BXTAR 36W	White	5	On Request
On Request	BXTAR 40W	White	5	On Request

Sleek circular die-cast aluminium luminaire depth (15 mm).



AURALITE - RECESS MOUNTING DECORATIVE LED TROFFER

539425	BPOARM 43W LED WH	White	1	9500
539426	BPOARM 43W LED NW	Neutral White	1	9500

Designer range of luminaire to create a flare free pattern on the ceiling through the fine shaped luminaire.

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
SKYLUX SERIES OF TROFFERS				
SKYLUX-GX - Premium Recess Mounting LED Troffer				
▶ 112682	BZRSQL GX 34W CW	Cool White	6	4999
112683	BZRSLL GX 34W CW	Cool White	6	5299
Deep drawn CRCA Housing with high power LED. Seamless front frame with flat white high transmission acrylic cover. Available in 2x2 ft & 1x4 ft dimensions.				

SKYLUX - Premium Recess Mounting LED Troffer				
112773	BZRSQL 24W XE WH	White	2	5400
112774	BZRSQL 24W XE NW	Neutral White	2	5400
112825	BZRSQL W3 XEi WH	White	2	4510
112826	BZRSQL W3 XEi NW	Neutral White	2	4510
111903	BZRSQL 36W XL WH	White	2	5480
111904	BZRSQL 36W XL NW	Neutral White	2	5480
White powder coated CRCA housing with LEDs. Seamless front frame with flat White high transmission acrylic cover.				

SKYLUX - Recess Mounting LED Troffer				
▶ 112085	BZRSQL 30W GZ WH	White	2	3460
112086	BZRSQL 30W GZ NW	Neutral White	2	3400
▶ 112801	BZRSQL 36W GZi WH	White	2	3500
112802	BZRSQL 36W GZi NW	Neutral White	2	3500
112803	BZRSQL 36W GZi CW	Cool White	2	3500
White powder coated CRCA housing with LEDs. Seamless front frame with flat White high transmission acrylic cover.				

SKYLUX - Recess Mounting LED Troffer				
▶ 112642	BZRSQL 36W GZ1 WH	White	2	3400
112643	BZRSQL 36W GZ1 NW	Neutral White	2	3400
112644	BZRSQL 36W GZ1 CW	Cool White	2	3400
▶ 112668	BZRSQL 43W GZ1 WH	White	2	4200
112669	BZRSQL 43W GZ1 NW	Neutral White	2	4200
112670	BZRSQL 43W GZ1 CW	Cool White	2	4200

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
SKYLUX - Surface Mounting LED Troffer				
▶ 111180	BZSSQL 36W WH	White	2	3630
111181	BZSSQL 36W NW	Neutral White	2	3630

SKYLUX - Recessed Mounting LED 4x1 Luminaire				
112665	BZRSLL 36W GZ1 WH	White	2	3900
112666	BZRSLL 36W GZ1 NW	Neutral White	2	3900
112667	BZRSLL 36W GZ1 CW	Cool White	2	3900
Integral, round shape surface mounting high power LED luminaire, dome shape opal diffuser.				

SKYLUX - Surface Mounting LED 4x1 Luminaire				
▶ 112087	BZSSLL 36W WH	White	2	4660
112088	BZSSLL 36W NW	Neutral White	2	4660

SKYLITE				
SKYLITE Mini R - Recess Mounting LED 1x1 Luminaire				
▶ 111655	BCTBLR 18 ZT WH	White	2	2940
111656	BCTBLR 18 ZT NW	Neutral White	2	2940
White powder coated luminaire with screwless design and bottom opening to give high aesthetic and ease of servicing.				

SKYLITE - Recess Mounting LED 2x2 Luminaire				
111980	BCTBLR 36W ZTN WH	White	2	4690
111981	BCTBLR 36W ZTN NW	Neutral White	2	4690
▶ 111982	BCTBLR 43W ZTN WH	White	2	5130
111983	BCTBLR 43W ZTN NW	Neutral White	2	5130

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
SKYLITE - Surface mounting LED 2x2 luminaire				
▶ 111652	BCTBLS 36 ZT WH	White	2	4690
111901	BCTBLS 43 ZT WH	White	2	5130
White powder coated CRCA housing with high efficacy LEDs. Aluminium front frame with flat White high transmission acrylic cover.				

DOMINTO RECESS MOUNTING LOW DEPTH LED 2x2 & 4x1 EDGE-LIT PANELS				
On Request	BCTBLR 18W WH FP	White	10	On Request
112403	BCTBLR 36W WH FP	White	10	On Request
On Request	BCTBLL 36W WH FP	White	10	On Request
Low - depth (<10 mm) edge-lit LED panels with luminaire efficiency >100 lm/w				

GREEN CENTER RECESS MOUNTING DIRECT/INDIRECT LED 2x2 LUMINAIRE				
▶ 112051	BXTBLR 36 WH	White	2	3090
112052	BXTBLR 36 NW	Neutral White	2	3090
White powder coated CRCA housing with LEDs. Curvilinear reflector for uniform flow of light around the central lighting core.				

WAFFLE RECESS MOUNTING LOW GLARE LED 2x2 LUMINAIRE				
112245	BRWSQ 36W WH	White	2	7000
112246	BRWSQ 36W NW	Neutral White	2	7000
Flexible design luminaire developed in a waffle form to create a glare free effect with UGR < 16.				

ARMSTORME RECESS MOUNTING LOW DEPTH LED 2x2 LUMINAIRE				
112411	BARSQ 24W WH	White	2	4280
112412	BARSQ 24W NW	Neutral White	2	4280
112343	BARSQ 36W WH	White	2	4430
112344	BARSQ 36W NW	Neutral White	2	4430
112413	BARSQ 43W WH	White	2	4480
112414	BARSQ 43W NW	Neutral White	2	4480
White powder coated CRCA housing luminaire with full window acrylic diffuser giving a complete full glow look in the ceiling low depth (55 mm).				



Suspended Lights


PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
LED Decorative Pendant Edge Lit Luminaires				
112757	BZSUDL 40W 4F3U7D WH A-DIM	White	1	On Request
112758	BZSUDL 40W 4F3U7D WH	White	1	On Request
112759	BZSUDL 40W 4F7U3D WH A-DIM	White	1	On Request
112760	BZSUDL 60W 4F7U3D WH	White	1	On Request
112761	BZSUDL 80W 8F3U7D WH A-DIM	White	1	On Request
112762	BZSUDL 80W 8F3U7D WH	White	1	On Request
112763	BZSUDL 80W 8F7U3D WH A-DIM	White	1	On Request

Note : 4F: 4Ft, 8F: 8 Ft | 3U7D : 30%Up/ 70% Down | 7U3D: 70%Up/ 30% Down | A-DIM: Analog Dimming

GALAXY				
112475	BLSPD LED 24W WH	White	1	On Request
112476	BLSPD LED 36W WH	White	1	On Request
112477	BLSPD LED 50W WH	White	1	On Request
Suspended type decorative LED low bay luminaire.				

AMERIS				
112810	BXTAP 30W	White	5	5000
112811	BXTAP 36W	White	5	6500
112812	BXTAP 40W	White	5	7000
Pendent/surface mounted LED luminaire suitable for interior illumination.				

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	--------------------	-------




LED Pendant Narrow Luminares - 20W Range

112232	BPTXn 20W LED 4F NW	Neutral White	1	4950
112233	BPTXn 20W LED 4F WH	White	1	4950
112234	BPTXn 20W LED 4F WW	Warm White	1	4950
112235	BPTXn 2-20W LED 8F NW	Neutral White	1	9230
112236	BPTXn 2-20W LED 8F WH	White	1	9230
112237	BPTXn 2-20W LED 8F WW	Warm White	1	9230

Standalone suspended sleek luminaire for aesthetically appealing downlighting. Suspension of 1.5 mtr is included (02 nos.).


PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	--------------------	-------



CONNECT - LED Pendant Luminares - 40W Range

112229	BPTX 40W LED4F NW	Neutral White	1	6280
112230	BPTX 40W LED4F WH	White	1	6280
112231	BPTX 40W LED4F WW	Warm White	1	6280
112223	BPTX 2-40W LED8F NW	Neutral White	1	11930
112224	BPTX 2-40W LED8F WH	White	1	11930
112225	BPTX 2-40W LED8F WW	Warm White	1	11930

Interconnectable luminaires for aesthetically appealing downlight application. Suspension of 1.5 mtr is included (02 nos.).




CONNECT SERIES

CONNECT - Up-down LED Pendant Luminares

112594	BPTX 2-36 UDL LED 8F WH	White	1	On Request
112595	BPTX 36 UDL LED 4F WH	White	1	On Request
112745	BPTX 2-36 UDL LED 8F NW	Neutral White	1	On Request
112746	BPTX 36 UDL LED 4F NW	Neutral White	1	On Request


Interconnectable up-down light luminaire adhering to LG 7 guideline of volumetric light.



CONNECT - LED Pendant Luminares - 20W Range

112214	BPTX 20W LED4F NW	Neutral White	1	6280
112215	BPTX 20W LED4F WH	White	1	6280
112216	BPTX 20W LED4F WW	Warm White	1	6280
112217	BPTX 2-20W LED8F NW	Neutral White	1	11930
112218	BPTX 2-20W LED8F WH	White	1	11930
112219	BPTX 2-20W LED8F WW	Warm White	1	11930


Interconnectable luminaires for aesthetically appealing downlight application. Suspension of 1.5 mtr is included (02 nos.).



CONNECT - LED Pendant Luminares - 28W Range

112226	BPTX 28W LED4F NW	Neutral White	1	6280
112227	BPTX 28W LED4F WH	White	1	6280
112228	BPTX 28W LED4F WW	Warm White	1	6280
112220	BPTX 2-28W LED8F NW	Neutral White	1	11930
112221	BPTX 2-28W LED8F WH	White	1	11930
112222	BPTX 2-28W LED8F WW	Warm White	1	11930

Interconnectable luminaires for aesthetically appealing downlight application. Suspension of 1.5 mtr is included (02 nos.).





Linear Lights

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	--------------------	-------

CONNECT LED SERIES OF RECESS LUMINAIRES

CONNECT LED - Recess Luminaires - 20W Range

112114	BRTX 20W LED 4F NW	Neutral White	1	4480
112111	BRTX 20W LED 4F WH	White	1	4480
112198	BRTX 20W LED 4F WW	Warm White	1	4480
112199	BRTX 2-20W LED 8F NW	Neutral White	1	8810
112200	BRTX 2-20W LED 8F WH	White	1	8810
112201	BRTX 2-20W LED 8F WW	Warm White	1	8810

Interconnectable luminaires for aesthetically appealing downlight application.

CONNECT LED - Recess Luminaires - 28W Range

112115	BRTX 28W LED 4F NW	Neutral White	1	4710
112112	BRTX 28W LED 4F WH	White	1	4710
112208	BRTX 28W LED 4F WW	Warm White	1	4710
112202	BRTX 2-28W LED 8F NW	Neutral White	1	9260
112203	BRTX 2-28W LED 8F WH	White	1	9260
112204	BRTX 2-28W LED 8F WW	Warm White	1	9260

Interconnectable luminaires for aesthetically appealing downlight application.
Note: 4F: 4Feet, 8F: 8 Feet

CONNECT LED - Recess Luminaires - 40W Range

112116	BRTX 40W LED 4F NW	Neutral White	1	5470
112113	BRTX 40W LED 4F WH	White	1	5470
112209	BRTX 40W LED 4F WW	Warm White	1	5470
112205	BRTX 2-40W LED 8F NW	Neutral White	1	10780
112206	BRTX 2-40W LED 8F WH	White	1	10780
112207	BRTX 2-40W LED 8F WW	Warm White	1	10780

Interconnectable luminaires for aesthetically appealing downlight application suitable for techzone ceiling.

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	--------------------	-------

LED RECESS NARROW LUMINAIRES - 20W RANGE

112232	BRTXn 20W LED 4F NW	Neutral White	1	4950
112233	BRTXn 20W LED 4F WH	White	1	4950
112234	BRTXn 20W LED 4F WW	Warm White	1	4950
112211	BRTXn 2-20W LED 8F NW	Neutral White	1	8200
112212	BRTXn 2-20W LED 8F WH	White	1	8200
112213	BRTXn 2-20W LED 8F WW	Warm White	1	8200

Standalone recessed sleek luminaire for asthetically appealing downlighting.

LINEAR GENERAL PURPOSE LUMINAIRES

BATON - Integrated LED Channel

▶ 112405	BCLSB 05 WH	White	16	360
▶ 112406	BCLSB 05 NW	Neutral White	16	360
▶ 112407	BCLSB 10 WH	White	16	460
▶ 112408	BCLSB 10 NW	Neutral White	16	460
▶ 112409	BCLSB 18 WH	White	16	600
▶ 112410	BCLSB 18 NW	Neutral White	16	600
112798	BCLSB 20 CW	Cool White	20	-

Integral sleek polycarbonate LED channel with white acrylic cover.

VIVA MINI - LED LUMINAIRES (4FT)

112785	BCLAB 20W	20W LED	20	1700
112786	BCLAB 40W	40W LED	20	2000

LED baten for surface and pendant applications. Anodized extruded aluminium housing, high transmissivity diffuser. High lumen output.

FLEXITRON - VIVA LED LUMINAIRES (4FT)

112189	BLTRU 80W WH VIVA	80W LED	4	5300
111708	BLTRU 40W WH VIVA	40W LED	4	3540
111710	BLTRU 40W NW VIVA	40W LED	4	3540
▶ 112176	BLTRU 20W WH VIVA	20W LED	4	2700
112177	BLTRU 20W NW VIVA	20W LED	4	2700

LED baten for surface, pendant and conduit mounting. High transmissivity diffuser. High lumen output. PF >0.98, THD <10%.

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
FLEXITRON - VIVA i LED Luminaires (4FT)				
169846	BLTRU 40W WH VIVA i	40W LED	4	3200
▶ 169848	BLTRU 40W NW VIVA i	40W LED	4	3200
White powder coated CRCA housing with LEDs. Seamless front frame with flat White high transmission acrylic cover.				

LED BATTEN AND TUBE LIGHT				
LED Tube				
▶ 112480	BLRB 15W CWc	Cool White	10	750
▶ 112432	BLRB 18W CWc	Cool White	10	800
▶ 112481	BLRB 21W CWc	Cool White	10	850
▶ 112753	BLRB 18W CWc XE	Cool White	10	999

BATTEN FOR LED TUBES				
▶ 112181	BLRB-DB 118	1*18W LED	16	500
▶ 112182	BLRB-DB 218	2*18W LED	16	550

T5 LED Tubes				
▶ 112563	BLTB 15W CWC	15W	40	680
▶ 112564	Driver BLTB 15W CWC	-	40	525
Suitable product to upgrade from conventional T5 to LED T5 tube light.				

.nxt PRO BLL 15W LED 2G11 Lamps				
112749	.nxt PRO BLL 15W LED 2G11	15W	50	999

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
LED STRIP LIGHTS AND SIGNAGES				
LED STRIP - 15W/mtr ; 5 mtr role				
▶ 112492	75W Professional LED Strip IP65 WH	White	1	1500
▶ 112493	75W Professional LED Strip IP65 WW	Warm White	1	1500
▶ 112494	75W Professional LED Strip IP65 NW	Neutral White	1	1500
▶ 112495	75W Professional LED Strip IP20 WH	White	1	1250
▶ 112496	75W Professional LED Strip IP20 WW	Warm White	1	1250
▶ 112497	75W Professional LED Strip IP20 NW	Neutral White	1	1250
Driver to be ordered separately.				

LED STRIP - 5W/mtr ; 5 mtr role				
▶ 112498	25W Professional LED Strip IP65 WH	White	1	1225
▶ 112499	25W Professional LED Strip IP65 WW	Warm White	1	1225
▶ 112500	25W Professional LED Strip IP65 NW	Neutral White	1	1225
▶ 112501	25W Professional LED Strip IP20 WH	White	1	975
▶ 112502	25W Professional LED Strip IP20 WW	Warm White	1	975
▶ 112503	25W Professional LED Strip IP20 NW	Neutral White	1	975
Driver to be ordered separately.				

LED DRIVER - For LED Strip				
112517	75W LED Strip Driver IP65		1	4300
112515	75W LED Strip Driver IP20		1	2400
112516	25W LED Strip Driver IP65		1	2600
112514	25W LED Strip Driver IP20		1	1100

Single sided LED signage with built in battery back-up for 2 hrs.				
220208	BESL 03 LED SSD WBB Green	Green	10	6700
220209	BESL 03 LED SSD WBB Red	Red	10	6700

Double sided LED signage with built in battery back-up for 2 hrs.				
220210	BESL 03 LED DSD WBB Green	Green	10	8000
220211	BESL 03 LED DSD WBB Red	Red	10	8000



Retail Lighting

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	--------------------	-------

ALPHA SERIES OF SPOTLIGHT

ALPHA - Track mounted LED spot light luminaire suitable for single phase track

112358	ALPHA 12W WH	12W LED COB	4	3400
112359	ALPHA 12W NW	12W LED COB	4	3400
112360	ALPHA 16W WH	16W LED COB	4	5000
112361	ALPHA 16W NW	16W LED COB	4	5000

Low wattage track spots suitable for single track.

Single phase track for ALPHA

169120	BLTR 1M 1 PH		20	1800
169167	BLTR 2M 1 PH		20	3000

RECESSED MOUNTED DIRECTIONAL LED SPOTLIGHT

111882	BXDR 50 WW	LED 40W COB	1	5050
111881	BXDR 50 NW	LED 40W COB	1	5050
111894	BXDR 50 WH	LED 40W COB	1	5050
112047	BXDR 30 WW	LED 30W COB	1	4570
112713	BXDR 30 NW	LED 30W COB	1	4570
112048	BXDR 30 WH	LED 30W COB	1	4570

PRODUCT CODE	LUMINAIRE TYPE	COLOUR TEMPERATURE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	--------------------	-------

TRUNKING SYSTEM - 5 WIRE

Viva Trunking Luminaires

112256	BLTRU 40W NW Viva TMV	40W LED	4	2900
112258	BLTRU 40W WH Viva TMV	40W LED	4	2900
112257	BLTRU 40W WW Viva TMV	40W LED	4	2900




Trunking System

220272	BLTRU 45 MS W/O Suspension		4	1750
	2.4 mtr trunk suitable for Viva			



Accessories for Viva Trunking System

220263	BFTSS 60 end cap			30
220264	BFTSS/D 15m - Suspension			275
953381	BFTSS 60-300			115
	(300mm bottom cover)			
953377	BFTSS 60-6			230
	(600mm bottom cover)			
953378	BFTSS 60 - 900			340
	(900mm bottom cover)			
953379	BFTSS 60 -1200			450
	(1200mm bottom cover)			



Industrial Lighting


PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	-------



DURANTO - LED HIGHBAY LUMINAIRE

▶ 169871	BGHB 80W LED G V	1	11500
▶ 169933	BGHB 100W LED G V	1	15500
▶ 169934	BGHB 120W LED G V	1	17500
▶ 169709	BGHB 150W LED G IV	1	18000
▶ 169721	BGHB 200W LED	1	23000

Durato highbay has fin ventilation technology for better thermal management and its cutting edge LED technology seeks various industrial applications.



RAYS - LED HIGHBAY LUMINAIRE

169876	BGPPH 80W LED	1	12000
169877	BGPPH 100W LED	1	16000
169878	BGPPH 120W LED	1	18000
169879	BGPPH 150W LED	1	18500

Rays highbay comes with high efficiency futuristic luminaires, with cutting edge technology & design.



BLAZE - LED HIGHBAY LUMINAIRE

▶ 169958	BGHBM 80W LED XE	1	12000
▶ 169894	BGHBM 100W LED XE	1	13500
▶ 169895	BGHBM 120W LED XE	1	17000
▶ 169896	BGHBM 150W LED XE	1	18000
▶ 169897	BGHBM 200W LED XE	1	20000

BLAZE LED highbay are best lighting technology luminaires, comes in different beam angles, suitable for different modern hitech industrial application & Warehouse applications with better vertical illuminations.

PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	-------



TRENDY - LED LINEAR Highbay Luminaire

169784	BTHBX 100W LED	1	9500
On Request	BTHBX 120W LED	1	11500

Trendy linear highbays are synonymous with their immaculate design and ability to render colours and shapes with maximum accuracy. The ultra modern looks make them ideal for variety of applications with IP54 protections.



PERK - LED LINEAR Highbay Luminaire

▶ 169742	BTS 80W WH LED	2	7600
112449	BTS 120W WH LED	2	On Request
112744	BTS 140W WH LED	2	12000

Compact, economical and energy efficient luminaire for replacing 4x54W T5 on shop floor applications (IP 20).



COSMO - CANOPY LUMINAIRE

▶ 169875	BGPPR 80W LED N	1	12000
169899	BGPPR 80W LED S	1	13500
169932	BGPPR 80W LED V2	1	12000
On Request	BGPPR 100W LED V2	1	On Request
169849	BGPPRBT (bracket)	4	400

Cosmo versatile lighting solution to adjust lighting requirement in multipurpose low height bay application with IP65 protection.



VERDANT SERIES

VERDANT - LED Wellglass Luminaire

▶ 169552	BIWICP 35W LED	1	4500
▶ 169659	BIWICP 35W LED B	1	4500
169793	BIWIDP 35W LED	1	4500
▶ 169609	BIWITG 35W LED	1	4500
▶ 169600	BIWIDP 42W LED	1	5500
169731	BIWIDP 42W LED B	1	5500
On Request	BIWIDP 65W LED	1	On Request

Verdant an energy efficient, reliable & environment friendly LED wellglass luminaires. Direct replacement for 70W/150W HPSV wellglass conventional luminaire, having potential of saving >60% energy.

Luminaire type with "B" suffix are without junction box.

PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	-------



VERDANT NEO - LED Wellglass Luminaire

169850	BGWD 27W LED WH	1	4000
169851	BGWD 27W LED NW	1	4000
169852	BGWD 27W LED XE WH	1	4500
169853	BGWD 27W LED XE NW	1	4500
169854	BGWD 27W LED XL WH	1	4700
169855	BGWD 27W LED XL NW	1	4700
On Request	BGWD 35W LED WH	-	On Request
On Request	BGWD 35W LED NW	-	On Request

Verdant NEO is equipped with new age technology which consumes less energy without compromising the lighting levels. Highly durable product that can be used in rugged environment.



LINEA SERIES

LINEA LED - Linear Luminaire

▶ 169601	BICDP 40W LED	1	3300
----------	---------------	---	------

Innovative and compact structure of this luminaire, provides better experience for Industrial Lighting applications. An alternative solution for 2x28W, 2x36W fluorescent channels.



LINEA LED PRIME - Linear Luminaire

▶ 169602	BICDPE 40W LED	1	4300
----------	----------------	---	------

Reliable, robust & special purpose lighting solution with IP54 protection. Suitable for various applications. Used as a direct replacement of twin fluorescent channel.



LINEA LED EXCEL - Linear Luminaire

▶ 169898	BIPC 40W LED	1	3400
----------	--------------	---	------

Durable & weather proof industrial lighting solution luminaire with IP65 protection.



LINEA LED PLUS - Linear Luminaire

▶ 112687	BJI 118 LED PC	1	1300
▶ 112688	BJI 218 LED PC	1	1700

Durable & weather proof industrial lighting solution luminaire with IP65 protection.

On Request	BTI 115 LED PC	1	1500
On Request	BTI 215 LED PC	1	1700

Note: LED tube for above luminaires will BLRB 15W CWC (Item Code -112480).

Industrial corrosion resistance LED PC luminaires completely pre wired with IP65 protection. Best in class products for regular & retrofit options.

PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	-------



WEE PLUS - BULKHEAD LUMINAIRE

On Request	BIBWP 6W LED	-	On Request
▶ 112334	BIBWP 10W LED	8	1650

Wee Plus an ideal energy efficient solution for upgrading conventional GLS bulkhead luminaires to LED bulkhead IP65 luminaires.



Cleanroom Lighting


PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	-------



PRISTINE - LED CLEANROOM LUMINAIRE

539595	BPRF 20W WH LED	1	4500
539490	BPRF 36W WH LED	1	7900
▶ 539379	BPRF 45W WH LED	1	8300
539348	BPRF 60W WH LED	1	10300
▶ 539349	BPRF 80W WH LED	1	13300
On Request	BPRR 36W WH LED	1	On Request
539571	BPRR 45W WH LED	1	12000
539572	BPRR 60W WH LED	1	13000
On Request	BPRR 80W WH LED	1	On Request
539489	BPSF 36W WH LED	1	8500
539378	BPSF 45W WH LED	1	10100
539377	BPSF 60W WH LED	1	11800
539566	BPSF 80W WH LED SL	1	12000

Pristine is a specialised lighting solutions for cleanroom areas like labs, F&B, pharma & kitchen area. Note: above products are also available 'On Request' in ss bottom frames as well as in screw less bottom frames.



Cityscape Lighting >

Area

Street

Landscape

'S' Bridge Byculla, Mumbai



Street Lighting

Chhatrapati Shivaji Maharaj Terminus, Mumbai

PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	-------



CUB - LED STREETLIGHT

▶ 169828	BCLST 15W LED I	8	2050
▶ 169829	BCLST 20W LED I	8	2200
▶ 169821	BCLST 25W LED I	8	2400
▶ 169887	BCLST 30W LED I	8	3000
▶ On Request	BCLST 36W LED	8	On Request

CUB LED streetlight comes with pressure die cast housing, prismatic polycarbonate diffuser, LEDs with secondary optics and IP65 protection.



EDGE SERIES OF LED STREETLIGHT

▶ 169913	BRTFG 36W LED	2	5000
▶ 169799	BRTFG 45W LED I	2	5500
▶ 169950	BRTFG 60W LED V3	1	6000
▶ 169883	BRTFG 72W LED V3	1	6500

EDGE LED streetlight comes with pressure die cast housing, toughened glass and individual LEDs with secondary optics and IP66 protection.



EDGE - LED Streetlight

▶ 169900	BRTFG 75W LED I	1	8000
▶ 169901	BRTFG 80W LED I	1	10000
▶ 169800	BRTFG 90W LED I	1	9500
▶ 169902	BRTFG 100W LED I	1	11000

EDGE LED streetlight comes with pressure die cast housing, toughened glass and individual LEDs with secondary optics and IP66 protection.

PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
EDGE - LED Streetlight			
▶ 169553	BRTFG 120 W LED	1	12000
▶ 169649	BRTFG 135W LED	1	13000
169695	BRTFG 140W LED	1	13500
169820	BRTFG 150W LED	1	14000
169915	BRTFG 180W LED I	1	15000

LED streetlight with pressure die cast housing with toughened glass and individual LEDs with secondary optics and IP66 protection.

EDGE - LED Streetlight			
169837	BRTFG 210W LED	1	25000
On Request	BRTFG 250W LED	1	On Request

LED streetlight with pressure die cast housing with toughened glass and individual LEDs with secondary optics and IP66 protection.

EDGE - WARM WHITE LED STREETLIGHT			
169884	BRTFG 45W LED WW	1	5500
169885	BRTFG 100W LED WW	1	10000
169888	BRTFG 120W LED WW	1	12000
169886	BRTFG 160W LED WW	1	16000

LED streetlight in warm white colour with pressure die cast housing with toughened glass and individual LEDs with secondary optics and IP66 protection.

EDGE PLUS SERIES OF LED STREETLIGHT			
On Request	BRLEP 15W LED	30	2100
On Request	BRLEP 20W LED V2	30	2500
▶ 169826	BRLEP 25W LED WH	30	3000
169907	BRLEP 30W LED WH	30	3400

LED streetlight with pressure die cast housing with individual LEDs with modular secondary optics and IP65 protection.

EDGE PLUS - LED Streetlight			
▶ 169910	BRLEP 45W LED V2	2	5500
169941	BRLEP 60W LED V2	2	6000
169942	BRLEP 72W LED V2	2	6400

LED streetlight with pressure die cast housing with individual LEDs with modular secondary optics and IP66 protection.

PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
EDGE PLUS - LED Streetlight			
▶ 169911	BRLEP 90W LED V2	1	9500

LED street light with pressure die cast housing with individual LEDs with modular secondary optics and IP66 protection.





Crawford Market, Mumbai



Area Lighting

PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	-------



MAGNUM - LED FLOODLIGHT

▶ 112716	BJFL 30W LED	2	3000
▶ 112717	BJFL 60W LED	1	6000
▶ 169903	BJFL 80W LED S	1	8000
▶ 169904	BJFL 100W LED S	1	10000

LED floodlight Luminaire with high pressure die cast housing with IP65



FORCE - LED FLOODLIGHT

▶ 169833	BJFL 80W LED	1	11500
▶ 169834	BJFL 100W LED	1	13000
▶ 169835	BJFL 120W LED	1	14000
▶ 169836	BJFL 150W LED	1	15000

LED floodlight Luminaire with high pressure die cast housing with IP66



TURBO - LED FLOODLIGHT

▶ 169640	BARFEG 80W LED	1	13000
▶ 169657	BARFEG 100W LED	1	17000
▶ 169641	BARFEG 120W LED	1	18500
▶ 169642	BARFEG 160W LED	1	21000
▶ 169658	BARFEG 180W LED	1	26000
▶ 169783	BARFEG 200W LED	1	28000
▶ 169819	BARFEG 240W LED	1	36000
▶ 169908	BARFEG 300W LED	1	38000
▶ 169839	BARFEG 350W LED	1	46000

LED floodlight luminaire with secondary optics made in pressure die cast housing with heat sink & aluminium extrusion with IP66

PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	-------



AMAZE - LED FLOODLIGHT

169935	BJFL 80W LED I	1	7600
169936	BJFL 100W LED I	1	11000
On Request	BJFL 120W LED I	1	On Request
▶ 169930	BJFL 150W LED I	1	13000
169928	BJFL 180W LED I	1	18700
169929	BJFL 200W LED I	1	19000

3rd generation led floodlight luminaire with ultra sleek, light weight and with secondary optics, made of pressure die cast housing.



LED AVIATION LIGHT LUMINAIRE

110731	BGAV 302 LED	4	4400
--------	--------------	---	------

Integral LED aviation light comprising of aluminium housing with polycarbonate enclosure.



Landscape Lighting

PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
--------------	----------------	--------------------	-------



LED BOLLARDS FLUTE

▶ 111282	BGBOL 605 9W LED	1	4500
----------	------------------	---	------

LED Bollard in cylindrical shape with opal acrylic diffuser and IP65 protection.



TULIP

▶ 111284	BGBOM 650 9W LED	1	4700
----------	------------------	---	------






LED bollard with opal acrylic diffuser and IP65 Protection.









TETRIS

▶ 111771	BGBOS 600 9W LED	1	5700
----------	------------------	---	------


LED bollard in rectangular shaped victorian design with opal acrylic diffuser and IP65 protection.

	PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
	MUSHRUMZ			
	111740	BLBMC 9W WW LED	1	4500
LED bollard in decorative mushroom shape with IP65 protection.				
	LED POST TOPS			
	FLORENCE			
112362	BGCP 45W LED WW	1	13500	
LED post top with decorative circular design complaint to dark sky norms with polycarbonate opal diffuser and IP65 protection.				
	TEARDROP			
	112680	BNRRL 65W LED	1	16000
LED post top with spun aluminium decorative housing and clear polycarbonate diffuser with IP65 protection.				
	COSMOS			
	111536	BGCS 40W LED LED WH	1	9000
	111537	BGCS 70W LED WH	1	11500
LED post top made in cast aluminium with decorative opal polycarbonate diffuser and IP65 protection.				
	CELESTA			
	▶ 111538	BGCL 40W LED WH	1	9500
	▶ 111539	BGCL 70W LED WH	1	12000
LED post top made in cast aluminium with decorative opal polycarbonate diffuser with IP65 protection.				

	PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
	ARIAN			
	112364	BGCT W4 LED WW	1	8000
LED post top made in die cast aluminium housing with decorative clear opal acrylic diffuser and IP65 protection.				
	TENCO			
	▶ 111713	BRIL 45W LED NW	1	12500
LED post top made in die cast aluminium with innovative glare free indirect lighting distribution & IP65 protection.				
	GLOBE			
	111741	BLPTSP 25W NW LED	1	4700
LED post top in spherical shape polycarbonate diffuser & IP65 protection.				
	GLOBE POST			
	111742	BLWSP 25W NW LED	1	5400
Decorative LED wall light in spherical shape polycarbonate diffuser & IP65 protection.				
	BUSH AND SPIKE LIGHTING			
	SPYKZ			
▶ 112146	BGSBL 9W LED WW	4	3500	
LED step light with die cast aluminum housing designed for rugged outdoor usage & IP65 protection.				

PRODUCT CODE	LUMINAIRE TYPE	STANDARD PACKAGING	RSP ₹
	LED STEP LIGHT RAZOR		
111711	BLSGV 4W LED WH	6	2000
LED step light in white powder coated cast aluminium body & IP54 protection.			

	LED UPLIGHT VERTICO		
112468	BLWUP 9W LED WW	1	ON REQUEST
LED Up light with die cast aluminum housing designed for rugged outdoor usage & IP65 protection.			





PRODUCT CODE	ASD TYPE	STANDARD PACKAGING	UNIT PRICE ₹
--------------	----------	--------------------	--------------

ASPIRATING SMOKE DETECTOR SYSTEM (ASD) RANGE

Aspirating Smoke Detector System - ASD-531, SSD 531 & FBS 25 PC



600918	High Power LED based active Aspiration type smoke detector (ASD - 531) 1 pipe inlet of upto 70 mtr & 12 Holes Asymmetrical pipe line design. External filter for easy maintenance & external Power supply. Maximum Coverage area 720 Sq mtr Standards: EN 54-20 Class A, B and C, EN 54-27 UL 268, FM 3230, Vds	1	77500
--------	--	---	-------



600920	Smoke sensors (SSD 31) Alarm Sensitivity range Sensitivity range alarm: 0.02 %/m - 10 %/m Sensitivity range pre-signals: 0.006 %/m - 7 %/m	1	
--------	--	---	--









600022	Filter box small including filter-mat. (FBS 25 PC) To be used in slightly dusty rooms.	1	
--------	---	---	--




PRODUCT CODE	ASD TYPE	STANDARD PACKAGING	UNIT PRICE ₹
ASPIRATING SMOKE DETECTOR SYSTEM - ASD-535, SSD 535-3 & FBS 25 PC (Available Models ASD 535-1, ASD 535-2, ASD 535-3 & ASD 535-4)			
600919	High Power LED based active Aspiration type smoke detector (ASD - 532) 1 pipe inlet of upto 120 mtr & 20 Holes. Asymmetrical pipe line design. External filter for easy maintenance & external Power supply. Smoke level is indicated on a bar graph display & Networking available Maximum Coverage area 1280 Sq mtr Standards: EN 54-20 Class A, B and C, EN 54-27 UL 268, FM 3230, Vds	1	99500
600921	Smoke sensors (SSD 532 - 3) Alarm Sensitivity range Sensitivity range alarm: 0.02 %/m - 10 %/m Sensitivity range pre-signals: 0.002 %/m - 9 %/m	1	
600022	Filter box small including filter-mat. (FBS 25 PC) To be used in slightly dusty rooms.	1	
ASPIRATING SMOKE DETECTOR SYSTEM - ASD-535, SSD 535-3 & FBS 25 PC (Available Models ASD 535-1, ASD 535-2, ASD 535-3 & ASD 535-4)			
600564	High Power LED based active Aspiration type smoke detector (ASD - 535-1) 1 inlet of upto 300 mtr r & 120 Holes. Asymmetrical pipe line design. External filter for easy maintenance & external Power supply. Smoke level is indicated on a bar graph display & Networking available Maximum Coverage area 2880 Sq mtr or 5760 Sq mtr Standards: EN 54-20 Class A, B and C, EN 54-27 UL 268, FM 3230, Vds	1	131500



PRODUCT CODE	BMS TYPE	STANDARD PACKAGING	UNIT PRICE ₹
ASPIRATING SMOKE DETECTOR SYSTEM ASD-535, SSD 535-3 & FBS 25 PC (Available Models ASD 535-1, ASD 535-2, ASD 535-3 & ASD 535-4)			
600566	Smoke sensors (SSD 535-3) Alarm Sensitivity range Sensitivity range alarm: 0.02 %/m - 10 %/m Sensitivity range pre-signals: 0.002 %/m - 9 %/m	1	
600022	Filter box small including filter-mat. (FBS 25 PC) To be used in slightly dusty rooms.	1	

PRODUCT CODE	BMS TYPE	STANDARD PACKAGING	UNIT PRICE ₹
	DELTA CONTROLS ENELITOUCH		
700171	Touch screen interface, stylus not required Attractive modern design Can be mounted on a wall, in a panel, or in a new or retrofit building Changing setpoints and monitor inputs and outputs Adjustable controller schedules and calendars Alarm enunciation, automatic alarm pop-up, email alarms (optional) ZigBee wireless communication capability Support for BACnet over Ethernet and BACnet/IP communication Alarm enunciation, automatic alarm pop-up, email alarms (optional) Remote access through a PC web browser (optional) Optional built-in temperature, humidity, and occupancy sensors	1	80500
	DELTA ENTELIZONE™ NETWORK SENSOR		
700273	RGB backlight allows choice of colors to indicate conditions, alarms and night mode Capacitive touch zones allow custom button sizes Multiple button layout options: Simple one-touch buttons, or two-touch buttons for added functionality Smartphone and tablet integration and setup using NFC technology Digital Temperature Sensor +/- 0.2° C (+/- 0.36°F) Humidity Sensor (Optional) Accuracy +/- 3% Occupancy Sensor (Optional) Passive infrared motion (PIR) sensor CO2 Sensor (Optional) Dual Beam, Self Calibrating NDIR Detection 110kΩ input (16 bit A/D)	1	36000
	MAGNUM M9-RTS1 - WALL MOUNT REMOTE TEMPERATURE SENSOR		
700224	EnOcean Radio Technology Interoperable Wireless Standard Self-Powered Solar-powered sensors, with an intelligent transmission management, are used to measure the room temperature, and transmit this information wirelessly using the non-proprietary EnOcean wireless protocol	1	25000

PRODUCT CODE	CAMERA TYPE	STANDARD PACKAGING	UNIT PRICE ₹
	ANALOG CCTV RANGE Infrared dome camera		
600773	Digital image sensor 1100 TVL high resolution 0.01 lux min illumination, 0 lux (IR on) 3.6 mm fixed lens IR range of 20 Mtr. with 24 LEDs AGC, AWB, BLC CE, FCC and RoHS certified	4	5800
	WEATHER PROOF INFRARED BULLET CAMERA		
600772	Digital image sensor 1100 TVL high resolution 0.01 lux min illumination, 0 lux (IR on) 3.6 mm fixed lens IR range of 20 Mtr. with 24 LEDs IP65, AGC, AWB, BLC CE, FCC and RoHS certified	4	6600
	DIGITAL VIDEO RECORDER		
600142	16 channel, free DDNS, CIF recording hard-disk and display not included	1	21500
600390	8 channel, free DDNS, CIF recording Hard-disk And Display Not Included	1	13200
600698	4 channel, free DDNS, D1 recording hard-disk and display not included	1	10700

PRODUCT CODE	CAMERA TYPE	STANDARD PACKAGING	UNIT PRICE ₹
	Analog CCTV Range (nxt Powered by VIVOTEK) Infrared dome camera 600778 2 megapixel CMOS sensor 15 fps @ 1920x1080; 30 fps @ 1280x720 Real-time H.264, MJPEG compression (dual codec) Built-in IEEE 802.3af Compliant PoE Built-in MicroSD/SDHC/SDXC card slot for on-board Storage Ultra-mini size design Easy installation	4	39300
	2MP full HD ultra mini IP network camera 600778 2 megapixel CMOS sensor 15 fps @ 1920x1080; 30 fps @ 1280x720 Real-time H.264, MJPEG compression (dual codec) Built-in IEEE 802.3af Compliant PoE Built-in MicroSD/SDHC/SDXC card slot for on-board Storage Ultra-mini size design Easy installation	4	39300
	8-CH 2-bay HDD auto setup auto adaptive stream hardware decoding standalone desktop 600775 8-CH live viewing 1-CH local playback, 4-CH remote Synchronous playback Embedded linux OS Easy to install HDD design 1080P HDMI local video output Plug & play auto setup Auto adaptive stream for efficient display Support fisheye dewarp (1Q, 1P, 1R, 1O3R) Support local rewind VIVOTEK camera configuration integrated Hard disk and display not included	1	77600
	IP CCTV combo offer 600774 2 ultra mini bullet 2 ultra mini dome 1 No. 4 port POE switch 1 No. 8 channel NVR Hard disk and display not included	1	215600

Phoenix Market City, Pune a 3 million Sq ft of development with 2 million of mall space which has more than 300 stores, 9 cinemas and more than 50 international brands, restaurants along with one million sq ft of commercial space. We are thankful to Bajaj Electricals IBMS team who has been our partner since inspection of the project and in operational phase. We are very happy with life safety and security and services rendered by them.

Rajiv Malla
 Center Director,
 Phoenix Market City, Pune

Bajaj IBMS vital support in BMS proved to be an accomplishment of dream project of Cosmos Bank and a project of pride for Bajaj Electricals Limited.

Ratnakar Nadkarni
 Chief General Manager - Operations,
 Cosmos Bank - HQ, Pune



Bajaj Electricals International Customer Reference

AWARDS & ACCOLADES

Finest India Skills & Talent Awards 2017

Significant Project of the Year Awards 2015

Data Center Dynamics Awards 2016

Smart Green Building Initiative Awards 2017

Best IBMS Company Award 2015



DRIVER CODE	DRIVER CAT. REF.	UNIT PRICE ₹	COMPATIBLE PRODUCT CODE	COMPATIBLE PRODUCT DESCRIPTION
112707	BGD 40 020	330	112375	BRDCSL 9W WH
			112376	BRDCSL 9W NW
			112377	BRDCSL 9W WW
112700	BGD 36 015	430	112261	BZSLH 6W NW
			112276	BZSLH 6W SQ NW
			112275	BZSLH 6W SQ WH
			112277	BZSLH 6W SQ WW
			112260	BZSLH 6W WH
			112262	BZSLH 6W WW
			112278	BZSLH 12 SQ WH
			112264	BZSLH 12W NW
112684	BGD 36 035	430	112279	BZSLH 12W SQ NW
			112280	BZSLH 12W SQ WW
			112263	BZSLH 12W WH
			112265	BZSLH 12W WW
			111624	BZSLO D LED 12 NW
			111622	BZSLO D LED 12 WH
			111623	BZSLO D LED 12 WW
			111621	BZSLO LED 12 NW
			111619	BZSLO LED 12 WH
			111620	BZSLO LED 12 WW
			111627	BZSLO SQ LED 12 NW
			111625	BZSLO SQ LED 12 WH
			111626	BZSLO SQ LED 12 WW
			111767	BZSLOS 12W NW
			111765	BZSLOS 12W WH
111766	BZSLOS 12W WW			
112685	BGD 40 035	430	112267	BZSLH 15W NW
			112282	BZSLH 15W SQ NW
			112281	BZSLH 15W SQ WH
			112283	BZSLH 15W SQ WW
			112266	BZSLH 15W WH
			112268	BZSLH 15W WW
			111615	BZSLO D LED 15 NW
			111613	BZSLO D LED 15 WH
			111614	BZSLO D LED 15 WW
			111612	BZSLO LED 15 NW
			111610	BZSLO LED 15 WH
			111611	BZSLO LED 15 WW
			111618	BZSLO SQ LED 15 NW
			111616	BZSLO SQ LED 15 WH
			111617	BZSLO SQ LED 15 WW
112686	BGD 50 035	430	111734	BZSLOS 15W NW
			111732	BZSLOS 15W WH
			111733	BZSLOS 15W WW
			112270	BZSLH 18W NW
			112285	BZSLH 18W SQ NW

DRIVER CODE	DRIVER CAT. REF.	UNIT PRICE ₹	COMPATIBLE PRODUCT CODE	COMPATIBLE PRODUCT DESCRIPTION
112686	BGD 50 035	430	112284	BZSLH 18W SQ WH
			112286	BZSLH 18W SQ WW
			112269	BZSLH 18W WH
			112271	BZSLH 18W WW
			111633	BZSLO D LED 18 NW
			111631	BZSLO D LED 18 WH
			111632	BZSLO D LED 18 WW
			111630	BZSLO LED 18 NW
			111628	BZSLO LED 18 WH
			111629	BZSLO LED 18 WW
			111636	BZSLO SQ LED 18 NW
			111634	BZSLO SQ LED 18 WH
			111635	BZSLO SQ LED 18 WW
			111770	BZSLOS 18W NW
			111768	BZSLOS 18W WH
111769	BZSLOS 18W WW			
112701	BGDZ 45 080	690	111700	BZSLO 24W SQ WH
			112273	BZSLH 24W NW
			112288	BZSLH 24W SQ NW
112699	BGD 40 058	690	112287	BZSLH 24W SQ WH
			112289	BZSLH 24W SQ WW
			112272	BZSLH 24W WH
			112274	BZSLH 24W WW
			111213	BGCML 12W NW
112342	BGDZ 40 320	430	111645	BGCML 12W WH
			110948	BGCML 12W WW
			111210	BGCML 18 095 WH (17W)
112341	BGDZ 54 320	430	111294	BGCML 18 095 NW (17W)
			111295	BGCML 18 095 WW (17W)
			111910	BZRSQ 18W WH
112691	BGD 36 050I	640	111912	BZSSQ 18W WH
			111910	BZRSQ 18W WH
			111912	BZSSQ 18W WH
112694	BGD 36 075HP	640	111775	BZRSQ 30 W GIII R (75MM)
			111746	BLRI 30 W WH LED
			111775	BZRSQ 30 W GIII R (75MM)
			111746	BLRI 30 W WH LED
			111171	BPRF 36W WH SL
111603	BGD 36 100HP	660	112070	BDTBLR W3 WH
			111549	BXTBLR 36W WH
			112051	BXTBLR 36W WH
			111903	BZRSQ 36 W XL WH
			111729	BZSSQ 36 W WH (55 MM)
			111171	BPRF 36W WH SL
			112070	BDTBLR W3 WH
			111549	BXTBLR 36W WH
			112051	BXTBLR 36W WH

DRIVER CODE	DRIVER CAT. REF.	UNIT PRICE ₹	COMPATIBLE PRODUCT CODE	COMPATIBLE PRODUCT DESCRIPTION
111603	BGD 36 100HP	660	111903	BZRSQ 36 W XL WH
			111729	BZSSQ 36 W WH (55 MM)
			169742	BTS 80 W LED WH
			111552	BZRSQ 36 W GIII
			112087	BZSSL 36W WH
			111778	BZRSQ 36W GZ
			111784	BZRSQ 36W GIII WH J
			111777	BZRSQ 36 W GIII NW
			112071	BDTBLR W3 NW
			111908	BZRSLL 36 W WH XL
112690	BGD 36 100I	660	111897	BTTI 36 W LED WH
			111552	BZRSQ 36W GIII WH
			112087	BZSSL 36W WH
			111778	BZRSQ 36W GZ
			111784	BZRSQ 36W GIII WH J
			111777	BZRSQ 36 W GIII NW
			112071	BDTBLR W3 NW
			111908	BZRSLL 36 W WH XL
			111897	BTTI 36 W LED WH
			111552	BZRSQ 36W GIII WH
			169602	BICDP 40 W LED
			169601	BICDPE 40 W LED
			111492	BLTRU 40 W LED NEO
			111956	BLTRU 40 W LED CASCADE
			111422	BCTBLR 36 WH ZT (112690 BGD 36 100I driver also can be used)
			112715	BGD 36 100HPS
111879	BRDCLR 50W NW			
111180	BZSSQ 36W WH			
111181	BZSSQ 36W NW			
111870	BZRSLL 36W WH			
111907	BZRSLL 36W NW			
111652	BCTBLS36 WH ZT			
111901	BCTBLS 43 ZT WH			
539425	BPOARM 43W LED WH			
539426	BPOARM 43W LED NW			
112229	BPTX 40W LED4F NW			
112230	BPTX 40W LED4F WH			
112231	BPTX 40W LED4F WW			
112223	BPTX 2-40W LED8F NW			
112224	BPTX 2-40W LED8F WH			
112225	BPTX 2-40W LED8F WW			
112116	BRTX 40W LED4F NW			
112113	BRTX 40W LED4F WH			
112209	BRTX 40W LED4F WW			
112205	BRTX 2-40W LED8F NW			
112206	BRTX 2-40W LED8F WH			

DRIVER CODE	DRIVER CAT. REF.	UNIT PRICE ₹	COMPATIBLE PRODUCT CODE	COMPATIBLE PRODUCT DESCRIPTION
112715	BGD 36 100HPS	590	112207	BRTX 2-40W LED8F WW
			111882	BXDR 50W WW
			111881	BXDR 50W NW
			112226	BPTX 28W LED4F NW
			112227	BPTX 28W LED4F WH
			112228	BPTX 28W LED4F WW
			112220	BPTX 2-28W LED8F NW
			112221	BPTX 2-28W LED8F WH
			112222	BPTX 2-28W LED8F WW
			112694	BGD 36 075HP
112112	BRTX 28W LED4F WH			
112208	BRTX 28W LED4F WW			
112202	BRTX 2-28W LED8F NW			
112203	BRTX 2-28W LED8F WH			
112204	BRTX 2-28W LED8F WW			
112372	BRDCSL 6W WH			
112373	BRDCSL 6W NW			
112374	BRDCSL 6W WW			
112702	BGDZ 40 080	690		
			112246	BRWSQ 36W NW
112695	3W/19V/170mA	370	111644	BGCML 6W WH
112815	BGD 40 038	390	112378	BRDCSL 16W WH
			112379	BRDCSL 16W NW
			112380	BRDCSL 16W WW
112027	BGD 40 070	1230	112381	BRDCSL 30W WH
			112382	BRDCSL 30W NW
			112383	BRDCSL 30W WW
112816	BGD 40 120	810	112384	BRDCSL 50W WH
			112385	BRDCSL 50W NW
			112386	BRDCSL 50W WW
112692	BGD 36 070HP	710	111960	BRDCLR 30W WW
			111961	BRDCLR 30W NW
			112022	BRDCLR 30W WH
			112047	BXDR 30W WW
			112048	BXDR 30W WH
			111655	BCTBLR18WH ZT
112783	BGD 36 050HP	630	111656	BCTBLR18NW ZT
			111649	BCTBLS18 WH ZT
			111650	BCTBLS18 NW ZT
			112232	BPTXn 20W LED4F NW
			112233	BPTXn 20W LED4F WH
			112234	BPTXn 20W LED4F WW
			112214	BPTX 20W LED4F NW
			112215	BPTX 20W LED4F WH
			112216	BPTX 20W LED4F WW
			112217	BPTX 2-20W LED8F NW
112218	BPTX 2-20W LED8F WH			

DRIVER CODE	DRIVER CAT. REF.	UNIT PRICE ₹	COMPATIBLE PRODUCT CODE	COMPATIBLE PRODUCT DESCRIPTION
112783	BGD 36 050HP	630	112219	BPTX 2-20W LED8F WW
			112232	BPTXn 20W LED4F NW
			112233	BPTXn 20W LED4F WH
			112234	BPTXn 20W LED4F WW
			112211	BRTXn 2-20W LED8F NW
			112212	BRTXn 2-20W LED8F WH
			112213	BRTXn 2-20W LED8F WW
			112214	BPTX 20W LED4F NW
			112211	BRTXn 2-20W LED8F NW
			112198	BRTX 20W LED4F WW
			112200	BRTX 2-20W LED8F WH
112201	BRTX 2-20W LED8F WW			
112806	BGD 50 050LHD	590	112111	BRTX 20W LED4F WH
112806	BGD 50 050LHD	590	112200	BRTX 2-20W LED8F WH (2 nos. drivers to be used)
112817	BGD 24 085 I	610	112411	BARSQ 24W WH
			112412	BARSQ 24W NW
112818	BGD 48 075 I	850	112413	BARSQ 43W WH
			112414	BARSQ 43W NW
112819	BGD 24 120 I	710	112343	BARSQ 36W WH
			112344	BARSQ 36W NW
112692	BGD 36 070 5Y HP	790	112773	BZRSQ 24W XE WH
			112774	BZRSQ 24W XE NW
112662	BGD 36 075	590	112085	BZRSQ 30W GZ
112690	BGD 36 100I	560	112668	BZRSQ 43W GZ1 WH
112684	BGD 36 035	340	112645	BZSLO 12W WH NI
112698	BGD 45 085	690	111710	BLTRU 40W NW VIVA
			111708	BLTRU 40W WH VIVA
			111709	BLTRU 40W WW VIVA
112830	BGD 30 300	350	112334	BIBWP 10W LED
112829	BGD 33 1100	680	169683	BIPC 40W LED
112706	BGD 66 140 5Y	2450	188605	BGHB 100 W LED
112117	BGD 66 210 5Y	2490	188615	BGHB 150 W LED
953578	Driver for BGHB 150W LED GIV	2550	169709	BGHB 150W LED G IV
953577	Driver for BGHB 80W LED GIV	2450	-	-
112755	Driver 200W LED Higbay Duranto	4350	-	-
953598	Driver 100W LED Higbay Duranto	2240	169710	BGHB 100W LED GIV
953611	Driver 80W GV LED Higbay Duranto	1870	169871	BGHB 80W LED GV
953610	Driver 100W GV LED Higbay Duranto	2230	169933	BGHB 100W LED GV
112529	BWGLD 32W	1070	169552	BIWICP 35W
112530	BWGLD 42W	1070	169600	BIWIDP 42 W LED

DRIVER CODE	DRIVER CAT. REF.	UNIT PRICE ₹	COMPATIBLE PRODUCT CODE	COMPATIBLE PRODUCT DESCRIPTION
112314	BGD 44 180 5Y	2600	111747	BG PPN 80 W LED
112751	BGD 132 610 P	2360	-	BGPPR 80W I
112741	BGD 130 061	1830	169757	BGPPR 80W LED
112073	BRLED 25	770	111742	BLWSP 25W WH LED
			169821	BCLST 25W LED I
			111741	BLPTSP 25W WH LED
110915	BGD 36 070 5Y	770	169320	BSLST 10LED 25W
			168965	BSLST 20LED
112137	BGD 36 140 5Y	1120	169176	BSLST 30LED 45W
			168966	BSLST 40LED
112809	BRLED 25P	570	169821	BCLST 25W LED I
112138	BGD 36 280 5Y	2420	169288	BSLST 60LED 90W
112520	BGD 70 065 5Y	1200	230232	BRTFG 40W LED
112807	BGD 40 360 5Y	2490	169820	BRTFG 150 W LED
112804	BGD 36 360 5Y	2490	169649	BRTFG 135W LED
112592	BGD 36 195 5Y	1650	169598	BRTFG 30LED 65W
112179	BGD 36 240 5Y	1900	169557	BRTFG 44LED 90W
112593	BGD 40 240 5Y	1940	169652	BRTFG 48LED 100W
112055	BGD 40 295 5Y	2060	169553	BRTFG 60LED 120W
112562	BGD 38 360 5Y	2490	169649	BRTFG 66LED 135W
112455	BGD 55 065 5Y	1080	169699	BRTFG 16 LED 30 W --I
112520	BGD 70 065 5Y	1200	169681	BRTFG 21 LED 45 W --I
			169799	BRTFG 45W LED I
112591	BGD 36 185 5Y	1650	169680	BRTFG 30 LED 60 W --I
112552	BGD 38 150 5Y	1370	169808	BRTFG 60W LED I
112136	BGD 36 210 5Y	1650	169191	BSLST 40LED 72W
953616	Xitanium 250W Driver	4490	169837	BRTFG 210W LED
			111740	BLBMC 9W WW LED
			111286	BGBOS 405 9W LED
			111284	BGBOM 650 9W LED
			111282	BGBOL 605 9W LED
			111279	BGBOM 450 9W LED
			112468	BLWUP 9W WW LED
			112146	BGSBL 9W LED
112703	BGD 21 040	390	111740	BLBMC 9W WW LED
			111286	BGBOS 405 9W LED
			111284	BGBOM 650 9W LED
			111282	BGBOL 605 9W LED
			111279	BGBOM 450 9W LED
			112468	BLWUP 9W WW LED
			112146	BGSBL 9W LED
			111538	BGCL 40W LED
			111536	BGCS 40W LED
110916	BGD 36 100 5Y	1010	169394	BSLST 20LED 30W
			169091	BSLST 30LED 30W

DRIVER CODE	DRIVER CAT. REF.	UNIT PRICE ₹	COMPATIBLE PRODUCT CODE	COMPATIBLE PRODUCT DESCRIPTION
112705	BGD 36 180 5Y	1660	111539	BGCL 70W LED
			111537	BGCS 70W LED
			169235	BSLST 40LED 65W
			169177	BSLST 60LED
112766	BGD 40 1050 5Y	1170	112362	BGCP 45W LED WW
			112364	BGCT W4 LED WW
112704	BGD 39 115	2630	111713	BRIL 45W LED NW
112824	BGD 60W CN (Driver for BJFL 60W LED)	710	112717	BJFL 60W LED
112560	BGD 36 220 5Y	1900	169833	BJFL 80W LED
112561	BGD 40 280 5Y	1940	169834	BJFL 100W LED
112055	BGD 40 295 5Y	2060	169835	BJFL 120W LED
112562	BGD 38 360 5Y	2490	169836	BJFL 150W LED
112531	BRFLD 80W	1480	169640	BARFEG 80W LED
112532	BRFLD 120W	2350	169657	BARFEG 100W LED
112821	BRFLD 160W	3370	-	DRIVER FOR BARFEG 240, 300 & 350W LED
112532	BRFLD 120W	2350	169641	BARFEG 120W LED
112531+	BRFLD 80W +		169642	BARFEG 160W LED
112531	BRFLD 80W			
112531+	BRFLD 80W +		169658	BARFEG 180W LED
112532	BRFLD 120W			
112532+	BRFLD 120W +		169783	BARFEG 200W LED
112532	BRFLD 120W			
112821+	BRFLD 160W +		169819	BARFEG 240W LED
112821	BRFLD 160W			
112821+	BRFLD 160W +		169908	BARFEG 300W LED
112821	BRFLD 160W			
112821+	BRFLD 160W +		169839	BARFEG 350W LED
112821+	BRFLD 160W +			
112821	BRFLD 160W			
112822	BGD 05 300 HP	280	111711	BLSGV 4W LED
953607	Driver for BRTFG 45W V2	920	169910	BRLEP 45W LED V2
112507	BJSPD 10	310	-	External Surge protection 10kV

Number of LED drivers and type of LED drivers per luminaire

PRODUCT GROUP	ITEM CATEGORY	HSN CODE FOR GST REGIME 4-DIGIT	HSN CODE FOR GST REGIME 8-DIGIT
Area Lighting LED	Area Lighting LED	9405	94054090
Commercial Lighting - LED	Tubelight LED	9405	94051090
Commercial Lighting - LED	Batten LED	9405	94051090
Commercial Lighting - LED	Downlight LED	9405	94051090
Commercial Lighting - LED	Exit Signage LED	9405	94056090
Commercial Lighting - LED	Commercial Lighting LED	9405	94051090
Industrial Lighting LED	Aviation Light LED	9405	94054090
Industrial Lighting LED	Industrial Lighting LED	9405	94054090
Landscape Lighting LED	Landscape Lighting LED	9405	94054090
Street Lighting LED	Streetlight LED	9405	94054090
Street Lighting LED	LED Module for Luminaire	9405	94059900
Street Lighting LED	Surge Protection Device	8535	85354030
Street Lighting LED/ Commercial Lighting - LED/ Area Lighting LED/ Landscape Lighting LED/ Industrial Lighting LED	LED Driver	9405	94059900

Terms & Conditions:

- All the prices specified in the Luminaires Price Cum Product Reckoner ("Reckoner") of Bajaj Electricals Limited ("Company") are for standard luminaire, in Indian Rupees and subject to these terms and conditions.
- The products marked with (▶) are the Made to Available ("MTA") products i.e. fast moving products, which will be readily available at the central warehouse of the Company.
- The RSP indicates the maximum retail selling price of the product, inclusive of GST and other levies; whereas the Unit price is exclusive of the GST which will be charged at the applicable rate.
- The non-LED products will be sold at Unit Price. The Unit Price for the Conventional Luminaires are exclusive of the price of the accessories like lamps/ ballast etc.
- The Company reserves the right to make changes in the RSP/ Unit Price, design and specifications of the products and/or withdraw/ replace the products and/or revise/modify/withdraw this Reckoner, without any prior notice. The purchasers are advised to reconfirm the relevant information with the Company.
- The images of the products and installation are indicative and for representational purpose only, and the actual products and installations may vary.
- This Reckoner supersedes all earlier price lists/ price reckoners for luminaire products of the Company.
- In case of any conflict or dispute arising out of or in connection with the reckoner, the Company's decision will be final and binding.
- Any dispute arising out of or in connection with this Reckoner or orders placed relying thereon shall be subject to the exclusive jurisdiction of the courts of Mumbai, irrespective of whether courts/ tribunals in other areas have concurrent or similar jurisdiction.

