

LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated
Industrial Cables
Flamegard - Flame Retardant Low Smoke
(FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant
(HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)


Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables

(HSN Code : 8544)



Residential & Commercial



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Flame Retardant (FR) PVC Insulated Industrial Cables



List Price wef. 1st March 2022

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1,170	20
10303	1.00	1,605	20
10304	1.50	2,335	12
10305	2.50	3,730	12
10306	4.00	5,410	8
10307	6.00	8,080	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,140	20
10313	1.00	1,490	20
10314	1.50	2,155	12
10315	2.50	3,440	12
10316	4.00	5,280	8
10317	6.00	7,885	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	2,920	8
10314	1.50	4,235	6
10315	2.50	6,790	4
10306016	4.00	10,445	4
10307016	6.00	15,600	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	730	30
10314	1.50	1,060	24
10315	2.50	1,700	24
10316	4.00	2,610	12
10317	6.00	3,900	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 1st March 2022

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	1,505	20
10114	1.50	2,175	12
10115	2.50	3,475	12
10106	4.00	5,335	8
10107	6.00	7,965	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10113016	1.00	2,950	8
10114016	1.50	4,275	6
10115016	2.50	6,860	4
10106016	4.00	10,550	4
10107016	6.00	15,755	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	738	30
10114	1.50	1,070	24
10115	2.50	1,715	24
10106	4.00	2,640	12
10107	6.00	3,940	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.
COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 1st March 2022

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10403	1.00	1,585	20
10404	1.50	2,295	12
10405	2.50	3,735	12

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	5,500	8
10407	6.00	7,990	4

HALOGEN FREE FLAME RETARDENT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10403010	1.00	4,785	270	8
10404010	1.50	6,885	270	6
10405010	2.50	11,240	270	4
10406016	4.00	11,000	180	4
10407016	6.00	16,000	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
 COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flexible Cables



FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14001	0.50	835
14002	0.75	1,200
14003	1.00	1,570

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14104	1.50	2,290
14105	2.50	3,680
14206	4.00	5,670

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14207	6	8,475
14208	10	14,970
14209	16	22,905
14210	25	35,800
14211	35	49,925
14212	50	70,775

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
14513	70	102,965
14514	95*	136,250
14515	120*	174,835
14516	150*	216,595
14517	185*	267,495
14518	240*	351,615

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17002	0.50	2,490
17002	0.75	3,335
17002	1.00	4,090

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17102	1.50	5,410
17102	2.50	8,670
17202	4.00	13,420

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC.

Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17003	0.50	3,250
17003	0.75	4,420
17003	1.00	5,525

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17103	1.50	7,505
17103	2.50	11,935
17203	4.00	18,780

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC.

Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17004	0.50	4,070
17004	0.75	5,570
17004	1.00	7,035

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17104	1.50	9,795
17104	2.50	15,690
17204	4.00	24,550

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17006	0.50	5,990
17006	0.75	8,475
17006	1.00	10,560

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17106	1.50	14,690
17106	2.50	23,580
17206	4.00	37,140

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	6,970
17008	0.75	9,650
17008	1.00	12,170

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17107	1.50	17,015
17107	2.50	27,310
17207	4.00	42,735

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17008	0.50	7,825
17008	0.75	10,870
17008	1.00	13,695

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17108	1.50	19,340
17108	2.50	31,135
17208	4.00	48,700

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17010	0.50	9,420
17010	0.75	13,370
17010	1.00	16,890

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17110	1.50	23,685
17110	2.50	38,230
17210	4.00	60,120

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17012	0.50	11,100
17012	0.75	15,780
17012	1.00	19,995

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17112	1.50	28,090
17112	2.50	45,770
17212	4.00	71,690

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17014	0.50	12,965
17014	0.75	18,215
17014	1.00	23,115

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17114	1.50	32,785
17114	2.50	53,305
17214	4.00	83,200

SIXTEEN CORES (8 +11)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17016	0.50	14,650
17016	0.75	20,850
17016	1.00	26,455

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17116	1.50	37,280
17116	2.50	60,615
17216	4.00	95,210

NINETEEN CORES (1+6 + 12)*

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17019	0.50	17,065
17019	0.75	24,380
17019	1.00	31,230

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17119	1.50	43,980
17119	2.50	71,060
17219	4.00	112,105

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203074	6	27,655
17203084	10	47,165
17203094	16*	72,625
17203104	25*	111,990
17203114	35*	156,705

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17203124	50*	225,145
17503134	70*	315,815
17503144	95*	417,280
17503154	120*	557,155

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204074	6	36,085
17204084	10	61,270
17204094	16*	94,125
17204104	25*	147,920
17204114	35*	205,770

Product Code	Conductor Area (sq.mm.)	LP Per 100M Coil (Rs.)
17204124	50*	293,090
17504134	70*	416,258
17504144	95*	551,840
17504154	120*	719,175

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc. Packing : Cables shall be supplied in Standard length of 100 M



Communication Cables



List Price wef. 1st March 2022



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Coaxial Cables – Jelly



List Price wef. 1st March 2022

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,715	5,231
RG 6 CU	2,390	7,290
RG 11 CU	5,335	16,272

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,520	4,636
RG 11 CCS	3,010	9,181

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,115	9,501

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL. Wire braid, Jelly flooded and PVC Jacketing in Black colour.

CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,070
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	10,404
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,340
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	11,319
65916013	RG59 JF XI +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,870
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	13,115
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,050
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	4,040
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,280
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,500

Telephone Cable

List Price wef. 1st March 2022



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	790
31050023	2 pair	1,380
31050033	3 pair	2,030
31050043	4 pair	2,670
31050053	5 pair	3,315

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,480
31050203	2D pair	12,340
31050503	50 pair	30,120
31051001	100 pair	59,035

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	550
31040023	2 pair	970
31040033	3 pair	1,420
31040043	4 pair	1,820
31040053	5 pair	2,240

Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%


Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,520
31040203	20 pair	8,520
31040503	50 pair	20,520
31041001	100 pair	39,470

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	8,470
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	10,540
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	10,540
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	10,540
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	10,540
32925048	0.5 x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	3,845
32105028	0.5 x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,340



Speaker Cable



List Price wef. 1st March 2022

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0,5 SQMM [Transparent]	6	100 Mtr	1,780
60325024	Speaker Cable 0.75 SQMM [Transparent]	6	100 Mtr	2,585
60326024	Speaker Cable 1 SQMM [Transparent]	6	100 Mtr	3,200
60327024	Speaker Cable 1.5 SQMM [Transparent]	6	100 Mtr	4,670
60328024	Speaker Cable 2.0 SQMM [Transparent]	6	100 Mtr	7,215
60329024	Speaker Cable 2.5 SQMM [Transperant]100M	6	100 Mtr	7,480
60324022	Speaker Cable 0.50 SQ MM [Transparent] 25 M	24	25 Mtr	445
60325022	Speaker Cable 0.75 SQ MM [Transparent] 25 M	24	25 Mtr	646
60326022	Speaker Cable 1.00 SQ MM [Transparent] 25 M	24	25 Mtr	800
60327022	Speaker Cable 1.50 SQ MM [Transparent] 25 M	24	25 Mtr	1,168

PACKING : Available in 100 M coils AND 25 M coil



Optic Fibre Cable



OPTIC FIBRE CABLE

FINOLEX SINGLE MODE / MULTI MODE OPTICAL FIBRE CABLES IN UNARMoured / ARMoured FOR UNITUBE OR MULTITUBE TYPE

UNARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8101105002	DMAX-E	2F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	9,680	COIL
8101105004	DMAX-E	4F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	10,715	COIL
8101105006	DMAX-E	6F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	11,705	COIL
8101105302	DMAX-ER	2F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	11,640	COIL
8101105304	DMAX-ER	4F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	12,670	COIL
8101105306	DMAX-ER	6F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	13,690	COIL
8101103812	DMAX	12F Single Mode Uni Tube Un-Armd (2FRP) OFC	7.2 +/-0.3	20,520	COIL
8101104124	DDBX	24F Single Mode Uni Tube Un-Armd (2FRP) OFC	9.30 +/-0.2	37,210	DRUM

ARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8101104002	MMAX	2F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	21,540	DRUM
8101104004	MMAX	4F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	22,555	DRUM
8101104006	MMAX	6F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	23,525	DRUM
8101104008	MMAX	8F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	24,580	DRUM
8101102412	MLM	12F Single Mode Uni Tube (2SW) Armd OFC	8.8 +/-0.3	29,990	DRUM
8101102624	MLX	24F Single Mode Uni Tube (2SW) Armd OFC	10 +/-0.5	42,700	DRUM
8108104004	MMAX OM1	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	36,845	DRUM
8108104006	MMAX OM1	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	44,280	DRUM
8108104008	MMAX OM1	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	51,635	DRUM
8108104012	MMAX OM1	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	66,410	DRUM
8107104004	MMAX OM2	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	31,795	DRUM
8107104006	MMAX OM2	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	37,155	DRUM
8107104008	MMAX OM2	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	42,390	DRUM
8107104012	MMAX OM2	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	53,080	DRUM
8105104004	MMAX OM3	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	41,625	DRUM
8105104006	MMAX OM3	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	51,940	DRUM
8105104008	MMAX OM3	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	62,155	DRUM
8105104012	MMAX Om3	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	82,930	DRUM

MULTI TUBE UNARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8400200024	Multi Tube	24F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	40,125	DRUM
8400200048	Multi Tube	48F Single Mode Multi Tube (Un-Armd) OFC	10.2 +/-0.3	55,935	DRUM
8400200072	Multi Tube	72F Single Mode Multi Tube (Un-Armd) OFC	10.6 +/-0.3	70,470	DRUM
8400200096	Multi Tube	96F Single Mode Multi Tube (Un-Armd) OFC	11.9 +/-0.3	90,160	DRUM

MULTI TUBE ARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8402200012	Multi Tube	12F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	36,380	DRUM
8402200024	Multi Tube	24F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	46,470	DRUM
8402200048	Multi Tube	48F Single Mode Multi Tube (Single sheath-Armd) OFC	10.6 +/-0.3	62,460	DRUM
8402200072	Multi Tube	72F Single Mode Multi Tube (Single sheath-Armd) OFC	11 +/-0.3	76,340	DRUM
8402200096	Multi Tube	96F Single Mode Multi Tube (Single sheath-Armd) OFC	12.3 +/-0.3	96,600	DRUM



FTTH Cable

FTTH CABLE

1 or 2 fibres are placed in LSZH/PVC sheath in between two ARP / FRP rods which can be taken out easily

FTTH G652D

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8403500001	FTTH	01ED3 - 01F G652D FTTH 2FRP LSZH CABLE	3.0+/-0.3	6,980	Spool/cartoon
8403500002	FTTH	02ED3 - 02F G652D FTTH 2FRP LSZH CABLE	3.0+/-0.3	7,425	Spool/cartoon
8402500001	FTTH	01ED2 - 01F G652D FTTH 2FRP PVC CABLE	3.0+/-0.3	6,190	Spool/cartoon
8402500002	FTTH	02ED2 - 02F G652D FTTH 2FRP PVC CABLE	3.0+/-0.3	6,645	Spool/cartoon
8400500001	FTTH	01ED0 - 01F G652D FTTH 2SW PVC CABLE	3.0+/-0.3	6,040	Spool/cartoon
8400500002	FTTH	02ED0 - 02F G652D FTTH 2SW PVC CABLE	3.0+/-0.3	6,490	Spool/cartoon
8401500001	FTTH	01ED1 - 01F G652D FTTH 2SW LSZH CABLE	3.0+/-0.3	6,830	Spool/cartoon
8401500002	FTTH	02ED1 - 02F G652D FTTH 2SW LSZH CABLE	3.0+/-0.3	7,270	Spool/cartoon

FTTH G657A1


Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8449500001	FTTH	01ED9 - 01F G657A1 FTTH 2FRP LSZH CABLE	3.0+/-0.3	6,985	Spool/cartoon
8449500002	FTTH	02ED9 - 02F G657A1 FTTH 2FRP LSZH CABLE	3.0+/-0.3	7,425	Spool/cartoon
8448500001	FTTH	01ED8 - 01F G657A1 FTTH 2FRP PVC CABLE	3.0+/-0.3	6,185	Spool/cartoon
8448500002	FTTH	02ED8 - 02F G657A1 FTTH 2FRP PVC CABLE	3.0+/-0.3	6,645	Spool/cartoon

COST ECONOMICAL DESIGN

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8411015002	Economical	2LOC5- 2F Uni Tube 2FRP 0.8 Un-Armd BLK HDP OFC	5.3+/-0.5	8,635	COIL
8411015004	Economical	04LOC5-4F Uni Tube 2FRP 0.8 Un-Armd BLK HDP OFC	5.3+/-0.5	9,545	COIL
8411016004	Economical	4LOC6-4F Uni Tube 2FRP 0.8 Un-Armd OFC	5.8+/-0.5	10,255	COIL
8411017004	Economical	04LOC7-4F Uni Tube 2SW 0.8 Un-Armd OFC	5.8+/-0.5	10,670	COIL
8101105404	Economical	4F Unitube CE design Un-Armd UOFC	5.3+/-0.5	9,865	COIL
8411017006	Economical	06LOC7-6F Uni Tube 2FRP 0.8 Un-Armd BLK HDPOFC	5.3+/-0.5	10,450	COIL
8411018006	Economical	06LOC8-06F Uni Tube 2FRP 0.8 Un-Armd OFC	5.8+/-0.5	11,150	COIL
8411011006	Economical	06LOC10-06F Uni Tube 2SW 0.8 Un-Armd UA OFC	5.8+/-0.5	11,565	COIL
8101105406	Economical	6F CE design Un-Armd UOFC	5.3+/-0.5	10,760	COIL
8411018012	Economical	12LOC8-12F Uni Tube 2FRP08 Un-Armd OFC	5.8+/-0.5	14,010	COIL
8400101112	Economical	12CTV0 - 12F Uni Tube 2SW 0.8 Un-Armd OFC	5.8+/-0.5	14,415	COIL
8411018002	Economical	02LOC8 - RESHAM OPT2-2F UT S'STH UA	5.8+/-0.5	10,155	COIL
8411011004	Economical	04LOC10 - RESHAM OPT2-4F UT S'STH UA	5.8+/-0.5	11,035	COIL
8411011206	Economical	06LOC12 - RESHAM OPT2-6F UT S'STH UA	5.8+/-0.5	11,935	COIL
8411010012	Economical	12LOC0 - RESHAM OPT2-12F UT S'STH UA	5.8+/-0.5	14,645	COIL

FTTH CABLE FOR DISTRIBUTION MODEL

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8440503501	FTTH	01LP0 - 01F G657A1 EASY INSTALL FTTH OFC	3.0+/-0.3	6675	300 mtr coil
8440503502	FTTH	02LP0 - 02F G657A1 EASY INSTALL FTTH OFC	3.0+/-0.3	7800	300 mtr coil



Agriculture



List Price wef. 1st March 2022



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



List Price wef. 1st March 2022

3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	7,780
13713051	2.50	12,330
13703061	4.00	18,010
13803071	6.00	26,490
13803081	10.00	45,930
13803091	16.00	70,850

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	110,930
13803111	35.00	152,890
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	8,170
13863059	2.50	12,945

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	18,910

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	27,815
13823089	10.00	48,225
13823099	16.00	74,390

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	116,475
13823119	35.00	160,535

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	15,235
13853089	14	140/.36	25,155
13853099	23	226/.36	39,100

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	57,035
13853119	50	594/.36	78,100

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires




List Price wef. 1st March 2022

PVC INSULATED WINDING WIRES

FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	485	1000	6
13000602	0.60	485	500	6
13000701	0.70	660	1000	6
13000702	0.70	660	500	6
13000801	0.80	850	1000	6
13000802	0.80	850	500	6
13000901	0.90	1,060	1000	5
13000902	0.90	1,060	500	6
13001001	1.00	1,300	1000	5
13001002	1.00	1,300	500	6
13001101	1.10	1,560	1000	4
13001102	1.10	1,560	500	6
13001201	1.20	1,850	1000	4
13001202	1.20	1,850	500	6
13001301	1.30	2,160	1000	3
13001302	1.30	2,160	500	6
13001402	1.40	2,510	500	5
13001502	1.50	2,870	500	5
13001602	1.60	3,250	500	4
13001702	1.70	3,665	500	4
13001802	1.80	4,110	500	4
13001902	1.90	4,570	500	3
13002002	2.00	5,105	500	3
13002102	2.10	5,610	500	3
13002202	2.20	6,145	500	2
13002302	2.30	6,700	500	2
13002402	2.40	7,310	500	2
13002502	2.50	7,920	500	2
13002602	2.60	8,555	500	2
13002702	2.70	9,200	500	2
13002804	2.80*	9,920	250	3
13003004	3.00*	11,360	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.
 PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power



List Price wef. 1st March 2022



High thermal rating to withstand extreme temperatures



Excellent resistant to heat pressure



Long life & highly durable cables



Auto Battery Cables

List Price wef. 1st March 2022

AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	5,725	22,905
22210	354/.3	25	8,950	35,800
22211	495/.3	35	12,470	49,925
22212	703/.3	50	17,680	70,775
22513	360/.5	70	25,730	102,965
22514	475/.5 *	95	34,055	136,250
22515	608/.5 *	120	43,740	174,835
22516	750/.5 *	150	54,160	216,595
22517	925/.5 *	185	66,910	267,495
22518	1221/.5 *	240	87,895	351,615

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	922	3,690

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	200	795
2302	24/.21	0.75	300	1,190
2303	32/.21	1.00	395	1,580
2304	30/.26	1.50	580	2,305
2305	50/.26	2.50	955	3,805
2306	56/.31	4.00	1,585	6,310
2307	84/.31	6.00	2,340	9,345

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

Solar Cables




List Price wef. 1st March 2022

SOLAR DC CABLE

FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007

**Product Code	Conductor Area (sq.mm.)	List Price per 100 Mtr (Rs.)	Packing
16906011	4	7,845	STANDARD LENGTH OF 500 MTR
16907011	6	10,940	STANDARD LENGTH OF 300 MTR

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	<p>The full product code is of 8 digits. For example :</p> <p>22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m</p> <p>22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m.</p> <p>a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor.</p> <p>b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm.</p> <p>c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel.</p> <p>d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.</p>
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com |  /Finolexcables |  /Finolexcables |  /Finolex.Cables



AN IS/ISO 9001:2015 CERTIFIED COMPANY


26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
 Tel: 020-27506200 | Fax: 020-27472239
 Visit us at: www.finolex.com | Email: sales@finolex.com
 CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | **Bengaluru:** 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | **Chennai:** 044-28269322 /
 28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 9388689670 |
Coimbatore: 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /
 2782065 | **Gurgaon:** 9896763770 | **Guwahati:** 9864027312 / 8135029423
 | **Indore:** 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192494 /
 24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**
Delhi: 011-23324748 / 23353160 | **Patna:** 9934107999 | **Pune:**
 020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |
Secunderabad: 040-27811161 | **Uttarakhand:** 9760045003 | **Vadodara:**
 9879555568 | **Vijayawada:** 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.