



NATIONAL PRICE LIST

W.E.F. 01.06.2021



- CABLE TERMINAL ENDS
- IN - LINE CONNECTORS
- EARTHING & LIGHTNING PROTECTION SYSTEMS



HEX - BCA factory at Vapi, Gujarat



HEX - HCA factory at Jamnagar, Gujarat

HEX is a globally renowned brand for Cable Lugs, Cable Glands, Crimping Tools and Earthing & Lightning Protection Systems.

The vast **HEX** range of products is being manufactured by Brass Copper & Alloy (I) Ltd. since 1991.

Our large & diverse base of valuable customers spread all over India & globally are a testimony to the quality of our products & the history of our dedication & growth.

Don't hesitate to browse our website or contact us for any further enquiries.



AWARD FOR
EXPORT EXCELLENCE
PRESENTED BY
THE HON'BLE MINISTER OF
EXTERNAL AFFAIRS
SHRI PRANAB MUKHERJEE
AT KOLKATTA
FOR THE YEAR 2006-2007



AWARD FOR
EXPORT EXCELLENCE
PRESENTED BY
THE HON'BLE CHIEF MINISTER OF GOA
SHRI MANOHAR PARRIKAR
AT GOA
FOR THE YEAR 2010-2011



AWARD FOR
EXPORT EXCELLENCE
RECEIVED AT
MADHYA PRADESH
FOR THE YEAR 2011-2012



AWARD FOR
EXPORT EXCELLENCE
RECEIVED AT
MUMBAI
FOR THE YEAR 2014-2015

ACHIEVEMENTS

**HEX CRIMPING TYPE
COPPER RING TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HR - 075	2.60
1	-	HR - 100	2.80
1.5	3.2	HR - 7153	2.04
1.5	3.7	HR - 7048	1.97
1.5	4.2	HR - 7049	1.84
1.5	2.2	HR - 7103	2.18
1.5	2.6	HR - 7000	2.17
1.5	3.2	HR - 7001	1.76
1.5	3.7	HR - 7002	1.72
1.5	4.2	HR - 7003	1.66
1.5	4.2	HR - 7154	2.20
1.5	3.2	HR - 7104	2.28
1.5	4.2	HR - 7004	2.24
1.5	5.2	HR - 7005	2.00
1.5	4.2	HR - 7105	2.84
1.5	5.2	HR - 7006	2.67
1.5	6.4	HR - 7007	2.51
1.5	6.4	HR - 7106	3.07
2.5	3.2	HR - 7107	2.31
2.5	3.7	HR - 7008	2.12
2.5	3.7	HR - 7108	2.61
2.5	4.2	HR - 7009	2.50
2.5	5.2	HR - 7010	2.28
2.5	5.2	HR - 7109	2.97
2.5	6.4	HR - 7011	2.70
2.5	5.2	HR - 7110	4.05
2.5	6.4	HR - 7012	3.82
2.5	8.2	HR - 7013	3.53
2.5	6.4	HR - 7111	5.39
2.5	8.2	HR - 7014	5.23
2.5	10.2	HR - 7015	5.04
2.5	10.2	HR - 7151	6.56
2.5	12.7	HR - 7047	5.68
4-6	4.2	HR - 7155	4.30
4-6	5.2	HR - 7050	4.06
4-6	4.2	HR - 7112	5.33
4-6	5.2	HR - 7016	5.14
4-6	5.2	HR - 7113	5.60
4-6	6.4	HR - 7017	5.51
4-6	8.2	HR - 7018	4.91
4-6	5.2	HR - 7114	6.06
4-6	6.4	HR - 7019	5.95
4-6	5.2	HR - 7157	5.77
4-6	6.4	HR - 7115	7.36
4-6	8.2	HR - 7020	6.78
4-6	9.7	HR - 7021	6.31
4-6	8.2	HR - 7116	9.09
4-6	10.2	HR - 7022	8.41
4-6	0.2	HR - 7117	9.86
4-6	10.2	HR - 7023	9.62
4-6	12.7	HR - 7024	8.35

**HEX CRIMPING TYPE
INSULATED COPPER RING
TYPE TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HRI - 075	3.24
1	-	HRI - 100	3.40
1.5	3.2	HRI - 7057	2.68
1.5	3.7	HRI - 7058	2.61
1.5	4.2	HRI - 7059	2.48
1.5	2.2	HRI - 7052	2.82
1.5	2.6	HRI - 7053	2.81
1.5	3.2	HRI - 7054	2.40
1.5	3.7	HRI - 7055	2.36
1.5	4.2	HRI - 7056	2.30
1.5	4.2	HRI - 7063	2.84
1.5	3.2	HRI - 7060	2.92
1.5	4.2	HRI - 7061	2.88
1.5	5.2	HRI - 7062	2.64
1.5	4.2	HRI - 7064	3.48
1.5	5.2	HRI - 7065	3.31
1.5	6.4	HRI - 7066	3.15
1.5	6.4	HRI - 7067	3.71
2.5	3.2	HRI - 7068	2.98
2.5	3.7	HRI - 7069	2.79
2.5	3.7	HRI - 7070	3.28
2.5	4.2	HRI - 7071	3.17
2.5	5.2	HRI - 7072	2.95
2.5	5.2	HRI - 7073	3.64
2.5	6.4	HRI - 7074	3.37
2.5	5.2	HRI - 7075	4.72
2.5	6.4	HRI - 7076	4.49
2.5	8.2	HRI - 7077	4.20
2.5	6.4	HRI - 7078	6.06
2.5	8.2	HRI - 7079	5.90
2.5	10.2	HRI - 7080	5.71
2.5	10.2	HRI - 7081	7.23
2.5	12.7	HRI - 7082	6.66
4-6	4.2	HRI - 7083	5.41
4-6	5.2	HRI - 7084	5.17
4-6	4.2	HRI - 7085	6.44
4-6	5.2	HRI - 7086	6.24
4-6	5.2	HRI - 7088	6.70
4-6	6.4	HRI - 7089	6.62
4-6	8.2	HRI - 7090	6.01
4-6	5.2	HRI - 7087	7.17
4-6	6.4	HRI - 7091	7.06
4-6	5.2	HRI - 7092	6.88
4-6	6.4	HRI - 7093	8.46
4-6	8.2	HRI - 7094	7.89
4-6	9.7	HRI - 7095	7.41
4-6	8.2	HRI - 7096	10.19
4-6	10.2	HRI - 7097	9.51
4-6	0.2	HRI - 7098	10.97
4-6	10.2	HRI - 7099	11.34
4-6	12.7	HRI - 7100	9.81

**HEX INSULATED COPPER RING
TYPE TERMINAL ENDS WITH
METAL REINFORCEMENT**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS
-	-	-	-
-	-	-	-
1.5	3.2	HRR - 7440	3.38
1.5	3.7	HRR - 7441	3.31
1.5	4.2	HRR - 7442	3.18
1.5	2.2	HRR - 7435	3.52
1.5	2.6	HRR - 7436	3.51
1.5	3.2	HRR - 7437	3.10
1.5	3.7	HRR - 7438	3.06
1.5	4.2	HRR - 7439	3.00
1.5	4.2	HRR - 7446	3.54
1.5	3.2	HRR - 7443	3.62
1.5	4.2	HRR - 7444	3.58
1.5	5.2	HRR - 7445	3.34
1.5	4.2	HRR - 7447	4.18
1.5	5.2	HRR - 7448	4.00
1.5	6.4	HRR - 7449	3.85
1.5	6.4	HRR - 7450	4.41
2.5	3.2	HRR - 7451	3.70
2.5	3.7	HRR - 7452	3.52
2.5	3.7	HRR - 7453	4.01
2.5	4.2	HRR - 7454	3.90
2.5	5.2	HRR - 7455	3.68
2.5	5.2	HRR - 7456	4.37
2.5	6.4	HRR - 7457	4.09
2.5	5.2	HRR - 7458	5.45
2.5	6.4	HRR - 7459	5.21
2.5	8.2	HRR - 7460	4.93
2.5	6.4	HRR - 7461	6.79
2.5	8.2	HRR - 7462	6.63
2.5	10.2	HRR - 7463	6.44
2.5	10.2	HRR - 7464	7.96
2.5	12.7	HRR - 7465	7.38
4-6	4.2	HRR - 7466	6.72
4-6	5.2	HRR - 7467	6.48
4-6	4.2	HRR - 7468	7.75
4-6	5.2	HRR - 7469	7.55
4-6	5.2	HRR - 7471	8.01
4-6	6.4	HRR - 7472	7.93
4-6	8.2	HRR - 7473	7.32
4-6	5.2	HRR - 7474	8.48
4-6	6.4	HRR - 7475	8.37
4-6	5.2	HRR - 7470	8.19
4-6	6.4	HRR - 7476	9.77
4-6	8.2	HRR - 7477	9.20
4-6	9.7	HRR - 7478	8.72
4-6	8.2	HRR - 7479	11.50
4-6	10.2	HRR - 7480	10.83
4-6	0.2	HRR - 7481	12.28
4-6	10.2	HRR - 7482	12.65
4-6	12.7	HRR - 7483	11.12



**HEX CRIMPING TYPE
COPPER RING TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
10	4.2	HR - 7118	7.07
10	5.2	HR - 7025	6.96
10	4.2	HR - 7119	7.77
10	5.2	HR - 7026	5.99
10	6.4	HR - 7120	7.01
10	8.2	HR - 7121	9.03
10	8.2	HR - 7122	10.31
10	10.2	HR - 7027	11.11
10	10.2	HR - 7123	14.92
10	12.7	HR - 7028	12.41
16	5.2	HR - 7124	10.99
16	5.2	HR - 7125	12.20
16	6.4	HR - 7029	11.81
16	6.4	HR - 7126	14.91
16	8.2	HR - 7030	14.31
16	9.7	HR - 7031	13.56
16	8.2	HR - 7127	15.71
16	10.2	HR - 7032	15.11
16	10.2	HR - 7128	19.43
16	12.7	HR - 7033	18.57
25	6.4	HR - 7156	26.20
25	8.2	HR - 7051	26.51
25	6.4	HR - 7129	27.29
25	8.2	HR - 7034	27.03
25	10.2	HR - 7035	27.09
25	6.4	HR - 7130	28.02
25	8.2	HR - 7036	29.26
25	10.2	HR - 7131	30.11
25	10.2	HR - 7132	39.59
25	12.7	HR - 7037	40.68

**HEX CRIMPING TYPE
COPPER RING TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
35	6.4	HR - 7133	35.69
35	8.2	HR - 7038	32.04
35	8.2	HR - 7134	37.22
35	10.2	HR - 7039	34.64
35	10.2	HR - 7135	42.81
35	12.7	HR - 7040	44.10
50	8.2	HR - 7136	50.09
50	10.2	HR - 7041	48.45
50	10.2	HR - 7137	55.41
50	10.2	HR - 7138	59.46
50	12.7	HR - 7042	60.98
50	16.2	HR - 7139	67.42
70	10.2	HR - 7140	72.85
70	12.7	HR - 7043	68.79
70	12.7	HR - 7141	72.25
70	16.2	HR - 7142	83.70
95	10.2	HR - 7143	94.18
95	10.2	HR - 7144	99.90
95	12.7	HR - 7044	98.58
95	16.2	HR - 7145	114.95
120	12.7	HR - 7146	128.36
120	20.3	HR - 7148	184.13
150	12.7	HR - 7149	275.22
150	16.2	HR - 7045	262.23
150	16.2	HR - 7150	295.14
150	20.3	HR - 7046	268.97

**HEX SNAP ON
TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1	-	HSP - 8369	3.08
1.5	-	HSP - 8364	2.86
2.5	-	HSP - 8349	2.77
2.5	-	HSP - 8347	2.77
1.5	-	HSP - 8351	2.69
1.5	-	HSP - 8351 (I)	3.48

**HEX SOLDERING TYPE COPPER
OPEN - CLOSE
CABLE TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	4.2	HOC - 371	1.72
2.5	5.2	HOC - 372	2.65
4	5.2	HOC - 373	4.16
6	6.5	HOC - 374	6.47
10	6.5	HOC - 375	7.39
16	8.2	HOC - 376	13.88
25	8.2	HOC - 377	29.43
35	8.2	HOC - 378	31.25
50	10.2	HOC - 379	57.08
70	10.2	HOC - 380	92.02



**HEX CRIMPING TYPE COPPER
FORK TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HF - 75	2.16
1	-	HF - 100	2.16
1.5	5.1	HF - 7214	3.41
1.5	3.5	HF - 7249	1.85
1.5	3	HF - 7250	2.33
2.5	3.5	HF - 7251	2.23
2.5	5	HF - 7280	5.27
4-6	3.1	HF - 7252	3.55
4-6	3.5	HF - 7253	3.55
10	6.5	HF - 7254	10.03
10	8.2	HF - 7255	9.49

**HEX INSULATED COPPER
FORK TYPE
TERMINAL ENDS**




CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HFI - 075	2.80
1	-	HFI - 100	2.76
1.5	5.1	HFI - 7925	3.77
1.5	3.5	HFI - 7926	2.50
1.5	3	HFI - 7927	2.56
2.5	3.5	HFI - 7928	2.90
2.5	5	HFI - 7929	5.94
4-6	3.1	HFI - 7930	4.66
4-6	3.5	HFI - 7931	4.66
10	6.5	HFI - 7932	12.34
10	8.2	HFI - 7933	11.79

**HEX INSULATED COPPER FORK
TYPE TERMINAL ENDS WITH
METAL REINFORCEMENT.**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	-	-
1	-	-	-
1.5	5.1	HFR - 7934	4.47
1.5	3.5	HFR - 7935	3.19
1.5	3	HFR - 7936	3.59
2.5	3.5	HFR - 7937	3.63
2.5	5	HFR - 7938	6.67
4-6	3.1	HFR - 7939	5.97
4-6	3.5	HFR - 7940	5.97
10	6.5	HFR - 7941	16.32
10	8.2	HFR - 7942	15.78

HEX RANGE OF MECHANICAL CONNECTORS



**HEX CRIMPING TYPE
COPPER PIN TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HP - 0.75	2.60
1	-	HP - 1.00	2.48
1.5	-	HP - 35	2.05
1.5	-	HP - 9	1.98
2.5	-	HP - 1	2.17
2.5	-	HP - 2	1.91
4	-	HP - 3	4.86
4	-	HP - 4	5.23
6	-	HP - 5	5.21
6	-	HP - 6	5.36
10	-	HP - 7	8.18
16	-	HP - 8	14.92
25	-	HP - 10	32.96
35	-	HP - 11	35.44
50	-	HP - 12	58.03
70	-	HP - 13	70.00
95	-	HP - 14	100.49

**HEX INSULATED COPPER
PIN TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HPI - 075	3.24
1	-	HPI - 100	3.08
1.5	-	HPI - 35	2.54
1.5	-	HPI - 17	2.62
2.5	-	HPI - 18	2.84
2.5	-	HPI - 19	2.58
4	-	HPI - 20	5.96
4	-	HPI - 21	5.97
6	-	HPI - 22	6.32
6	-	HPI - 23	6.47
10	-	HPI - 24	10.48
16	-	HPI - 25	18.01
25	-	-	-
35	-	-	-
50	-	-	-
70	-	-	-
95	-	-	-

**HEX INSULATED PIN TYPE
TERMINAL ENDS WITH
METAL REINFORCEMENT**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	-	-
1	-	-	-
1.5	-	HPR - 35	3.24
1.5	-	HPR - 26	3.32
2.5	-	HPR - 27	3.57
2.5	-	HPR - 28	3.31
4	-	HPR - 29	7.28
4	-	HPR - 30	7.28
6	-	HPR - 31	7.63
6	-	HPR - 32	7.78



**HEX CRIMPING TYPE COPPER
RING FORK (U - CUT)
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	3.1	HU - 7235	2.12
1.5	3.6	HU - 7240	1.89
1.5	3.1	HU - 7241	1.89
1.5	3.6	HU - 7244	1.89
1.5	4.1	HU - 7237	2.01
1.5	4.1	HU - 7236	2.01
1.5	5.1	HU - 7238	3.60
1.5	6.1	HU - 7861	2.39
2.5	3.1	HU - 7862	2.27
2.5	3.6	HU - 7863	2.27
2.5	4.1	HU - 7239	2.55
2.5	5.1	HU - 7242	2.86
2.5	6.1	HU - 7864	2.96
4-6	4.1	HU - 7243	4.19
4-6	4.1	HU - 7245	5.00
4-6	5.1	HU - 7246	4.89
4-6	5.1	HU - 7247	6.27
4-6	6.1	HU - 7248	5.57
10	4.1	HU - 7865	6.66
10	5.1	HU - 7866	6.86
10	6.1	HU - 7867	6.72
10	8.1	HU - 7868	8.33
16	5.1	HU - 7869	11.02
16	6.1	HU - 7870	10.91
16	8.1	HU - 7871	15.00
16	8.1	HU - 7872	15.43

**HEX INSULATED COPPER
RING FORK (U-CUT)
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	3.1	HUI - 7873	2.76
1.5	3.6	HUI - 7874	2.44
1.5	3.1	HUI - 7875	2.37
1.5	3.6	HUI - 7876	2.44
1.5	4.1	HUI - 7877	2.53
1.5	4.1	HUI - 7878	2.48
1.5	5.1	HUI - 7879	4.24
1.5	6.1	HUI - 7880	2.79
2.5	3.1	HUI - 7881	2.63
2.5	3.6	HUI - 7882	2.60
2.5	4.1	HUI - 7883	3.37
2.5	5.1	HUI - 7884	3.53
2.5	6.1	HUI - 7885	3.63
4-6	4.1	HUI - 7886	5.30
4-6	4.1	HUI - 7887	6.10
4-6	5.1	HUI - 7888	6.00
4-6	5.1	HUI - 7889	7.37
4-6	6.1	HUI - 7890	6.68
10	4.1	HUI - 7891	8.96
10	5.1	HUI - 7892	9.16
10	6.1	HUI - 7893	9.02
10	8.1	HUI - 7894	10.63
16	5.1	HUI - 7895	14.11
16	6.1	HUI - 7896	14.00
16	8.1	HUI - 7897	18.08
16	8.1	HUI - 7898	18.52

**HEX INSULATED RING FORK
(U-CUT) TERMINAL ENDS WITH
METAL REINFORCEMENT**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	3.1	HUR - 7899	3.46
1.5	3.6	HUR - 7900	3.14
1.5	3.1	HUR - 7901	3.07
1.5	3.6	HUR - 7902	3.14
1.5	4.1	HUR - 7903	3.23
1.5	4.1	HUR - 7904	3.17
1.5	5.1	HUR - 7905	4.94
1.5	6.1	HUR - 7906	3.49
2.5	3.1	HUR - 7907	3.36
2.5	3.6	HUR - 7908	3.32
2.5	4.1	HUR - 7909	4.10
2.5	5.1	HUR - 7910	4.25
2.5	6.1	HUR - 7911	4.35
4-6	4.1	HUR - 7912	6.61
4-6	4.1	HUR - 7913	7.42
4-6	5.1	HUR - 7914	7.31
4-6	5.1	HUR - 7915	8.68
4-6	6.1	HUR - 7916	7.99
10	4.1	HUR - 7917	13
10	5.1	HUR - 7918	13.15
10	6.1	HUR - 7919	13.01
10	8.1	HUR - 7920	14.62
16	5.1	HUR - 7921	22.85
16	6.1	HUR - 7922	22.73
16	8.1	HUR - 7923	26.82
16	8.1	HUR - 7924	27.25



HEX RANGE OF STAINLESS STEEL CABLE TIES



**HEX CRIMPING TYPE TINNED
COPPER TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	5.2	HS - 05	4.00
4	6.5	HS - 06	6.24
6	6.5	HS - 07	8.24
10	6.5	HS - 08	9.70
16	6.5	HS - 09	13.91
25	6.5	HS - 10	24.49
35	6.5	HS - 11	28.34
35	8.2	HS - 12	28.34
50	6.5	HS - 13	38.53
50	8.2	HS - 14	38.53
50	10.2	HS - 15	38.53
70	8.2	HS - 16	66.98
70	10.2	HS - 17	66.98
70	12.7	HS - 18	66.98
95	10.2	HS - 19	93.11
95	12.7	HS - 20	93.11
120	10.2	HS - 21	124.25
120	12.7	HS - 22	124.25
120	16.2	HS - 23	124.25
150	10.2	HS - 24	183.64
150	12.7	HS - 25	183.64
150	16.2	HS - 26	183.64
185	12.7	HS - 27	269.18
185	16.2	HS - 28	269.18
225	16.2	HS - 231	337.09
240	16.2	HS - 29	374.01
240	20.3	HS - 30	374.01
300	16.2	HS - 31	516.98
300	20.3	HS - 32	516.98
400	20.3	HS - 33	740.84
500	20.3	HS - 34	959.92
630	20.3	HS - 35	1394.38
800	-	HS - 062	2177.50
1000	-	HS - 076	4625.87

**HEX CRIMPING TYPE TINNED
COPPER HEAVY DUTY
TERMINALS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
25	8.2	HS - 282	26.09
35	8.2	HS - 283	46.71
50	8.2	HS - 284	77.55
70	10.2	HS - 285	122.16
95	12.7	HS - 286	181.77
120	12.7	HS - 287	283.54
150	12.7	HS - 288	331.89
185	12.7	HS - 289	482.44
240	16.2	HS - 290	674.52
300	16.2	HS - 291	872.97
400	20.3	HS - 292	1457.59
500	20.3	HS - 293	2218.02
600	20.3	HS - 294	3389.33

**HEX SOLDERING TYPE COPPER
TERMINAL ENDS (AS PER
TABLE 2A OF BS 91(1954)
REVISED 1960) AMPS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
15	3.2	HSS - 201	4.77
30	5.1	HSS - 202	6.50
60	6.4	HSS - 203	20.00
100	9.5	HSS - 204	38.56
150	9.5	HSS - 205	67.93
200	12.7	HSS - 206	112.98
300	12.7	HSS - 207	314.33
400	15.9	HSS - 208	311.02
500	19	HSS - 209	348.51
600	19	HSS - 210	534.06
800	23.8	HSS - 211	1148.56
1000	23.8	HSS - 212	1583.68

**HEX SOLDERING TYPE COPPER
TERMINAL ENDS (AS PER
TABLE 2A OF BS 91(1954)
REVISED 1960)**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
15	5.1	HSS - 06	10.02
30	7.1	HSS - 07	22.49
60	10.3	HSS - 08	34.23
100	11.9	HSS - 09	56.45
150	13.5	HSS - 10	112.08
200	13.5	HSS - 11	175.42
300	16.7	HSS - 12	268.52
400	16.7	HSS - 13	444.95
500	19.8	HSS - 14	694.43

**HEX CRIMPING TYPE COPPER
IN - LINE CONNECTORS
(HEAVY DUTY)**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
25	-	HI - 24	21.97
35	-	HI - 25	35.18
50	-	HI - 26	54.79
70	-	HI - 27	97.11
95	-	HI - 28	154.39
120	-	HI - 29	211.04
150	-	HI - 30	265.81
185	-	HI - 31	337.17
240	-	HI - 32	502.62
300	-	HI - 33	742.46
400	-	HI - 34	1330.03
500	-	HI - 35	1720.01
625	-	HI - 36	2385.13

**HEX CRIMPING TYPE TINNED
COPPER IN - LINE
CONNECTORS**




CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	-	HI - 450	2.71
2.5	-	HI - 451	2.89
4-6	-	HI - 452	4.03
10	-	HI - 456	5.60
16	-	HI - 457	8.49
25	-	HI - 484	20.01
35	-	HI - 485	27.06
50	-	HI - 477	41.40
70	-	HI - 478	56.50
95	-	HI - 479	75.88

**HEX CRIMPING TYPE COPPER
IN - LINE CONNECTORS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	-	HI - 453	2.69
2.5	-	HI - 454	3.77
4-6	-	HI - 455	6.36
10	-	HI - 460	8.81
16	-	HI - 461	16.89
25	-	HI - 486	36.47
35	-	HI - 487	45.31
50	-	HI - 480	72.33
70	-	HI - 481	100.75
95	-	HI - 482	149.02

**HEX CRIMPING TYPE COPPER
IN - LINE CONNECTORS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	-	HI - 23	3.60
4	-	HI - 03	5.09
6	-	HI - 04	5.65
16	-	HI - 06	9.77
25	-	HI - 07	17.71
35	-	HI - 08	23.58
50	-	HI - 09	31.13
70	-	HI - 10	50.27
95	-	HI - 11	76.90
120	-	HI - 12	106.05
150	-	HI - 13	152.19
185	-	HI - 14	206.67
225	-	HI - 20	246.27
240	-	HI - 15	268.51
300	-	HI - 16	398.72
400	-	HI - 17	613.59
500	-	HI - 18	805.06
625	-	HI - 19	1116.12
800	-	HI - 21	1600.24
1000	-	HI - 22	3350.22

HEX CRIMPING TYPE TINNED INSULATED SEALING FERRULES NYLON



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.5	HE 0506	WHITE	0.67
0.5	HE 0508	WHITE	0.71
0.5	HE 0510	WHITE	0.83
0.5	HE 0512	WHITE	0.91
0.75	HE 7506	BLUE	0.67
0.75	HE 7508	BLUE	0.75
0.75	HE 7510	BLUE	0.87
0.75	HE 7512	BLUE	0.95
1	HE 1006	RED	0.71
1	HE 1008	RED	0.79
1	HE 1010	RED	0.91
1	HE 1012	RED	0.99
1.5	HE 1508	BLACK	0.87
1.5	HE 1510	BLACK	0.99
1.5	HE 1512	BLACK	1.11
1.5	HE 1518	BLACK	1.39
2.5	HE 2508	GREY	1.04
2.5	HE 2510	GREY	1.16
2.5	HE 2512	GREY	1.45
2.5	HE 2518	GREY	1.86
4	HE 4009	ORANGE	1.45
4	HE 4012	ORANGE	1.66
4	HE 4018	ORANGE	1.91
6	HE 6012	GREEN	1.86
6	HE 6018	GREEN	2.15
10	HE 10-12	BROWN	3.32
10	HE 10-18	BROWN	3.69
16	HE 16-12	GREEN	3.52
16	HE 16-18	GREEN	4.14
25	HE 25-16	BROWN	8.29
25	HE 25-22	BROWN	14.50
35	HE 35-16	DUST	8.29
35	HE 35-25	DUST	14.73
50	HE 50-20	OLIVES	14.50
50	HE 50-25	OLIVES	18.65

HEX CRIMPING TYPE COPPER CABLE ENDS (SEALING FERRULES)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.5	-	HSF - 508	0.40
0.75	-	HSF - 509	0.42
1	-	HSF - 510	0.44
1	-	HSF - 511	0.53
1.5	-	HSF - 512	0.54
1.5	-	HSF - 513	0.66
2.5	-	HSF - 514	0.66
2.5	-	HSF - 515	0.74
4	-	HSF - 516	0.75
4	-	HSF - 517	0.87
6	-	HSF - 518	1.06
6	-	HSF - 519	1.29
6	-	HSF - 520	1.61
10	-	HSF - 521	2.07
10	-	HSF - 522	2.21
10	-	HSF - 523	2.53
16	-	HSF - 524	2.21
16	-	HSF - 525	2.53
16	-	HSF - 526	2.85


HEX TWIN INSULATED FERRULES



CABLE MM ²	COLOR	PROD. CODE	RATE / PCS.
0.5	HTFSI 0508	WHITE	1.19
0.75	HTFSI 7508	BLUE	1.39
1	HTFSI 1010	RED	1.78
1.5	HTFSI 1508	BLACK	1.78
2.5	HTFSI 2510	GREY	2.28
4	HTFSI 4012	ORANGE	3.32



EARTHING SYSTEMS



LIGHTNING PROTECTION SYSTEMS



HEX COPPER TERMINAL ENDS WITH INSPECTION SLOTS (HEAVY DUTY FOR XLPE CABLES)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	5.2	HT 1.5 -5	3.93
1.5	6.5	HT 1.5-6	3.93
2.5	4.2	HT 2.5 - 4	4.50
2.5	5.2	HT 2.5-5	4.50
2.5	6.5	HT 2.5-6	4.50
4	5.2	HT 4-5	6.27
4	6.5	HT 4-6	6.27
6	5.2	HT 6-5	8.61
6	6.5	HT 6-6	8.61
6	8.4	HT 6-8	8.61
10	6.5	HT 10-6	9.70
10	8.4	HT 10-8	9.70
16	6.5	HT 16-6	13.08
16	8.4	HT 16-8	13.08
25	6.5	HT 25-6	20.23
25	8.4	HT 25-8	20.23
25	10.5	HT 25-10	20.23
35	6.5	HT 35-6	33.96
35	8.4	HT 35-8	33.96
35	10.5	HT 35-10	33.96
50	8.4	HT 50-8	53.07
50	10.5	HT 50-10	53.07
70	8.4	HT 70-8	80.29
70	10.5	HT 70-10	80.29
70	13	HT 70-12	80.29
95	10.5	HT 95-10	124.83
95	13	HT 95-12	124.83
120	13	HT 120-12	179.53
120	17	HT 120-16	179.53
150	13	HT 150-12	241.59
150	17	HT 150-16	241.59
185	17	HT 185-16	319.83
240	17	HT 240-16	478.50
240	21	HT 240-20	478.50
300	17	HT 300-16	701.64
300	21	HT 300-20	701.64
400	17	HT 400-16	1163.66
400	21	HT 400-20	1163.66
500	21	HT 500-20	1512.68
500	17	HT 500-16	1512.68
630	-	HT 630-BL	2393.04
630	21	HT 630-20	2393.04
800	-	HT 800-BL	3661.81
1000	-	HT 1000-BL	5435.04

HEX CRIMPING TYPE LONG BARREL COPPER TERMINAL ENDS (MED. DUTY)




CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	5	HEB - 05	5.55
4	6	HEB - 06	7.29
6	6	HEB - 07	9.64
10	6	HEB - 08	11.46
16	6	HEB - 09	16.98
25	6	HEB - 10	28.87
35	6	HEB - 11	32.48
35	8	HEB - 12	32.48
50	6	HEB - 13	45.93
50	8	HEB - 14	45.93
50	10	HEB - 15	45.93
70	8	HEB - 16	76.55
70	10	HEB - 17	76.55
70	12	HEB - 18	76.55
95	10	HEB - 19	112.15
95	12	HEB - 20	112.15
120	10	HEB - 21	149.97
120	12	HEB - 22	149.97
120	16	HEB - 23	149.97
150	10	HEB - 24	224.56
150	12	HEB - 25	224.56
150	16	HEB - 26	224.56
185	12	HEB - 27	328.25
185	16	HEB - 28	328.25
225	16	HEB - 231	407.74
240	16	HEB - 29	458.71
240	20	HEB - 30	458.71
300	16	HEB - 31	632.51
300	20	HEB - 32	632.51
400	20	HEB - 33	912.39
500	20	HEB - 34	1191.44
630	20	HEB - 35	1733.02
800	-	HEB - 62	2698.19
1000	-	HEB - 76	5805.43

HEX COPPER REDUCER TYPE TERMINAL ENDS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	-	HPC - 07	14.65
4	-	HPC - 16	14.20
6	-	HPC - 18	13.95
10	-	HPC - 20	15.84
16	-	HPC - 02	22.96
25	-	HPC - 25	40.60
25	-	HPC - 03	54.82
35	-	HPC - 04	55.04
50	-	HPC - 26	65.24
70	-	HPC - 27	90.27
70	-	HPC - 06	139.15
70	-	HPC - 28	158.67
95	-	HPC - 29	165.36
95	-	HPC - 08	234.09
95	-	HPC - 31	118.91
120	-	HPC - 32	222.01
120	-	HPC - 34	158.02
120	-	HPC - 35	240.68
150	-	HPC - 37	277.22
185	-	HPC - 38	440.80
240	-	HPC - 44	640.24
300	-	HPC - 45	749.16
400	-	HPC - 48	862.55

HEX COPPER TUBULAR INSULATED IN-LINE CONNECTORS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	-	HTIC - 1.5	4.20
2.5	-	HTIC - 2.5	4.80
4.6	-	HTIC - 4	8.01

HEX CRIMPING TYPE TINNED COPPER TRANSFORMER TERMINAL ENDS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
500	8.5	HT 500-4E8	1637.17
500	10.5	HT 500-4E10	1637.17
630	8.5	HT 630-4E8	2448.76
630	10.5	HT 630-4E10	2448.76

HEX CRIMPING TYPE COPPER EXTENDED PLAM / 2 HOLE CABLE TERMINAL END



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
50	-	HS - 466	86.74
70	-	HS - 467	137.22
95	-	HS - 468	202.11
120	-	HS - 469	279.67
150	-	HS - 470	377.66
185	-	HS - 471	485.02
240	-	HS - 472	711.93
300	-	HS - 473	1103.69
400	-	HS - 474	1851.38
500	-	HS - 475	2445.08
625	-	HS - 476	3674.14

BI-METALLIC (CU-AL) CABLE LUGS & CONNECTORS



**HEX CRIMPING TYPE ALUMINIUM
TERMINAL ENDS FOR
ALUMINIUM CONDUCTORS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	3.2	HAS - 151	2.37
2.5	3.7	HAS - 309	2.06
4	4.2	HAS - 155	2.18
4	5.1	HAS - 317	2.51
6	5.2	HAS - 158	2.15
6	6.5	HAS - 313	2.15
10	4.2	HAS - 159	2.98
10	6.4	HAS - 214	2.98
10	8.2	HAS - 215	2.98
16	6.4	HAS - 252	3.78
16	8.2	HAS - 216	3.78
16	10.2	HAS - 217	3.78
25	6.4	HAS - 253	5.08
25	8.2	HAS - 218	5.08
25	10.2	HAS - 219	5.08
25	12.7	HAS - 220	5.08
35	6.4	HAS - 254	6.84
35	8.2	HAS - 221	6.84
35	10.2	HAS - 222	6.84
50	8.2	HAS - 255	10.68
50	10.2	HAS - 312	10.68
50	12.7	HAS - 224	10.68
70	8.2	HAS - 256	17.41
70	10.2	HAS - 225	17.41
70	12.7	HAS - 226	17.41
95	10.2	HAS - 227	18.59
95	12.7	HAS - 228	18.59
95	16.2	HAS - 229	18.59
120	10.2	HAS - 257	26.47
120	12.7	HAS - 230	26.47
120	16.2	HAS - 231	26.47
150	10.2	HAS - 258	36.62
150	12.7	HAS - 232	36.62
150	16.2	HAS - 233	36.62
185	10.2	HAS - 311	44.86
185	12.7	HAS - 234	44.86
185	16.2	HAS - 235	44.86
225	12.7	HAS - 320	58.17
240	12.7	HAS - 236	76.62
240	16.2	HAS - 237	76.62
300	16.2	HAS - 300	105.84
300	20.3	HAS - 259	105.84
400	20.3	HAS - 260	164.09
500	20.3	HAS - 296	220.64
625	20.3	HAS - 261	280.86
800	-	HAS - 318	448.79
1000	-	HAS - 319	715.06

**HEX BI-METALIC TIN PLATED
ALUMINIUM TUBULAR
TERMINALS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	3.2	HBAS - 151	2.66
2.5	3.7	HBAS - 309	2.66
4	4.2	HBAS - 155	2.83
4	5.1	HBAS - 317	2.83
6	5.2	HBAS - 158	2.40
6	6.5	HBAS - 313	2.40
10	4.2	HBAS - 159	3.88
10	6	HBAS - 214	3.88
10	8	HBAS - 215	3.88
16	6	HBAS - 252	4.92
16	8	HBAS - 216	4.92
16	10	HBAS - 217	4.92
25	6.4	HBAS - 253	6.61
25	8	HBAS - 218	6.61
25	10	HBAS - 219	6.61
25	12	HBAS - 220	6.61
35	6.4	HBAS - 254	8.86
35	8	HBAS - 221	8.86
35	10	HBAS - 222	8.86
50	8	HBAS - 255	13.87
50	10	HBAS - 312	13.87
50	12	HBAS - 224	13.87
70	8	HBAS - 256	23.66
70	10	HBAS - 225	23.66
70	12	HBAS - 226	23.66
95	10	HBAS - 227	25.27
95	12	HBAS - 228	25.27
95	16	HBAS - 229	25.27
120	10	HBAS - 257	35.80
120	12	HBAS - 230	35.80
120	16	HBAS - 231	35.80
150	10	HBAS - 258	49.47
150	12	HBAS - 232	49.47
150	16	HBAS - 233	49.47
185	10	HBAS - 311	60.57
185	12	HBAS - 234	60.57
185	16	HBAS - 235	60.57
225	12	HBAS - 320	78.39
240	12	HBAS - 236	102.34
240	16	HBAS - 237	102.34
300	16	HBAS - 300	141.34
300	20	HBAS - 259	141.34
400	20	HBAS - 260	218.83
500	20	HBAS - 296	294.24
630	20	HBAS - 261	374.28
800	-	HBAS - 318	598.50
1000	-	HBAS - 319	953.92

**HEX ALUMINIUM TUBULAR
TERMINAL (LONG BARREL)**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	3	HASL - 551	2.56
2.5	3.5	HASL - 509	2.56
4	4	HASL - 555	2.86
4	5	HASL - 517	2.86
6	5	HASL - 558	2.59
6	6	HASL - 513	2.58
10	6	HASL - 514	3.03
10	8	HASL - 515	3.03
16	6	HASL - 552	4.72
16	8	HASL - 516	4.72
16	10	HASL - 617	4.72
25	8	HASL - 518	6.28
25	10	HASL - 519	6.28
25	12	HASL - 520	6.28
35	8	HASL - 521	8.14
35	10	HASL - 522	8.14
50	8	HASL - 655	13.49
50	10	HASL - 512	13.49
50	12	HASL - 524	13.49
70	8	HASL - 556	21.78
70	10	HASL - 525	21.78
70	12	HASL - 526	21.78
95	10	HASL - 527	23.90
95	12	HASL - 528	23.90
95	16	HASL - 529	23.90
120	10	HASL - 557	34.63
120	12	HASL - 530	34.63
120	16	HASL - 531	34.63
150	10	HASL - 558	44.73
150	12	HASL - 532	44.73
150	16	HASL - 533	44.73
185	10	HASL - 511	58.66
185	12	HASL - 534	58.66
185	16	HASL - 535	58.66
225	12	HASL - 620	83.31
240	12	HASL - 536	95.14
240	16	HASL - 537	95.14
300	16	HASL - 500	129.80
300	20	HASL - 559	129.80
400	20	HASL - 560	212.52
500	20	HASL - 596	288.73
630	20	HASL - 561	368.02
800	-	HASL - 618	736.49
1000	-	HASL - 619	885.10



BRASS CABLE GLANDS & ACCESSORIES



HEX CRIMPING TYPE ALUMINIUM IN - LINE CONNECTORS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	-	HAI - 145	1.64
2.5	-	HAI - 06	1.44
4	-	HAI - 05	1.49
6	-	HAI - 13	1.22
10	-	HAI - 146	1.53
10	-	HAI - 14	1.95
16	-	HAI - 04	2.81
25	-	HAI - 03	4.32
35	-	HAI - 02	5.67
50	-	HAI - 12	8.10
70	-	HAI - 01	15.66
95	-	HAI - 15	17.02
120	-	HAI - 09	22.73
150	-	HAI - 10	27.84
185	-	HAI - 11	38.00
225	-	HAI - 147	65.22
240	-	HAI - 16	63.97
300	-	HAI - 17	92.28
400	-	HAI - 18	144.13
500	-	HAI - 19	193.61
625	-	HAI - 20	254.42
800	-	HAI - 148	519.53
1000	-	HAI - 149	665.67

HEX LONG BARREL ALUMINIUM TERMINAL ENDS (HEAVY DUTY FOR XLPE CABLE)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
25	8.2	HAC - 25	7.87
35	8.2	HAC - 35	11.64
50	10.2	HAC - 50	15.47
70	10.2	HAC - 70	25.15
95	12.7	HAC - 95	34.01
120	12.7	HAC - 120	48.04
150	12.7	HAC - 150	67.51
185	12.7	HAC - 185	88.08
225	12.7	HAC - 225	74.53
240	12.7	HAC - 240	126.21
300	20.3	HAC - 300	157.72
400	20.3	HAC - 400	290.60
500	20.3	HAC - 500	353.47
630	20.3	HAC - 625	500.28
800	20.3	HAC - 800	680.33
1000	20.3	HAC - 1000	958.34

HEX LONG BARREL ALUMINIUM IN - LINE CONNECTORS (HEAVY DUTY FOR XLPE CABLE)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
25	-	HAXL - 25	11.47
35	-	HAXL - 35	13.64
50	-	HAXL - 50	19.53
70	-	HAXL - 70	27.61
95	-	HAXL - 95	36.32
120	-	HAXL - 120	48.36
150	-	HAXL - 150	60.79
185	-	HAXL - 185	90.05
225	-	HAXL - 225	113.19
240	-	HAXL - 240	122.06
300	-	HAXL - 300	162.14
400	-	HAXL - 400	242.89
500	-	HAXL - 500	311.30
630	-	HAXL - 630	449.40
800	-	HAXL - 800	600.62
1000	-	HAXL - 1000	762.78



HEX CRIMPING TYPE ALUMINIUM REDUCER TYPE TERMINAL ENDS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	-	HPA - 01	7.47
2.5	-	HPA - 07	7.34
4	-	HPA - 15	7.53
4	-	HPA - 16	7.29
6	-	HPA - 17	7.35
6	-	HPA - 18	7.33
10	-	HPA - 19	7.76
10	-	HPA - 20	7.78
10	-	HPA - 21	7.70
10	-	HPA - 22	7.81
16	-	HPA - 23	9.70
16	-	HPA - 24	10.29
16	-	HPA - 02	8.95
25	-	HPA - 25	12.28
25	-	HPA - 03	13.62
35	-	HPA - 04	14.77
50	-	HPA - 26	20.89
50	-	HPA - 05	29.36
70	-	HPA - 27	32.04
70	-	HPA - 06	36.86
70	-	HPA - 28	39.86
95	-	HPA - 29	44.18
95	-	HPA - 08	49.85
95	-	HPA - 31	40.39
95	-	HPA - 32	48.64
120	-	HPA - 33	62.41
120	-	HPA - 34	57.89
120	-	HPA - 35	65.85
120	-	HPA - 36	71.49
150	-	HPA - 10	83.65
150	-	HPA - 37	77.59
185	-	HPA - 30	97.48
185	-	HPA - 38	93.82
225	-	HPA - 39	125.98
225	-	HPA - 46	127.08
225	-	HPA - 42	127.08
240	-	HPA - 44	147.58
240	-	HPA - 43	135.32
300	-	HPA - 45	173.11
300	-	HPA - 47	158.90



HEX CRIMPING TOOLS



**HEX COPPER TUBULAR
CRIMPING SOCKETS**
RAILWAY SERIES (MCF-EDTS 200)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
16	M 6	HTIR 16-6	29.86
16	M 8	HTIR 16-8	37.57
16	M 10	HTIR 16-10	31.32
25	M 8	HTIR 25-8	74.92
25	M 10	HTIR 25-10	82.36
35	M 10	HTIR 35-10	90.98
50	M 8	HTIR 50-8	172.26
50	M 10	HTIR 50-10	167.48
50	M 12	HTIR 50-12	160.55
50	M 16	HTIR 50-16	160.55
70	M 10	HTIR 70-10	214.55
70	M 12	HTIR 70-12	203.90
70	M 16	HTIR 70-16	203.90
95	M 8	HTIR 95-8	301.94
95	M 10	HTIR 95-10	297.22
95	M 12	HTIR 95-12	287.42
95	M 16	HTIR 95-16	287.42
120	M 12	HTIR 120-12	447.72
120	M 16	HTIR 120-16	424.07
150	M 12	HTIR 150-12	630.35
150	M 16	HTIR 150-16	612.75
185	M 16	HTIR 185-16	734.99

**HEX COPPER RING TONGUE
TYPE CRIMPING SOCKETS**
RAILWAY SERIES (MCF-EDTS 201)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	5	HRIR 1.5-5	4.72
2.5	6	HRIR 2.5-6	8.09
4-6	3	HRIR 4-3	6.17
4-6	6	HRIR 4-6	5.88
4-6	8	HRIR 4-8	6.32
4-6	5	HRIR 6-5	10.71
4-6	6	HRIR 6-6	12.79
4-6	8	HRIR 6-8	17.40
4-6	13	HRIR 6-13	16.81
10 - 5	5	HRIR 10-5	22.04
10 - 6	6	HRIR 10-6	21.14
10 - 8	8	HRIR 10-8	20.68
10 - 10	10	HRIR 10-10	40.73



**AATMA-NIRBHAR
BHARAT**

We are glad to announce the release of our Mobile + Web Application - **HEX INSTANT**



WELCOME TO

HEX ENJOY ALL THE BENEFITS OF INSTANT

- Save time
- Manage your inventory
- Increase your productivity
- Access HEX Stock online
- Track the status of your order
- Receive mail Confirmation
- Review Status instantly
- Check Dispatch Date

History in Engineering eXcellence



BRASS COPPER & ALLOY (I) LTD.

www.hexworldwide.com

Making it easier for you, our esteemed clientele to reach us,
here we are available on *HEX INSTANT* just a click away.

PlayStore link to download the application:

<https://play.google.com/store/apps/details?id=com.hexinstant.hex>

Non-Android users can access the application by logging in through
www.hexworldwide.co.in

Let's be...

VOCAL FOR LOCAL

For any further details,

share your enquiries to

hexindia@hexworldwide.com



SOME OF OUR ESTEEMED CUSTOMERS



APPROVALS




VALUABLE CLIENTS





CABLE TERMINAL ENDS & CONNECTORS



EARTHING & LIGHTNING PROTECTION



BRASS CABLE GLAND KITS & ACCESSORIES



CONDUIT ACCESSORIES, CHANNELS & PIPE CLAMPS



CONTROL PANEL / SWITCHBOARD ACCESSORIES



CRIMPING TOOLS



CABLE JOINTING & TERMINATION KIT COMPONENTS



STAINLESS STEEL CABLE TIES & MARKERS

PRODUCT RANGE



BRASS COPPER & ALLOY (I) LTD.

Dealer / Distributor

