



PLA COMPONENTS

PLA HOUSE, (THAKOR ESTATE), KURLA KIROL ROAD, VIDHYAVIHAR (W), MUMBAI - 400 086

Tel: +91 22 25106104/05 Mob: +91 7045459530

Email:- sales@plarelays.com, anish@plarelays.com Web:- www.plarelays.com

PRICE LIST (W.E.F. 1st Jan 2021)

SR NO.	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL OHMS	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)	UNIT PP (In INR)
--------	---------	-----------------------	--------------	-----------	-------------------	----------	-------------------	------------------

1 MPC : PLUG IN TYPE RELAYS 5 Amps Resistive @ 24 VDC/240 VAC (1,00,000 ops)

544	MPC 2C 6D 5 Amps L	6 VDC	30	20	85364100	232.50	181.50
545	MPC 2C 12D 5 Amps L	12 VDC	200	20	85364100	199.50	155.50
546	MPC 2C 18D 5 Amps L	18 VDC	390	20	85364100	236.00	184.00
547	MPC 2C 24D 5 Amps L	24 VDC	500	20	85364100	202.00	157.50
54412	MPC 2C 30D 5 Amps L	30 VDC	750	20	85364100	258.00	201.50
54400	MPC 2C 48D 5 Amps L	48 VDC	2.25K	20	85364100	237.50	185.50
54402	MPC 2C 110D 5 Amps L	110 VDC	10K	20	85364900	239.00	186.50
543	MPC 2C 220D 5 Amps L	220 VDC	40K	20	85364900	269.50	210.50
54452	MPC 2C 250D 5 Amps L	250 VDC	50K	20	85364900	391.50	305.50

581	MPC 2C 6A 5 Amps L	6 VAC	7	20	85364100	216.50	169.00
571	MPC 2C 12A 5 Amps L	12 VAC	30	20	85364100	212.50	166.00
573	MPC 2C 24A 5 Amps L	24 VAC	110	20	85364100	203.00	158.50
574	MPC 2C 110A 5 Amps L	110 VAC	2.4K	20	85364900	224.00	175.00
575	MPC 2C 240A 5 Amps L	240 VAC	9.5K	20	85364900	254.50	198.50
572	MPC 2C 400A 5 Amps L	400 VAC	27K	20	85364900	394.00	307.50

551	MPC 3C 12D 5 Amps L	12 VDC	150	20	85364100	250.50	195.50
552	MPC 3C 18D 5 Amps L	18 VDC	390	20	85364100	262.50	205.00
553	MPC 3C 24D 5 Amps L	24 VDC	500	20	85364100	252.00	196.50
54411	MPC 3C 30D 5 Amps L	30 VDC	750	20	85364100	300.50	234.50
54401	MPC 3C 48D 5 Amps L	48 VDC	2.25K	20	85364100	301.50	235.50
54403	MPC 3C 110D 5 Amps L	110 VDC	10K	20	85364900	286.50	223.50
556	MPC 3C 220D 5 Amps L	220 VDC	40K	20	85364900	356.50	278.50

582	MPC 3C 6A 5 Amps L	6 VAC	7	20	85364100	267.00	208.50
576	MPC 3C 12A 5 Amps L	12 VAC	30	20	85364100	267.00	208.50
577	MPC 3C 24A 5 Amps L	24 VAC	110	20	85364100	244.50	191.00
578	MPC 3C 110A 5 Amps L	110 VAC	2.4K	20	85364900	259.00	202.00
579	MPC 3C 240A 5 Amps L	240 VAC	9.5K	20	85364900	288.00	225.00
580	MPC 3C 400A 5 Amps L	400 VAC	27K	20	85364900	460.00	359.00

2 MPC : PLUG IN TYPE RELAYS 10 Amps Resistive @ 24 VDC/240 VAC (1,00,000 ops)

44	MPC 2C 6D 10 Amps L	6 VDC	30	20	85364100	236.50	184.50
45	MPC 2C 12D 10 Amps L	12 VDC	200	20	85364100	211.50	165.00
47	MPC 2C 24D 10 Amps L	24 VDC	500	20	85364100	216.50	169.00
4412	MPC 2C 30D 10 Amps L	30 VDC	750	20	85364100	211.50	165.00
4402	MPC 2C 110D 10 Amps L	110 VDC	10K	20	85364900	255.00	199.00
15043	MPC 2C 220D 10 Amps L	220 VDC	40K	20	85364900	315.00	246.00
4455	MPC 2C 250D 10 Amps L	250 VDC	50K	20	85364900	407.50	318.00

81	MPC 2C 6A 10 Amps L	6 VAC	7	20	85364100	246.00	192.00
71	MPC 2C 12A 10 Amps L	12 VAC	30	20	85364100	236.50	184.50
73	MPC 2C 24A 10 Amps L	24 VAC	110	20	85364100	223.50	174.50
74	MPC 2C 110A 10 Amps L	110 VAC	2.4K	20	85364900	234.00	182.50
75	MPC 2C 240A 10 Amps L	240 VAC	9.5K	20	85364900	282.50	220.50
72	MPC 2C 400A 10 Amps L	400 VAC	27K	20	85364900	420.00	328.00

51	MPC 3C 12D 10 Amps L	12 VDC	150	20	85364100	264.50	206.50
53	MPC 3C 24D 10 Amps L	24 VDC	500	20	85364100	264.50	206.50
4411	MPC 3C 30D 10 Amps L	30 VDC	750	20	85364100	309.50	241.50
4403	MPC 3C 110D 10 Amps L	110 VDC	10K	20	85364900	296.00	231.00
56	MPC 3C 220D 10 Amps L	220 VDC	40K	20	85364900	391.50	305.50

SR NO.	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL OHMS	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)	UNIT PP (In INR)
82		MPC 3C 6A 10 Amps L	6 VAC	7	20	85364100	282.50	220.50
76		MPC 3C 12A 10 Amps L	12 VAC	30	20	85364100	282.50	220.50
77		MPC 3C 24A 10 Amps L	24 VAC	110	20	85364100	253.50	198.00
78		MPC 3C 110A 10 Amps L	110 VAC	2.4K	20	85364900	302.50	236.00
79		MPC 3C 240A 10 Amps L	240 VAC	9.5K	20	85364900	310.00	242.00
80		MPC 3C 400A 10 Amps L	400 VAC	27K	20	85364900	486.00	379.50

- Note:-
- 1) Relays with DIODE can be supplied at an additional charge of Rs. 6.00 on PP
 - 2) Relays with ARC SUPPRESSOR (HMPC RELAYS) are available only in 2C
 - 3) Prices of equivalent HMPC Relays can be worked out by the formula: equivalent MPC + Rs. 65/- = HMPC
 - 4) Prices of 12A Relays (HPC) can be worked as : equivalent 10A + Rs. 15/- = MPC 12A Relays

3

PMY : PCB MOUNT, PLUG IN / SOLDERABLE TYPE RELAYS WITH LED 5 Amps Resistive @ 24 VDC/240 VAC (1,00,000 ops)

4615	PMY 2C 12D	12 VDC	160	20	85364100	150.50	117.50
4617	PMY 2C 24D	24 VDC	650	20	85364100	150.50	117.50
4618	PMY 2C 48D	48 VDC	2.6K	20	85364100	157.50	123.00
4619	PMY 2C 110D	110 VDC	11K	20	85364900	157.50	123.00
4620	PMY 2C 220D	220 VDC	42K	20	85364900	223.50	174.50

4661	PMY 2C 12A	12 VAC	46	20	85364100	157.50	123.00
4662	PMY 2C 24A	24 VAC	180	20	85364100	157.50	123.00
4664	PMY 2C 110A	110 VAC	4.4K	20	85364900	161.00	125.50
4665	PMY 2C 240A	240 VAC	19K	20	85364900	161.00	125.50

4600	PMY 4C 12D	12 VDC	160	20	85364100	154.00	120.00
4601	PMY 4C 24D	24 VDC	650	20	85364100	156.00	121.50
4603	PMY 4C 48D	48 VDC	2.6K	20	85364100	166.50	130.00
4602	PMY 4C 110D	110 VDC	11K	20	85364900	166.50	130.00
4607	PMY 4C 220D	220 VDC	42K	20	85364900	227.00	177.00

4647	PMY 4C 12A	12 VAC	46	20	85364100	159.50	124.50
4648	PMY 4C 24A	24 VAC	180	20	85364100	159.50	124.50
4649	PMY 4C 110A	110 VAC	4.4K	20	85364900	166.50	130.00
4650	PMY 4C 240A	240 VAC	19K	20	85364900	166.50	130.00

PMY - F : PCB MOUNT, PLUG IN / SOLDERABLE TYPE RELAYS WITH LED & FLAG 10 Amps Resistive @ 24 VDC / 240

4 VAC(1,00,000 ops)

4627	PMY F 2C 24D	24 VDC	650	20	85364100	187.00	146.00
4671	PMY F 2C 240A	240 VAC	19K	20	85364900	207.00	161.50

PMY - F : PCB MOUNT, PLUG IN / SOLDERABLE TYPE RELAYS WITH LED & FLAG 5 Amps Resistive @ 24 VDC / 240 VAC(1,00,000

5 ops)

4604	PMY F 4C 24D	24 VDC	650	20	85364100	172.50	134.50
4605	PMY F 4C 240A	240 VAC	19K	20	85364900	192.00	150.00

6 **PLY : PCB MOUNT, PLUG IN / SOLDERABLE TYPE RELAYS WITH LED 10 Amps** Resistive @ 24 VDC/240 VAC (1,00,000 ops)

5240	PLY 2C 12D	12 VDC	130	20	85364100	178.00	139.00
5241	PLY 2C 24D	24 VDC	650	20	85364100	178.00	139.00

5242	PLY 2C 240A	240 VAC	19K	20	85364900	191.50	149.50
------	-------------	---------	-----	----	----------	--------	--------

5225	PLY 4C 12D	12 VDC	100	20	85364100	323.00	252.00
5226	PLY 4C 24D	24 VDC	350	20	85364100	323.00	252.00

5232	PLY 4C 240A	240 VAC	8K	20	85364900	329.00	257.00
------	-------------	---------	----	----	----------	--------	--------

SR NO.	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL OHMS	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)	UNIT PP (In INR)
7	MPCN : PLUG IN TYPE RELAYS 12 Amps Resistive @ 30 VDC/250 VAC (1,00,000 ops)							
	4925	MPCN 1C 12D 12A	12 VDC	270	20	85364100	182.00	142.00
	4926	MPCN 1C 24D 12A	24 VDC	1.1k	20	85364100	186.50	145.50
	4927	MPCN 1C 240A 12A	240 VAC	23k	20	85364900	207.50	162.00
8	MPCN : PLUG IN TYPE RELAYS 7 Amps Resistive @ 30 VDC/250 VAC (1,00,000 ops)							
	4900	MPCN 2C 12D 7A	12 VDC	270	20	85364100	186.50	145.50
	4901	MPCN 2C 24D 7A	24 VDC	1.1k	20	85364100	190.50	148.50
	4905	MPCN 2C 240A 7A	240 VAC	23k	20	85364900	217.00	169.50
9	PMCM : PLUG IN TYPE RELAYS 12 / 16 Amps Resistive @ 30 VDC/250 VAC (1,00,000 ops)							
	6076	PMCM 1C 12D 12A (5 Pin)	12 VDC	270	20	85364100	93.50	73.00
	6077	PMCM 1C 24D 12A (5 Pin)	24 VDC	1.05k	20	85364100	93.50	73.00
	6080	PMCM 1C 12D 16A (8 Pin)	12 VDC	270	20	85364100	130.00	101.50
	6081	PMCM 1C 24D 16A (8 Pin)	24 VDC	1.05k	20	85364100	130.00	101.50
10	PMCM : PLUG IN TYPE RELAYS 8 Amps Resistive @ 30 VDC/250 VAC (1,00,000 ops)							
	6085	PMCM 2C 12D 8A (8 Pin)	12 VDC	270	20	85364100	116.00	90.50
	6086	PMCM 2C 24D 8A (8 Pin)	24 VDC	1.05k	20	85364100	116.00	90.50
11	SMP : PLUG IN / PCB MOUNT TYPE RELAYS 6 Amps Resistive @ 30 VDC/250 VAC (1,00,000 ops)							
	5250	SMP 1C 12D	12 VDC	848	20	85364100	138.50	108.00
	5251	SMP 1C 24D	24 VDC	3.39K	20	85364100	138.50	108.00
12	'ON' : TYPE RELAYS FOR TEXTILE APPLICATION 10 AMP Resistive @ 24 VDC / 240 VAC (1,00,000 ops)							
	112	ON RELAY	6 VDC	50	20	85364100	424.00	331.00
13	'OFF' : TYPE RELAYS FOR TEXTILE APPLICATION 10 AMP Resistive @ 24 VDC / 240 VAC (1,00,000 ops)							
	111	OFF RELAY	6 VDC	50	20	85364100	424.00	331.00
14	HPCC : PLUG IN, LUGS TYPE RELAYS 20 Amps Resistive @ 220 VDC (1,00,000 ops)							
	10006	HPCC 2C 12D	12 VDC	74	20	85364100	478.50	373.50
	10008	HPCC 2C 110D	110 VDC	5.5K	20	85364900	506.00	395.00
	10010	HPCC 2C 115A	115 VAC	1.3K	20	85364900	499.00	389.50
15	MCC : SOLDERABLE TYPE RELAYS 5 Amps Resistive @ 24 VDC/240 VAC (1,00,000 ops)							
	520	MCC 1C 6D 5 Amps	6 VDC	52	20	85364100	118.50	92.50
	521	MCC 1C 12D 5 Amps	12 VDC	200	20	85364100	111.00	86.50
	54104	MCC 1C 18D 5 Amps	18 VDC	500	20	85364100	126.50	98.50
	4116	MCC 1C 18D 390 OHMS	18 VDC	390	20	85364100	126.50	98.50
	524	MCC 1C 24D 5 Amps	24 VDC	600	20	85364100	116.50	91.00
	525	MCC 2C 12D 5 Amps	12 VDC	200	20	85364100	157.50	123.00
	526	MCC 2C 18D 5 Amps	18 VDC	390	20	85364100	163.00	127.00
	527	MCC 2C 24D 5 Amps	24 VDC	500	20	85364100	161.00	125.50
	54100	MCC 2C 48D 5 Amps	48 VDC	2.25K	20	85364100	199.50	155.50
	54102	MCC 2C 110D 5 Amps	110 VDC	10K	20	85364900	198.50	155.00

SR NO.	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL OHMS	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)	UNIT PP (In INR)
	560	MCC 2C 110A 5 Amps	110 VAC	2.4K	20	85364900	252.00	196.50
	565	MCC 2C 240A 5 Amps	240 VAC	9.5K	20	85364900	225.50	176.00
	536	MCC 3C 6D 5 Amps	6 VDC	30	20	85364100	242.00	189.00
	531	MCC 3C 12D 5 Amps	12 VDC	150	20	85364100	197.50	154.00
	532	MCC 3C 18D 5 Amps	18 VDC	390	20	85364100	199.50	155.50
	533	MCC 3C 24D 5 Amps	24 VDC	500	20	85364100	195.50	152.50
	54101	MCC 3C 48D 5 Amps	48 VDC	2.25K	20	85364100	259.50	202.50
	54103	MCC 3C 110D 5 Amps	110 VDC	10K	20	85364900	244.50	191.00
	5562	MCC 3C 110A 5 Amps	110 VAC	2.4K	20	85364900	310.50	242.50
	563	MCC 3C 240A 5 Amps	240 VAC	9.5K	20	85364900	257.00	200.50

16 MCC : SOLDERABLE TYPE RELAYS 5 Amps Resistive @ 24 VDC/240 VAC (1,00,000 ops) (METAL BASE PLATE)

	7520	MCC 1C 6D 5 Amps	6 VDC	52	20	85364100	120.50	94.00
	7521	MCC 1C 12D 5 Amps	12 VDC	200	20	85364100	113.50	88.50
	754104	MCC 1C 18D 5 Amps	18 VDC	500	20	85364100	129.00	100.50
	7524	MCC 1C 24D 5 Amps	24 VDC	600	20	85364100	120.50	94.00
	7530	MCC 2C 6D 5 Amps	6 VDC	30	20	85364100	202.00	157.50
	7525	MCC 2C 12D 5 Amps	12 VDC	200	20	85364100	163.00	127.00
	7526	MCC 2C 18D 5 Amps	18 VDC	390	20	85364100	165.50	129.00
	7527	MCC 2C 24D 5 Amps	24 VDC	500	20	85364100	165.50	129.00
	754100	MCC 2C 48D 5 Amps	48 VDC	2.25K	20	85364100	199.50	155.50
	754102	MCC 2C 110D 5 Amps	110 VDC	10K	20	85364900	198.50	155.00
	7536	MCC 3C 6D 5 Amps	6 VDC	30	20	85364100	247.50	193.00
	7531	MCC 3C 12D 5 Amps	12 VDC	150	20	85364100	197.50	154.00
	7532	MCC 3C 18D 5 Amps	18 VDC	390	20	85364100	199.50	155.50
	7533	MCC 3C 24D 5 Amps	24 VDC	500	20	85364100	199.50	155.50
	754101	MCC 3C 48D 5 Amps	48 VDC	2.25K	20	85364100	265.00	207.00
	754103	MCC 3C 110D 5 Amps	110 VDC	10K	20	85364900	252.50	197.00

17 MCC - O / OLC : SOLDERABLE TYPE RELAYS 10 Amps Resistive @ 24 VDC/250 VAC (1,00,000 ops)

	3715	MCC - O / OLC 3C 9.5D	9.5 VDC	100	20	85364100	234.00	182.50
	3702	MCC - O / OLC 3C 12D	12 VDC	150	20	85364100	212.50	166.00
	3703	MCC - O / OLC 3C 24D	24 VDC	500	20	85364100	218.50	170.50
	3709	MCC - O / OLC 3C 110D	110 VDC	10K	20	85364900	484.50	378.50
	3712	MCC - O / OLC 3C 115A	115 VAC	2.4K	20	85364900	287.50	224.50
	3713	MCC - O / OLC 3C 240A	240 VAC	9.5K	20	85364900	328.50	256.50

18 MCC - P / PCB : PCB MOUNT TYPE RELAYS 6 Amps Resistive @ 24 VDC/240 VAC (1,00,000 ops)

	96	PCB 2C 12D	12 VDC	200	20	85364100	178.00	139.00
	97	PCB 2C 24D	24 VDC	500	20	85364100	189.00	147.50
	102	PCB 3C 12D	12 VDC	150	20	85364100	251.00	196.00
	103	PCB 3C 24D	24 VDC	500	20	85364100	227.50	177.50
	105	PCB 3C 48D	48 VDC	2.25K	20	85364100	275.00	214.50
	106	PCB 3C 110D	110 VDC	10K	20	85364900	252.50	197.00
	110	PCB 3C 240A	240 VAC	9.5K	20	85364900	360.50	281.50

19 HCC : SOLDERABLE TYPE RELAYS 12 Amps Resistive @ 24 VDC/240 VAC (1,00,000 ops)

	353	HCC 1C 12D 12A	12 VDC	120	20	85364100	138.50	108.00
	355	HCC 1C 24D 12A	24 VDC	480	20	85364100	151.50	118.00
	357	HCC 2C 12D 12A	12 VDC	120	20	85364100	196.50	153.50

SR NO.	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL OHMS	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)	UNIT PP (In INR)
	359	HCC 2C 24D 12A	24 VDC	480	20	85364100	200.50	156.50
	401	HCC 2C 240A 12A	240 VAC	9.5K	20	85364900	331.00	258.50
	363	HCC 3C 12D 12A	12 VDC	120	20	85364100	248.50	194.00
	365	HCC 3C 24D 12A	24 VDC	480	20	85364100	253.50	198.00
	403	HCC 3C 240A 12A	240 VAC	9.5K	20	85364900	440.00	343.50

20 HCC / MPR : SOLDERABLE TYPE RELAYS 16 Amps Resistive @ 24 VDC/240 VAC (1,00,000 ops)

Note:- HCC 16A formerly known as MPR Relays

	1602	HCC 1C 12D 16A	12 VDC	120	20	85364100	148.00	115.50
	1604	HCC 1C 24D 16A	24 VDC	480	20	85364100	162.00	126.50
	1612	HCC 2C 12D 16A	12 VDC	120	20	85364100	202.50	158.00
	1614	HCC 2C 24D 16A	24 VDC	480	20	85364100	207.00	161.50
	1661	HCC 2C 240A 16A	240 VAC	9.5K	20	85364900	341.50	266.50
	1622	HCC 3C 12D 16A	12 VDC	120	20	85364100	256.00	200.00
	1624	HCC 3C 24D 16A	24 VDC	480	20	85364100	261.50	204.00
	1662	HCC 3C 240A 16A	240 VAC	9.5K	20	85364900	454.00	354.50

21 PCN : SOLDERABLE / LUGS TYPE RELAYS 30 Amps Resistive @ 24 VDC/240 VAC (1,00,000 ops)

	2061	PCN 1C 12D 30A	12 VDC	120	20	85364100	262.50	205.00
	2062	PCN 1C 24D 30A	24 VDC	480	20	85364100	262.50	205.00
	2063	PCN 2C 12D 30A	12 VDC	74	20	85364100	351.00	274.00
	2064	PCN 2C 24D 30A	24 VDC	260	20	85364100	351.00	274.00
	2067	PCN 2C 240A 30A	240 VAC	4.7K	20	85364900	373.50	291.50

22 LPR 30E : POWER RELAYS PLUG IN / SOLDERABLE, LUGS 30 Amps Resistive @ 24 VDC/240 VAC (50,000 ops)

	3903	LPR 30E 1C 12D	12 VDC	120	20	85364100	179.00	139.50
	3904	LPR 30E 1C 24D	24 VDC	480	20	85364100	179.00	139.50
	3905	LPR 30E 1C 240A	240 VAC	9.5K	20	85364900	204.00	159.00

23 LPR30 / PCC : POWER RELAYS PLUG IN / SOLDERABLE, LUGS 30 Amps Resistive @ 24 VDC / 240 VAC (1,00,000 ops)

	3125	LPR30 / PCC 1NO 12D	12 VDC	120	20	85364100	208.00	162.50
	3126	LPR30 / PCC 1NO 24D	24 VDC	480	20	85364100	208.00	162.50
	3100	LPR30 / PCC 1C 12D	12 VDC	120	20	85364100	239.00	186.50
	3101	LPR30 / PCC 1C 24D	24 VDC	480	20	85364100	239.00	186.50
	3102	LPR30 / PCC 1C 240A	240 VAC	4.7K	20	85364900	270.50	211.00
	3130	LPR30 / PCC 2NO 12D	12 VDC	74	20	85364100	279.50	218.00
	3131	LPR30 / PCC 2NO 24D	24 VDC	260	20	85364100	284.00	221.50
	3103	LPR30 / PCC 2C 12D	12 VDC	74	20	85364100	374.00	292.00
	3104	LPR30 / PCC 2C 24D	24 VDC	260	20	85364100	384.00	300.00
	3105	LPR30 / PCC 2C 240A	240 VAC	4.7K	20	85364900	394.00	307.50
	3135	LPR30 / PCC 3NO 12D	12 VDC	74	20	85364100	364.00	284.00
	3136	LPR30 / PCC 3NO 24D	24 VDC	260	20	85364100	364.00	284.00

SR NO.	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL OHMS	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)	UNIT PP (In INR)
	3109	LPR30 / PCC 3C 12D	12 VDC	74	20	85364100	467.50	365.00
	3113	LPR30 / PCC 3C 24D	24 VDC	260	20	85364100	481.00	375.50
	3158	LPR30 / PCC 3C 240A	240 VAC	4.7K	20	85364900	497.00	388.00

24 LPR 40E MB : POWER RELAYS PLUG IN / LUGS TERMINALS 40 Amps Resistive @ 24 VDC/240VAC (50,000 ops)

	3802	LPR 40E 1C 12D MB	12 VDC	74	20	85364100	201.00	157.00
	3803	LPR 40E 1C 24D MB	24 VDC	260	20	85364100	198.50	155.00

25 LPR 40 MB : POWER RELAYS PLUG IN / SCREW TERMINALS 40 Amps Resistive @ 24 VDC/240VAC (1,00,000 ops)

	4800	LPR40 1C 12D MB	12 VDC	74	20	85364100	252.50	197.00
	4804	LPR40 1C 18D MB	18 VDC	150	20	85364100	294.50	230.00
	4801	LPR40 1C 24D MB	24 VDC	260	20	85364100	252.50	197.00
	4802	LPR40 1C 48D MB	48 VDC	1.2K	20	85364100	294.50	230.00
	4803	LPR40 1C 110D MB	110 VDC	5.5K	20	85364900	330.00	257.50
	4807	LPR40 1C 240A MB	240 VAC	4.7K	20	85364900	309.50	241.50

26 LPR 40 / HP40 : POWER RELAYS PLUG IN / SCREW TERMINALS 40 Amps Resistive @ 24 VDC / 240VAC (1,00,000 ops)

	3211	LPR40 / HP40 1C 12D	12 VDC	74	20	85364100	252.50	197.00
	3214	LPR40 / HP40 1C 18D	18 VDC	150	20	85364100	294.50	230.00
	3212	LPR40 / HP40 1C 24D	24 VDC	260	20	85364100	252.50	197.00
	3216	LPR40 / HP40 1C 48D	48 VDC	1.2K	20	85364100	294.50	230.00
	3215	LPR40 / HP40 1C 110D	110 VDC	5.5K	20	85364900	330.00	257.50
	3213	LPR40 / HP40 1C 240A	240 VAC	4.7K	20	85364900	309.50	241.50

27 LPR 40 : POWER RELAYS PLUG IN / LUGS TERMINALS 40 Amps Resistive @ 24 VDC/240VAC (1,00,000 ops)

	3250	LPR40 2C 12D	12 VDC	74	20	85364100	387.00	302.00
	3251	LPR40 2C 24D	24 VDC	260	20	85364100	387.00	302.00
	3255	LPR40 2C 240A	240 VAC	4.7K	20	85364900	396.50	309.50
	3275	LPR40 3C 12D	12 VDC	74	20	85364100	498.00	389.00
	3276	LPR40 3C 24D	24 VDC	260	20	85364100	498.00	389.00
	3277	LPR40 3C 48D	48 VDC	1.2K	20	85364100	531.00	414.50
	3280	LPR40 3C 240A	240 VAC	4.7K	20	85364900	514.00	401.50

28 LPR 60 : POWER RELAYS PLUG IN / SCREW - LUGS TERMINALS 60 Amps Resistive @ 24 VDC / 240VAC (1,00,000 ops)

	3350	LPR60 1C 12D L	12 VDC	74	20	85364100	298.00	232.50
	3351	LPR60 1C 24D L	24 VDC	260	20	85364100	298.00	232.50
	3360	LPR60 1C 240A L	240 VAC	4.7k	20	85364100	355.50	277.50
	3353	LPR60 1C 12D T	12 VDC	74	20	85364100	298.00	232.50
	3354	LPR60 1C 24D T	24 VDC	260	20	85364100	298.00	232.50
	3355	LPR60 1C 240A T	240 VAC	4.7k	20	85364100	355.50	277.50

29 LPR 80 : POWER RELAYS PLUG IN / SCREW - LUGS TERMINALS 80 Amps Resistive @ 24 VDC / 240VAC (1,00,000 ops)

	3926	LPR80 1C 12D	12 VDC	48	20	85364100	424.00	331.00
	3927	LPR80 1C 24D	24 VDC	192	20	85364100	424.00	331.00

SR NO.	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL OHMS	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)	UNIT PP (In INR)
30	LPR 100 : POWER RELAYS PLUG IN / SCREWS - LUGABLE TERMINALS 100 Amps Resistive @ 24 VDC / 240VAC (1,00,000 ops)							
	3930	LPR100 1C 12D	12 VDC	48	20	85364100	504.00	393.50
	3931	LPR100 1C 24D	24 VDC	192	20	85364100	504.00	393.50
31	PAC 40 : SOLDERABLE / LUGS, AUTOMOTIVE TYPE RELAYS 40 Amps Resistive @ 14 VDC (1,00,000 ops)							
	3800	PAC 40 1A 12D	12 VDC	90	40	85364100	97.00	75.50
32	PAC 80 : SOLDERABLE / LUGS, AUTOMOTIVE TYPE RELAYS 80 Amps Resistive @ 14 VDC (1,00,000 ops)							
	3821	PAC 80 1A 12D	12 VDC	80	40	85364100	159.50	124.50
33	PLT : PCB MOUNT, 'T' TYPE RELAYS 20/30A Resistive @ 24 VDC/240 VAC (1,00,000 ops)							
	3551	PLT 1A 12D (NO-30A, NC-20A)	12 VDC	160	100	85364100	54.00	42.00
	3552	PLT 1C 12D (NO-30A, NC-20A)	12 VDC	160	100	85364100	56.00	43.50
	3553	PLT 1C 24D (NO-30A, NC-20A)	24 VDC	640	100	85364100	58.00	45.00
34	PLE : PCB MOUNT, 'T' TYPE RELAYS 30/40A Resistive @ 24V DC/240V AC (1,00,000 ops)							
	3500	PLE 1C 12D (NO-40A, NC-30A)	12 VDC	160	20	85364100	83.50	65.00
	3502	PLE 1C 24D (NO-40A, NC-30A)	24 VDC	640	20	85364100	83.50	65.00
35	PLC : PCB MOUNT, 'T' TYPE (CUBE TYPE) RELAYS 30/40A Resistive @ 24 VDC/240 VAC (1,00,000 ops)							
	3400	PLC 1C 12D (NO-40A, NC-30A)	12 VDC	160	100	85364100	84.00	65.50
	3402	PLC 1C 24D (NO-40A, NC-30A)	24 VDC	660	100	85364100	84.50	66.00
36	SCR : PCB MOUNT, SUGAR CUBE TYPE RELAYS 10 Amps Resistive @ 24 VDC/240 VAC (1,00,000 ops)							
	5503	SCR 1C 12D 10 Amps	12 VDC	400	200	85364100	23.50	18.00
	5507	SCR 1C 24D 10 Amps	24 VDC	1.6K	200	85364100	24.50	19.00
37	SPC : PCB MOUNT TYPE RELAYS 6 Amps Resistive @ 28 VDC/250 VAC (1,00,000 ops)							
	261	SPC 1C 6D	6 VDC	48	50	85364100	100.00	78.00
	262	SPC 1C 12D	12 VDC	150	50	85364100	88.50	69.00
	263	SPC 1C 18D 380 OHMS	18 VDC	380	50	85364100	100.00	78.00
	6105	SPC 1C 18D 300 OHMS	18 VDC	300	50	85364100	114.00	89.00
	264	SPC 1C 24D	24 VDC	605	50	85364100	95.00	74.00
38	DIP : PCB MOUNT, REED TYPE RELAYS (1,00,00,000 ops) (At Optimum Load Conditions)							
	601	DIP 1NO 5D	5 VDC	200	40	85364100	87.50	68.00
	602	DIP 1NO 12D	12 VDC	500	40	85364100	87.50	68.00
	603	DIP 1NO 24D	24 VDC	2.1K	20	85364100	100.00	78.00
	621	DIP 1C 5D	5 VDC	200	20	85364100	288.00	225.00
	622	DIP 1C 12D	12 VDC	500	20	85364100	288.00	225.00
	623	DIP 1C 24D	24 VDC	2.1K	20	85364100	288.00	225.00
	606	DIP 2NO 5D	5 VDC	100	40	85364100	127.50	99.50
	607	DIP 2NO 12D	12 VDC	275	40	85364100	139.00	108.50
	608	DIP 2NO 24D	24 VDC	1.1K	20	85364100	157.50	123.00
	626	DIP 2C 5D	5 VDC	100	20	85364100	496.00	387.50
	627	DIP 2C 12D	12 VDC	275	20	85364100	465.50	363.50
	628	DIP 2C 24D	24 VDC	1.1K	20	85364100	496.00	387.50

Note:- DIP : 10W, 0.5A, 200V FOR N/O & 3W,0.25A , 100V FOR C/O

SR NO.	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL OHMS	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)	UNIT PP (In INR)
--------	---------	-----------------------	--------------	-----------	-------------------	----------	-------------------	------------------

39 SIP : PCB MOUNT, REED TYPE RELAYS (1,00,00,000 ops) (At Optimum Load Conditions)

681	SIP 1A 05		5 VDC	500	40	85364100	73.00	57.00
685	SIP 1A 05P*		5 VDC	500	40	85364100	90.50	70.50
686	SIP 1A 12P*		12 VDC	2K	40	85364100	85.50	66.50
691	SIP 1A 05M**		5 VDC	500	40	85364100	83.00	64.50
692	SIP 1A 12M**		12 VDC	2K	40	85364100	85.50	66.50

*P=Potted Version

**M=Moulded Version

Note:- SIP : 10W, 0.5A, 200V FOR N/O.

40 PROXIMITY SWITCHES 'RA-2' (10W, 0.5A, 100V); & MAGNET ASSEMBLY 'MA-2'

696	RA 2				100	85365000	42.00	32.50
699	MA 2				100	85365000	39.50	30.50
7056	RA2 & MA2				100	85365000	76.00	59.00

41 PSSN : SOLID STATE RELAYS 5 Amps Resistive @ 40 - 440 VAC



8100	PSSN 1NO 12-32 DA 5A		12-32 V		20	85369090	591.00	461.50
------	----------------------	--	---------	--	----	----------	--------	--------

SOCKETS & ACCESSORIES

42 DIN RAIL MOUNTING (WITH SCREW TERMINAL) FOR MPC TYPE RELAYS

15094	MPCS 8 16A (RS 8E)				100	85389000	32.00	25.00
15092	MPCS 11 12A (RS 11E)				100	85389000	43.00	33.50
11002	Retaining Clip (MPC SPRING)				300	85389000	12.00	9.00

43 DIN RAIL MOUNTING (WITH SCREW TERMINAL) FOR PMY TYPE SERIES RELAYS

11035	PMYS DR 8 10A (SDR PMY 8)				100	85389000	45.50	35.50
15095	PMYS DR 14 10A (SDR PMY 14)				100	85389000	51.50	40.00
11039	Retaining Clip (PMY SPRING)				300	85389000	12.00	9.00

44 PCB MOUNT FOR PMY TYPE SERIES RELAYS

11038	PMYS PCB 8 10A (SPCB PMY 8)				200	85389000	19.50	15.00
11032	PMYS PCB 14 10A (SPCB PMY 14)				100	85389000	22.00	17.00

45 DIN RAIL MOUNTING (WITH SCREW TERMINAL) FOR PLY TYPE SERIES RELAYS

11041	PLYS DR 8 10A (SDR PLY 8)				100	85389000	67.00	52.00
11029	PLYS DR 14 10A (SDR PLY 14)				100	85389000	127.50	99.50

46 DIN RAIL MOUNTING (WITH SCREW TERMINAL) FOR MPCN TYPE RELAYS

Note:- MPCNS 5 Pin are also used for PSSN (Solid State Relays)

4912	MPCNS 5 12A (RSU-5 12A)				20	85389000	123.00	96.00
4911	MPCNS 8 10A				20	85389000	123.00	97.00
4913	MPCNS 5 V1 12A (RSU-5 12A)				20	85389000	92.50	72.00
4914	MPCNS 8 V1 10A				20	85389000	92.50	72.00

47 SOCKET FOR PMCM SERIES MODULAR RELAYS WITH DIODE & LED

6091	PMCMS 5 10A (MS PMC 5)				40	85389000	118.00	92.00
6092	PMCMS 8 10A (MS PMC 8)				40	85389000	130.00	101.50

SR NO.	SRO NO.	PRODUCT / DESCRIPTION	COIL VOLTAGE	COIL OHMS	PER BOX (In Nos.)	HSN CODE	UNIT MRP (In INR)	UNIT PP (In INR)
--------	---------	-----------------------	--------------	-----------	-------------------	----------	-------------------	------------------

48 DIN RAIL MOUNTING (WITH SCREW TERMINAL) FOR POWER RELAYS, FOR LPR40 (2C & 3C) / HPCC

11037	PRS S 1				20	85389000	148.00	115.50
-------	---------	--	--	--	----	----------	--------	--------

49 DIN RAIL MOUNTING MODULAR WITH LED & DIODE FOR SMP TYPE SERIES RELAYS

11040	SMPS 6A				20	85389000	168.00	131.00
-------	---------	--	--	--	----	----------	--------	--------

TERMS & CONDITIONS :

- a) Unit MRP Price is inclusive of all Taxes etc.
- b) Payment : Credit as applicable.
- c) Availability: Ex-Stock available, Subject to prior to sales, otherwise 3/4 weeks from the date of receipt of confirmed P.O.
- d) Delivery : F.O.R. Works
- e) P.O. should be in line with MOQ and /or in Multiple of MOQ.
- f) Customize relays can be developed as per client requirement.
Any Techno Commercial Change/s is/are prerogative of manufacturer / managment, of the company which can be without any notice.
- g) be without any notice.
- h) Price/s is/are subject to change without any notice.
- i) Pricing, ruling at the time of delivery will be applicable.
- j) This supersedes previous price list.
- k) Any dispute, subject to Mumbai Jurisdiction.