

AN ISO 9001:2015 CERTIFIED COMPANY

SELVO®

A HOUSE OF QUALITY PRODUCTS

1

Distribution Boards, Switchgears & Controlgears



Our AIM...

SAFETY
FRST

Miniature Circuit Breaker (MCB)

FEATURES



RED - ON

Positive Contact Position Indication

Selvo MCBs has Red and Green flag indication gives ON/OFF contact status to identify the real position of contacts in-side the MCBs.



Large & Dual Terminating Terminal size

Selvo MCBs can accommodate cable up to 35 sq mm cross section area thus making it suitable for copper as well as aluminium cable. Both cable and bus bar can be terminated at the incommer.



Bi-stable Din Clip Position

Selvo MCBs can be conveniently mounted on DinRail and the MCBs can be easily changed from a bank of devices connected by a busbar without disturbing your existing wiring.



Air Circulation :

Selvo MCBs are designed in such a way that provide sufficient air circulation between two MCBs fixed adjacent to each other and the breathing channels are so profiled that the air circulate around individual poles, resulting cooler operation




Ease of Clamping :

Selvo MCBs has provided input and output clamps on the MCBs with combi-head screws which has both the standard slots with combi-head screws can be tightened by the standard screw drivers .



IP 20 degree protection Safety

Energy Limiting Class-3 : Selvo MCBs has been designed to eliminate accidental contact with live part complying with IP 20 protection category, All the live parts are shrouded / finger proof terminals and ensures safety of the installer. (Install and operate our MCBs with confidence).



Energy Limiting Class-3

Selvo MCBs are designed with Rapid arc quenching mechanism. It operates with high speed mechanism and controls the arc with in quarter cycle (3 to 5 milliseconds) in which electro dynamic forces setup by the heavy current due to short circuit ensures minimized risk of fire and maximizing the life of equipments.



Energy Saver

Selvo MCBs has lower wattage loss values as compared to the specification the IS/IEC. Due to lower wattage loss it can be termed as Energy Efficient.



Breaking Capacity 10 KA

Selvo MCBs can break high short circuit faults. Under the conditions of three phase fault or phase - Neutral Fault, voltage dips and there is generation of sever current in kilo amperes. Selvo MCBs can protect equipments from generation of high current of 10 KA appears.




Padlocking Facility

Selvo MCBs has provided padlock facility for safety purpose during period of maintenance.



Certifications

Selvo MCBs are ISI marked as per IS /IEC 60898-1 ; 2002. the third party test are done at CPRI,Bhopal.



High Quality Material


Selvo's MCBs has been manufactured with flame retardant body for extra strength and insulation using silver graphite anti weld contact tips which ensures higher life and maximum safety of the device.

Miniature Circuit Breaker (MCB)

TECHNICAL SPECIFICATIONS	
Standard Confermaty	IS/IEC 60898-1-2002
Standard Rated Current(In)	6A-63A
Poles	SP, SP+N, DP, TP, TP+N, FP
Rated Short Circuit Breaking Capacity (Icn)	10,000 (10kA)
Rated Voltage	240/415V AC
Rated Frequency	50 Hz
Rated Insulation Voltage(Ui)	660 V
Ambient Temperature	-10° to 60°C
Contact Indication	Red (On), Green (Off)
Trip Fault Indication	Mid Trip feature
Terminal Capacity	35 sq mm
Energy Limit Class	Class - 3
Watt Loss	As per the IS/IEC Standards

CURRENT FLOW IN MCB

MID WAY (Under Fault)



Miniature Circuit Breaker (MCB)

HSN CODE-85362030



SP

SP MCB 'B' & 'C' TYPE 240/415 VOLTS AC. 50Hz as per IS:60898-1					
Item Description	Item Code	Unit Price(₹)	Item Code	Unit Price(₹)	Std. Pkg
6A SP MCB	GSELSPB12077	124/-	GSELSPC12001	124/-	12 Pcs
10A SP MCB	GSELSPB12078	124/-	GSELSPC12002	124/-	12 Pcs
16A SP MCB	GSELSPB12079	124/-	GSELSPC12003	124/-	12 Pcs
20A SP MCB	GSELSPB12080	124/-	GSELSPC12004	124/-	12 Pcs
25A SP MCB	GSELSPB12081	124/-	GSELSPC12005	124/-	12 Pcs
32A SP MCB	GSELSPB12082	124/-	GSELSPC12006	124/-	12 Pcs
40A SP MCB	GSELSPB12083	170/-	GSELSPC12007	170/-	12 Pcs
63A SP MCB	GSELSPB12084	215/-	GSELSPC12008	215/-	12 Pcs

HSN CODE-85362030



SPN

SPN MCB 'C' TYPE 240 VOLTS AC. 50Hz as per IS:60898-1			
Item Description	Item Code	Std. Pkg	Unit Price(₹)
6A SPN 'C' MCB	GSELSPN12009	6 Pcs	280/-
10A SPN 'C' MCB	GSELSPN12010	6 Pcs	280/-
16A SPN 'C' MCB	GSELSPN12011	6 Pcs	280/-
20A SPN 'C' MCB	GSELSPN12012	6 Pcs	280/-
25A SPN 'C' MCB	GSELSPN12013	6 Pcs	280/-
32A SPN 'C' MCB	GSELSPN12014	6 Pcs	280/-
40A SPN 'C' MCB	GSELSPN12015	6 Pcs	325/-
63A SPN 'C' MCB	GSELSPN12016	6 Pcs	450/-

HSN CODE-85362030



DP

DP MCB 'C' TYPE 240 VOLTS AC. 50Hz as per IS:60898-1			
Item Description	Item Code	Std. Pkg	Unit Price (₹)
6A DP 'C' MCB	GSELDPC12017	6 Pcs.	315/-
10A DP 'C' MCB	GSELDPC12018	6 Pcs.	315/-
16A DP 'C' MCB	GSELDPC12019	6 Pcs.	315/-
20A DP 'C' MCB	GSELDPC12020	6 Pcs.	315/-
25A DP 'C' MCB	GSELDPC12021	6 Pcs.	315/-
32A DP 'C' MCB	GSELDPC12022	6 Pcs.	315/-
40A DP 'C' MCB	GSELDPC12023	6 Pcs.	385/-
63A DP 'C' MCB	GSELDPC12024	6 Pcs.	500/-
100A DP 'C' MCB	GSELDPC12024b	4 Pcs.	-----

HSN CODE-85362030



TP

TP MCB 'C' TYPE 415 VOLTS AC. 50Hz as per IS:60898-1			
Item Description	Item Code	Std. Pkg	Unit Price (₹)
6ATP 'C' MCB	GSELTPC12025	4 Pcs	465/-
10ATP 'C' MCB	GSELTPC12026	4 Pcs	465/-
16ATP 'C' MCB	GSELTPC12027	4 Pcs	465/-
20ATP 'C' MCB	GSELTPC12028	4 Pcs	465/-
25ATP 'C' MCB	GSELTPC12029	4 Pcs	465/-
32ATP 'C' MCB	GSELTPC12030	4 Pcs	465/-
40ATP 'C' MCB	GSELTPC12031	4 Pcs	585/-
63ATP 'C' MCB	GSELTPC12032	4 Pcs	760/-
100ATP 'C' MCB	GSELTPC12032B	3Pcs	-----

Miniature Circuit Breaker (MCB)

HSN CODE-85362030




TPN MCB 'C' TYPE 415 VOLTS AC. 50Hz as per IS:60898-1			
Item Description	Item Code	Std. Pkg	Unit Price (₹)
6ATPN 'C' MCB	GSELTPN12033	3 Pcs	600/-
10ATPN 'C' MCB	GSELTPN12034	3 Pcs	600/-
16ATPN 'C' MCB	GSELTPN12035	3 Pcs	600/-
20ATPN 'C' MCB	GSELTPN12036	3 Pcs	600/-
25ATPN 'C' MCB	GSELTPN12037	3 Pcs	600/-
32ATPN 'C' MCB	GSELTPN12038	3 Pcs	600/-
40ATPN 'C' MCB	GSELTPN12039	3 Pcs	750/-
63ATPN 'C' MCB	GSELTPN12040	3 Pcs	990/-

HSN CODE-85362030




SPN MCB 'C' TYPE 240 VOLTS AC. 50Hz as per IS:60898-1			
Item Description	Item Code	Std. Pkg	Unit Price (₹)
6A FP 'C' MCB	GSELFPC12041	3 Pcs.	660/-
10A FP 'C' MCB	GSELFPC12042	3 Pcs.	660/-
16A FP 'C' MCB	GSELFPC12043	3 Pcs.	660/-
20A FP 'C' MCB	GSELFPC12044	3 Pcs.	660/-
25A FP 'C' MCB	GSELFPC12045	3 Pcs.	660/-
32A FP 'C' MCB	GSELFPC12046	3 Pcs.	660/-
40A FP 'C' MCB	GSELFPC12047	3 Pcs.	810/-
63A FP 'C' MCB	GSELFPC12048	3 Pcs.	1160/-
100A FP 'C' MCB	GSELFPC12048 B	1 Pcs.	-----

HSN CODE-85362030




SP TINY MCB 'C' TYPE SHEET MODULAR TYPE 240 VOLTS AC. 50 Hz					
Item Description	Item Code Sheet Type	Unit Price (₹)	Item Code Modular Type	Unit Price (₹)	Std. Pkg
C6A	GSELSPT12049	112/-	GSELSPM12055	112/-	12 Pcs.
C10A	GSELSPT12050	112/-	GSELSPM12056	112/-	12 Pcs.
C16A	GSELSPT12051	112/-	GSELSPM12057	112/-	12 Pcs.
C20A	GSELSPT12052	112/-	GSELSPM12058	112/-	12 Pcs.
C25A	GSELSPT12053	112/-	GSELSPM12059	112/-	12 Pcs.
C32A	GSELSPT12054	112/-	GSELTPM12060	112/-	12 Pcs.

HSN CODE-85362030



SP TINY MCB 'C' TYPE SHEET MODULAR TYPE 240 VOLTS AC. 50 Hz					
Item Description	Item Code Sheet Type	Unit Price (₹)	Item Code Modular Type	Unit Price (₹)	Std. Pkg
C6A	GSELDPT12061	240/-	GSELDPM12067	240/-	6 Pcs.
C10A	GSELDPT12062	240/-	GSELDPM12068	240/-	6 Pcs.
C16A	GSELDPT12063	240/-	GSELDPM12069	240/-	6 Pcs.
C20A	GSELDPT12064	240/-	GSELDPM12070	240/-	6 Pcs.
C25A	GSELDPT12065	240/-	GSELDPM12071	240/-	6 Pcs.
C32A	GSELDPT12066	240/-	GSELDPM12072	240/-	6 Pcs.

HSN CODE-85362030





DP TINY ISOLATOR SHEET & MODULAR TYPE 240 VOLTS AC. 50 Hz.					
Item Description	Item Code Sheet Type	Unit Price (₹)	Item Code Modular Type	Unit Price (₹)	Std. Pkg
32 A	GSELDPT12073	220/-	GSELDPM12075	220/-	6 Pcs.
32 A	GSELDPT12074	220/-	GSELDPM12076	220/-	6 Pcs.

MCB's Features

S.No.	Appliance	Capacity	MCB Rating (Amps)	Type of MCB
1.	Air Conditioner	1 TON	16	"C" Series
		1.5 TON	20	"C" Series
		2 TON	20	"C" Series
		3 TON	25	"C" Series
2.	Refrigerator	165 Ltrs.	2	"B" Series
		285 Ltrs	2	"B" Series
3.	Water Heater	1KW	6	"B" Series
		3KW	16	"B" Series
4.	Geyser	4 KW	20	"B" Series
		6KW	32	"B" Series
5.	Electric Kettle	1.5 KW	10	"B" Series
6.	Mixie (50% Load)	200 KW	1	"C" Series
7.	Vacuum Cleaner	50 W	0.5	"C" Series
8.	Toaster	1.2 KW	6	"B" Series
9.	Cooking Range	750 W	4	"B" Series
		2 KW	10	"B" Series
		4.5 KW	25	"B" Series
10.	Room Heater	1 KW	6	"B" Series
		2 KW	10	"B" Series
11.	Washing Machine	300W	2	"C" Series
		1.3 KW	10	"C" Series
12.	Electric Iron	750 W	6	"B" Series
		1.25 KW	6	"B" Series
13.	Photocopier	1.5 KW	10	"B" Series
14.	Mini Water Cooler (10 Ltrs./HR)	500 W	3	"C" Series
15.	EPABX	50 W	0.5	"C" Series

DIMENSIONS




MCB's Features

Tripping Characteristics :

B Curve : The magnetic releases operate between 3 and 5 I_n

C Curve : The magnetic releases operate between 5 and 10 I_n

SELVO MCB B Curve 6 - 63A



SELVO[®] MCB Tripping Curves


B and C curves as in standard IEC 898-1995. The operating range of the magnetic release is as follows:

■ for B curve : between 3 I_n and 5 I_n

■ for C curve : between 5 I_n and 10 I_n

The curves show the cold thermal tripping limits when poles are charged and the electromagnetic tripping limits with 2 charged poles.

SELVO MCB C Curve 6 - 63A



Power Loss

The table below gives the power loss of the devices in watts for each rating per pole, for the rated current


Rating In Amp.	6	10	16	20	25	32	40	63
Power Loss In W	1.91	1.4	2.05	2.2	2.31	3.28	3.52	5.56

WIDE RANGE OF SELVO PRODUCTS



Isolator & Disconnecter

ISOLATOR



DP

TP

FP


HSN CODE-85362090

ISOLATOR 240/415 VOLTS AC. 50Hz			
Item Description	Item Code	Std. Pkg	Unit Price (₹)
40ADP	GSELISO13001	6 Pcs	220/-
63ADP	GSELISO13002	6 Pcs	240/-
100ADP	GSELISO13003	6 Pcs	380/-
40ATP	GSELISO13004	4 Pcs	330/-
63ATP	GSELISO13005	4 Pcs	360/-
100ATP	GSELISO13006	4 Pcs	590/-
40AFP	GSELISO13007	3 Pcs	440/-
63AFP	GSELISO13008	3 Pcs	480/-
100AFP	GSELISO13009	3 Pcs	780/-

TECHNICAL SPECIFICATIONS	
Reference Standard	IS/IEC 60947-3
No. of Poles	2P, 3P & 4P
Current Rating (In)	40A, 63A, & 100A
Rated Voltage (Ue)	240/415 V AC
Rated Frequency (f)	50Hz
Terminal Capacity	35 sq mm
Protection Class	IP 20
Contact Indication	Red (On), Green (Off)
Termination	Bi-connect (bus bar/cable)
Mounting	Clip on Din Rail (35mm/7.5mm)

TECHNICAL SPECIFICATIONS	
Reference Standard	IS/IEC 60947-3
No. of Poles	DP & FP
Current Rating (In)	40A & 63A
Rated Voltage (Ue)	240/415 V
Rated Frequency (f)	50Hz
Rate Insulation Voltage	660 V
Rate Impulse Voltage	4 kV
Dielectric Strength	2.5kV
Utilization Category	AC22A
Protection	IP 20
Ambient Temperature	-5° to 55°C
Mounting	Clip on Din Rail (35mm/7.5mm)

MCB TYPE CHANGEOVER (DISCONNECTOR)



HSN CODE-85365090

DISCONNECTOR 240/415 VOLTS			
Item Description	Item Code	Std. Pkg	Unit Price (₹)
32ADP	GSELCOV13010	6 Pcs	500/-
40ADP	GSELCOV13011	6 Pcs	620/-
63ADP	GSELCOV13012	6 Pcs	740/-
32AFP	GSELCOV13013	3 Pcs	1000/-
40AFP	GSELCOV13014	3 Pcs	1240/-
63AFP	GSELCOV13015	3 Pcs	1480/-

Residual Current Circuit Breaker (RCCB)

RCCB



DP

FP

SALIENT FEATURES

- Lowest power consumption thus cost effective and energy saving
- Shrouded terminals are finger safe
- High Impact fire resistant thermoplastic material for extra strength and insulation
- Snapped on to a symmetric rail DIN 46277 (35mm)
- Electrical and mechanical endurance well above the specified limits
- Can be fitted in any regular distribution box
- Test button for regular inspection
- Dual Protection
- High short-circuit current withstand capacity
- Automatically disconnect the circuit when earth fault / leakage current occurs and exceeds sensitivity

TECHNICAL SPECIFICATIONS

Standard Conformity	IS12640-12000, IEC 61008-1
No. of Poles	DP & FP
Current Rating (In)	40A & 63A
Rated Voltage (Ue)	240/415 V AC
Rated Sensitivity mA	30mA, 100mA & 300mA
Protection	Against Earth Fault & Leakage Current
High Short Circuit Withstand Capacity	6kA
Operating Device	Current Operating Device
Rated Frequency (f)	50 Hz
Nuisance Tripping	No
Operating Characteristic	'AC' Type
Dielectric Strength	2.5 kV
Terminal Capacity	35 sq mm
Protection Class	IP 20

HSN CODE-85362040

RCCB 240/415 VOLTS AC. 50Hz			
Item Description	Item Code	Std. Pkg	Unit Price (₹)
40ADP30mA	GSELRCB13016	6 Pcs	1500/-
40ADP100mA	GSELRCB13017	6 Pcs	1500/-
63ADP30mA	GSELRCB13018	6 Pcs	1500/-
63ADP100mA	GSELRCB13019	6 Pcs	1500/-
40AFP30mA	GSELRCB3020	3 Pcs	1950/-
40AFP100mA	GSELRCB13021	3 Pcs	1950/-
63AFP30mA	GSELRCB13022	3 Pcs	2050/-
63AFP100mA	GSELRCB13023	3 Pcs	2050/-

MCB Distribution Boards

SPN DISTRIBUTION BOARD



In accordance with IS 13032/91 & BS:5486/86

IP 43 (IS 2147-1962) **Single Door DB**

HSN CODE-85369090

SPN Distribution Board (Suitable for DP Incoming & SP Outgoing)

No. of ways	Item Code	Unit Price (₹)
4W	GSESPN11016	419/-
6W	GSESPN11017	519/-
8W	GSESPN11018	619/-
10W	GSESPN11019	719/-
12W	GSESPN11020	819/-
16W	GSESPN11021	1019/-

TPN DISTRIBUTION BOARD



In accordance with IS 13032/91 & BS:5486/86

IP 43 (IS 2147-1962) **Single Door DB**

HSN CODE-85369090

TPN Distribution Board (Suitable for FP Incoming & SP Outgoing)

No. of ways	Capacity of Incoming+Outgoing	Item Code	Unit Price (₹)
4W	4+12	GSELTPN11022	1270/-
6W	8+18	GSELTPN11023	1520/-
8W	8+24	GSELTPN11024	1770/-
10W	8+30	GSELTPN11025	2020/-
12W	8+36	GSELTPN11026	2270/-

SPN DISTRIBUTION BOARD



In accordance with IS 13032/91 & BS:5486/86

IP 43 (IS 2147-1962) **Double Door DB**

HSN CODE-85369090

SPN Distribution Board (Suitable for DP Incoming & SP Outgoing)

No. of ways	Item Code	Unit Price (₹) Supreme	Item Code	Unit Price (₹) Classic
4W	GSESPN11027	910/-	GSESPN11033	630/-
6W	GSESPN11028	1060/-	GSESPN11034	740/-
8W	GSESPN11029	1210/-	GSESPN11035	850/-
10W	GSESPN11030	1360/-	GSESPN11036	960/-
12W	GSESPN11031	1510/-	GSESPN11037	1070/-
16W	GSESPN11032	1810/-	GSESPN11038	1290/-

TPN DISTRIBUTION BOARD



In accordance with IS 13032/91 & BS:5486/86

IP 43 (IS 2147-1962) **Double Door DB**

HSN CODE-85369090

TPN Distribution Board (Suitable for FP Incoming & SP Outgoing)

No. of ways	Capacity of Incoming+Outgoing	Item Code	Unit Price (₹) Supreme	Item Code	Unit Price (₹) Classic
4W	4+12	GSELTPN1039	2200/-	GSELTPN11078	1820/-
6W	8+18	GSELTPN1040	2700/-	GSELTPN11079	2220/-
8W	8+24	GSELTPN1041	3200/-	GSELTPN11080	2710/-
12W	8+36	GSELTPN1042	4200/-	-----	-----

MCB ENCLOSURE



In accordance with IS 13032/91 & BS:5486/86

IP 43 (IS 2147-1962) **Double Door DB**

HSN CODE-85369090

SPN Distribution Board (Suitable for FP Incoming & SP Outgoing)

No. of ways	Capacity of Incoming+Outgoing	Item Code	Unit Price (₹)
2P (ABS)	2P	GSESPN11043	50/-
4P (ABS)	4P	GSESPN11044	95/-
2P (METAL)	2P	GSESPN11045	160/-
4P (METAL)	4P	GSESPN11046	245/-

METAL TYPE

ABS TYPE

Distribution Boards

TPN PHASE SELECTOR



Single Door & Double Door Phase Selector DB (With Bus Bar Neutral Link, Earth Bar & Din Rail)
 IP-43 (IS 2147-1962)

HSN CODE-85369090


Selector Rating	No. of Ways	Item Code Single Door	Unit Price (₹)	Item Code Double Door	Unit Price (₹)
40A	4W	GSELTPS11047	2040/-	GSELTPS11053	4070/-
40A	6W	GSELTPS11048	2350/-	GSELTPS11054	4500/-
40A	8W	GSELTPS11049	-	GSELTPS11055	5190/-
63A	4W	GSELTPS11050	2040/-	GSELTPS11056	4070/-
63A	6W	GSELTPS11051	2350/-	GSELTPS11057	4500/-
63A	8W	GSELTPS11052	-	GSELTPS11058	5190/-

Double Door Phase Selector DB duly fitted with Bus Bar Neutral Link, Earth Bar & Din Rail,
 wires, rotary switches and indicators
 IP-43 (IS 2147-1962)

HSN CODE-85369090

Selector Rating	No. of Ways	Item Code Double Door	Unit Price (₹)
40A	4W	GSELTPS11059	6800/-
40A	6W	GSELTPS11060	8240/-
40A	8W	GSELTPS11061	8450/-
63A	4W	GSELTPS11062	7170/-
63A	6W	GSELTPS11063	8240/-
63A	8W	GSELTPS11064	8827/-
100A	6W	GSELTPS11065	10700/-

PLUG AND SOCKETS



Industrial Type Plug and Socket - 1P+N/3P & Earth

Ratings	No. of Poles	Item Code	Unit Price (₹) PLUG	Item Code	Unit Price (₹) SOCKET
20A	1P+N (METAL)	GSELTPS11066	125/-	GSELTPS11066B	125/-
20A	3P (METAL)	GSELTPS11067	185/-	GSELTPS11067B	185/-
30A	3P (METAL)	GSELTPS11068	320/-	GSELTPS11068B	320/-

HSN CODE-85369090

TPN DISTRIBUTION BOX




TPN Distribution Board

With three pole - earth, Metal Clad Plug & Socket for incorporating TP MCB

Ratings	No. of Poles	Item Code	Unit Price (₹)
20A	TPN	GSELACD11069	845/-
30A	TPN	GSELACD11070	1355/-

HSN CODE-85369090

AC DISTRIBUTION BOX



SPN Distribution Board Consumer Unit

Single Pole Neutral Enclosure with Two Pole Earth Metal Clad Plug & Socket for incorporating SP MCB

Ratings	No. of Poles	Item Code	Unit Price (₹)
20A	SPN	GSELACD11071	530/-
20A	With MCB & 25A Top	GSELACD11072	550/-
C25AMP	DP	GSELACD11073	320/-

HSN CODE-85369090

SPN & TPN ROTARY BOX



Single Door Rotary Box

IP-43 (IS 2147-1962)

Ratings	No. of Poles	Item Code	Unit Price (₹)
40A	SPN	GSELSPN11074	615/-
40A	TPN	GSELSPN11075	850/-
63A	SPN	GSELSPN11076	615/-
63A	TPN	GSELSPN11077	850/-

HSN CODE-85369090

Distribution Boards

TPN VERTICAL DISTRIBUTION BOARD



In accordance with IS:13032 IS:8623P-3

HSN CODE-85369090

IP 43 (IS 2147-1962) DOUBLE DOOR D.B. TPN VERTICAL DISTRIBUTION BOARDS

No. of Ways	Capacity of Incoming+Outgoing	Item Code	MRP Per Unit in ₹.
4	8 + 12	GSELTPN 11078	6850.00
6	8 + 18	GSELTPN 11079	8240.00
8	8 + 24	GSELTPN 11080	9300.00
12	8 + 36	GSELTPN 11080 B	12600.00

MCCB DISTRIBUTION BOX

HSN CODE-85369090



MCCB DISTRIBUTION BOX				
Current Rating	Pole	Item Code	Std. Pkg	Unit Price (₹)
63/100 A	4 Pole	GSELMDB11111	6 Pcs	1412/-
200 A	4 Pole	GSELMDB11112	4 Pcs	1660/-
400A	4 Pole	GSELMDB11113	3 Pcs	2940/-
600A	4 Pole	GSWLMDB11114	3 Pcs	3900/-

SPN DOUBLE DOOR DB

In accordance with IS 13032/91 & BS:5486/86
 IP 43 (IS 2147-1962)

HSN CODE-85369090



SPN DISTRIBUTION BOARD (SUITABLE FOR DP INCOMING & SP OUTGOING)				
NO. OF WAYS	ITEM CODE	UNIT PRICE GOLD	ITEM CODE	UNIT PRICE WHITE LINE
4 W	SEL044	SEL050	960/-
6 W	SEL045	SEL051	1090/-
8 W	SEL046	SEL052	1280/-
10 W	SEL047	SEL053	1410/-
12 W	SEL048	SEL054	1580/-
16 W	SEL049	SEL055	1870/-

TPN DOUBLE DOOR DB

In accordance with IS 13032/91 & BS:5486/86
 IP 43 (IS 2147-1962)

HSN CODE-85369090



TPN DISTRIBUTION BOARD (SUITABLE FOR FP INCOMING & SP OUTGOING)		
NO. OF WAYS	ITEM CODE	UNIT PRICE GOLD
4 W	SEL056
6 W	SEL057
8 W	SEL058

POWER DISTRIBUTION BOX

HSN CODE-85369090



TPN / SPN POWER (PLUG & SOCKET) DISTRIBUTION BOARD		
NO. OF WAYS	ITEM CODE	UNIT PRICE
20 AMP. 4 WAY	SEL059	1650/-
20 AMP. 4 WAY WITH ISOLATOR	SEL060	2200/-
30 AMP. 4 WAY	SEL061
30 AMP. 4 WAY WITH ISOLATOR	SEL062

SWITCH GEARS

SWITCH FUSE UNITS



FUSE SWITCH UNITS



CHANGE OVER OFFLOAD SWITCHES



HSN CODE - 85365090

Single Pole Neutral Link Switch Fuse Units - Rewireable Type (Conforms to IS:13947 Part 1&3 ; IEC :60947 Part 1&3)

Amps	Volts	Execution	Item Code	Std. Pkg	Unit Price (₹)
16	240	SPN	GSELSFU11081	20 Pcs	470/-
32	240	SPN	GSELSFU11082	10 Pcs	960/-

Double Pole / Single Pole Switch Fuse Units with Rewireable Porcelain Fuse (Conforms to IS:13947 Part 1&3 ; IEC :60947 Part 1&3)

Amps	Volts	Pole	Item Code	Supreme Unit Price (₹)	Item Code	Classic Unit Price (₹)	Std. Pkg.
16	240	DP	GSELSFU11083	490/-	-----	-----	20 Pcs.
32	240	DP	GSELSFU11084	1170/-	GSELSFU11086	1060/-	10 Pcs.
63	415	DP	GSELSFU11085	3100/-	-----	-----	3 Pcs.

Double Pole / Single Pole Switch Fuse Units with Rewireable Porcelain Fuse (Conforms to IS:13947 Part 1&3 ; IEC :60947 Part 1&3)

CURRENT RATING	Volts	Pole	Item Code	Supreme Unit Price (₹)	Std. Pkg	Item Code	Classic Unit Price (₹)	Std.Pkg
16	415	TPN	GSELSFU11087	1380/-	6 Pcs.	-----	-----	-----
32	415	TPN	GSELSFU11088	1920/-	5 Pcs.	GSELSFU11092	1815/-	5 Pcs.
63	415	TPN	GSELSFU11089	4600/-	2 Pcs.	GSELSFU11093	4150/-	2 Pcs.
100	415	TPN	GSELSFU11090	7340/-	1 Pc.	GSELSFU11094	7075/-	1 Pc.
200	415	TPN	GSELSFU11091	12100/-	1 Pc.	-----	-----	-----

HRC TYPE FUSE SWITCH UNIT (THREE POLE & NEUTRAL)

Amps	Volts	Execution	Item Code	Std. Pkg	Unit Price (₹)
100	415	TPN	GSELSFU11095	1 Pc	9200/-
200	415	TPN	GSELSFU11096	1 Pc	12800/-
300	415	TPN	GSELSFU11097	1 Pc	14700/-
400	415	TPN	GSELSFU11098	1 Pc	23550/-
600	415	TPN	GSELSFU11099	1 Pc	37800/-

HSN CODE - 85365090

Double Pole Changeover Switches (Conforms to IS:13947 Part 1&3 ; IEC :60947 Part 1&3)

Amps	Volts	Pole	Item Code	Supreme Unit Price (₹)	Std. Pkg.	Item Code	Classic Unit Price (₹)	Std. Pkg.
16	240	DP	GSELCOS11100	910/-	16 Pcs	-----	-----	-----
32	240/415	DP	GSELCOS11102	1230/-	10 Pcs	GSELCOS11101	1100/-	10 Pcs.
63	240/415	DP	GSELCOS11103	3100/-	3 Pcs	-----	-----	-----

Triple Pole & Four Pole Changeover Switches (Conforms to IS:13947 Part 1&3 ; IEC :60947 Part 1&3)

Amps	Volts	Item Code	Unit Price(₹) TP	Std.Pkg. TP	Item Code	Unit Price(₹) FP	Std. Pkg for FP
16	415	GSELSCOS11104	1416/-	6 Pcs.	GSELSCOS11108	1825/-	6 Pcs
32	415	GSELSCOS11105	1840/-	6 Pcs.	GSELSCOS11109	2050/-	5 Pcs
63	415	GSELSCOS11106	4820/-	2 Pcs.	GSELSCOS11110	4920/-	2 Pcs
100	415	GSELSCOS11107	7400/-	1 Pc.	GSELSCOS11111	7720/-	1 Pc
200	415	-	-	-	GSELSCOS11112	15980/-	1 Pc

OFFLOAD CHANGE OVER SWITCH (KNIFE TYPE)

Amps	Volts	Execution	Item Code	Std. Pkg	Unit Price (₹)
63	415	KNIFE TYPE 4 POLE	GSELSCOS11113	2 Pcs	6150/-
100	415	KNIFE TYPE 4 POLE	GSELSCOS11114	2 Pcs	8460/-
200	415	KNIFE TYPE 4 POLE	GSELSCOS11115	1 Pc	16630/-
300	415	KNIFE TYPE 4 POLE	GSELSCOS11116	1 Pc	17820/-
400	415	KNIFE TYPE 4 POLE	GSELSCOS11117	1 Pc	30670/-
600	415	KNIFE TYPE 4 POLE	GSELSCOS11118	1 Pc	49000/-

SWITCH GEARS

PORCELAIN FUSE UNITS (KIT KAT)



L.T. CONTROL SWITCH & AUTOMATIC CHANGEOVER



BUS BAR



ROTARY SWITCH



HRC FUSE HOLDER



HSN CODE-85361060

KIT KAT					
CONFORMS TO IS : 2086 /1993					
Current Rating	Volts	Type	Item Code	Std. Pkg	Unit Price(₹)
16	240	Pilot	GSELPFU11019	100 Pcs	70/-
16	415	Pilot	GSELPFU11020	60 Pcs	128/-
32	415	Excel	GSELPFU11021	40 Pcs	190/-
32	415	MEM	GSELPFU11022	50 Pcs	187/-
63	415	Excel	GSELPFU11023	20 Pcs	450/-
100	415	Excel	GSELPFU11024	10 Pcs	890/-
200	415	Excel	GSELPFU11025	8 Pcs	1400/-
300	415	Excel	GSELPFU11026	4 Pcs	2040/-
500	415	Excel	GSELPFU11027	4 Pcs	2370/-
32	415	Handle	GSELPFU11028	40 Pcs.	200/-
63	415	Handle	GSELPFU11029	20 Pcs.	470/-

HSN CODE-85365090

REVERSE FORWARD SWITCHES					
Current Rating	Volts	Pole / Type	Item Code	Std. Pkg	Unit Price (₹)
16	415	TP	GSELRFU11030	20 Pcs.	470/-
25/32	415	TP	GSELRFU11031	16 Pcs.	750/-

HSN CODE-85365090

SHEET METAL BUS BAR (TRIPLE POLE & NEUTRAL)					
Current Rating	Volts	Size of the box	Item Code	Std. Pkg	Unit Price (₹)
32	415	10"x9"x5.2"	GSELBBR11032	5 Pcs	1840/-
63	415	12"x10"x5.2"	GSELBBR11033	3 Pcs	3020/-
100	415	13"x12"x5.2"	GSELBBR11034	3 Pcs	4050/-
200	415	18"x15"x7"	GSELBBR11035	2 Pc	7000/-
320	415	18"x15"x7"	GSELBBR11036	1 Pc	7800/-
400	415	22.5"x22.5"x7.5"	GSELBBR11037	1 Pc	12950/-
500	415	22.5"x22.5"x7.5"	GSELBBR11038	1 Pc	14600/-

HSN CODE-85365090

SELECTOR SWITCH					
Current Rating	Pole	Ways	Item Code	Std. Pkg	Unit Price (₹)
25/32 A	1 Pole	3 Way	GSELRTS11039	50 Pcs.	300/-
40 A	1 Pole	3 Way	GSELRTS11040	33 Pcs.	510/-
63 A	1 Pole	3 Way	GSELRTS11041	33 Pcs.	590/-
63 A	1 Pole	4 Way (Knife Type)	GSELRTS11042	24 Pcs.	520/-

HSN CODE-85361040

HRC FUSE HOLDER					
COMPLIANCE TO : IS 13703 (PT-2/SEC-1) : 1993					
Current Rating	Volts	Item Code	Std. Pkg	Unit Price (₹)	
20 Amp.	415	SEL038	120 Pcs.	155/-	
32 Amp.	415	SEL039	60 Pcs.	245/-	
63 Amp.	415	SEL040	60 Pcs.	340/-	
125 Amp.	415	SEL041	40 Pcs.	740/-	

SWITCH GEARS

HSN CODE-85369090

FUSE DISTRIBUTION BOX

POWDER COATED



CURRENT RATING	VOLTS	NO. OF WAYS	ITEM CODE	STD. PKG.	UNIT PRICE
32	415	2 WAY	SEL061	4 Nos.	4080/-
32	415	3 WAY	SEL062	3 Nos.	4540/-
32	415	4 WAY	SEL063	2 Nos.	5780/-
32	415	6 WAY	SEL064	2 Nos.	7455/-
32	415	8 WAY	SEL065	1 Nos.	9670/-
32	415	10 WAY	SEL066	1 Nos.	11880/-
32	415	12 WAY	SEL067	1 Nos.	14580/-
63	415	2 WAY	SEL068	2 Nos.	7730/-
63	415	3 WAY	SEL069	2 Nos.	12300/-
63	415	4 WAY	SEL070	1 Nos.	13180/-
63	415	6 WAY	SEL071	1 Nos.	17930/-
63	415	8 WAY	SEL072	1 Nos.	22700/-
100	415	8 WAY	SEL073	1 Nos.	AT THE TIME OF ORDER
100	415	4 WAY	SEL074	1 Nos.	AT THE TIME OF ORDER
100	415	6 WAY	SEL075	1 Nos.	AT THE TIME OF ORDER

HSN CODE-85361060

SHEET METAL CUTOUT

SELVO SHEET METAL CUTOUT

POWDER COATED



CURRENT RATING	VOLTS	ITEM CODE	STD. PKG.	UNIT PRICE
63	415	SEL030	10 Nos.	920/-
100	415	SEL031	8 Nos.	1450/-
200	415	SEL032	4 Nos.	2565/-
300	415	SEL033	3 Nos.	3550/-
500	415	SEL034	3 Nos.	3730/-

HSN CODE-85365090

MINI CHANGEOVER

SELVO MINI CHANGEOVER SWITCH SHEET METAL


POWDER COATED



CURRENT RATING	VOLTS	POLE	ITEM CODE	STD. PKG.	UNIT PRICE
32	240	DP	SEL035	20 Nos.	560/-
32	415	TP	SEL036	20 Nos.	680/-

HSN CODE-85365090

TWO MODULE SINGLE PHASE MOTOR STARTER



CURRENT RATING	VOLTS	POLE	ITEM CODE	STD. PKG.	UNIT PRICE
16	240	SPN	SEL037	50 Nos.
20	240	SPN	SEL042	50 Nos.
25	240	SPN	SEL043	50 Nos.

AN ISO 9001:2015 CERTIFIED COMPANY

SELVO®

A HOUSE OF QUALITY PRODUCTS



SELVO Electricals India PVT. LTD. one of the leading names in the field of Electrical Switchgears and Controlgears, is a brand which enjoys a wide customer base all over the country, Having started its operation in 1996, the company has come a long way and has established itself as a leading manufacturer of Switchgears & Distribution Board in india.

The company is accredited with the ISO 9001:2015 certification for adhering to excellent quality management system as a part of its production process. The **SELVO** Products are also accredited with the ISI mark awarded by the Bureau of India standards, which as a testimony to its strict and vigilant quality control.

The company has a nationwide presence and is empaneled with organizations like Gem (Government E - Marketplace), Western Command of the Indian Army, PWD Department in Madhya Pradesh & many other government organizations & public sector undertaking. The company boasts of a state of the art infrastructure & highly skilled workforce, which enables it to develop products of the highest quality & adhere to stringent time lines.



SELVO ELECTRICALS INDIA PVT. LTD.

B-46, Sector 67, Noida (U.P.)

Ph.: 9891191151

Works : 0120-6618173

Email : sales @ selvoelectricalsindia.com

Website : www.selvoelectricalsindia.com

Follow us :



www.facebook.com/selvomcb

Terms & Conditions

- Taxes extra as per applicable
- F.O.R. Delhi / Noida only
- Goods once sold will not be taken back in any cases
- Our liabilities and responsibilities ceases as soon as the goods leave our premises
- All disputes are subject to Delhi jurisdiction

Authorised Distributor :