



Our commitment is your safe future





Electrical Installations from A to Z

Retail Price list wef 1st October 2021

SIEMENS

Miniature Circuit Breakers

Selection & ordering data

6000 A	In (A)	(MW) ¹⁾	Characteristic B Reference No.	Unit MRP (₹)	Characteristic C Reference No.	Unit MRP (₹)	Std.Pkg.** (Nos.)
1P, 240/415 V AC 	6	1	5SJ6106-6RC	181.-	5SJ6106-7RC	189.-	1/12
	10		5SJ6110-6RC	181.-	5SJ6110-7RC	189.-	1/12
	16		5SJ6116-6RC	181.-	5SJ6116-7RC	189.-	1/12
	20		5SJ6120-6RC	181.-	5SJ6120-7RC	189.-	1/12
	25		5SJ6125-6RC	181.-	5SJ6125-7RC	189.-	1/12
	32		5SJ6132-6RC	181.-	5SJ6132-7RC	189.-	1/12
	40		5SJ6140-6RC	375.-	5SJ6140-7RC	400.-	1/12
	63		5SJ6163-6RC	450.-	5SJ6163-7RC	495.-	1/12
2P, 415 V AC 	6	2			5SJ6206-7RC	690.-	1/6
	10				5SJ6210-7RC	690.-	1/6
	16				5SJ6216-7RC	690.-	1/6
	20				5SJ6220-7RC	690.-	1/6
	25				5SJ6225-7RC	690.-	1/6
	32				5SJ6232-7RC	690.-	1/6
	40				5SJ6240-7RC	1050.-	1/6
	63				5SJ6263-7RC	1210.-	1/6
3P, 415 V AC 	6	3			5SJ6306-7RC	1220.-	1/4
	10				5SJ6310-7RC	1220.-	1/4
	16				5SJ6316-7RC	1220.-	1/4
	20				5SJ6320-7RC	1220.-	1/4
	25				5SJ6325-7RC	1220.-	1/4
	32				5SJ6332-7RC	1220.-	1/4
	40				5SJ6340-7RC	1575.-	1/4
	63				5SJ6363-7RC	1830.-	1/4
4P, 415 V AC 	6	4			5SJ6406-7RC	1670.-	1/3
	10				5SJ6410-7RC	1670.-	1/3
	16				5SJ6416-7RC	1670.-	1/3
	20				5SJ6420-7RC	1670.-	1/3
	25				5SJ6425-7RC	1670.-	1/3
	32				5SJ6432-7RC	1670.-	1/3
	40				5SJ6440-7RC	1940.-	1/3
	63				5SJ6463-7RC	2300.-	1/3

1) 1MW = 18 mm

** Purchase MOQ for our authorised dealers is in multiples of standard packing, contact Siemens Sales Office for further details

Residual Current Circuit Breakers


Selection & ordering data

	No. of Poles	Rated residual current I _{Δn} (mA)	Rated Current I _n (A)	Module Width	Reference No	Unit MRP*	Std. Pkg. (Nos.)
	2P	30mA	25A	2	5SV53120RC	2,775	1
		100mA			5SV54120RC	3,005	1
		300mA			5SV56120RC	3,055	1
	2P	30mA	40A	2	5SV53140RC	3,025	1
		100mA			5SV54140RC	3,175	1
		300mA			5SV56160RC	4,050	1
	2P	30mA	63A	2	5SV53160RC	3,750	1
		100mA			5SV54160RC	4,050	1
		300mA			5SV56160RC	4,050	1
	4P	30mA	25A	4	5SV53420RC	3,495	1
		100mA			5SV54420RC	3,575	1
		300mA			5SV56420RC	3,600	1
	4P	30mA	40A	4	5SV53440RC	3,700	1
		100mA			5SV54440RC	3,725	1
		300mA			5SV56460RC	4,300	1
	4P	30mA	63A	4	5SV53460RC	4,150	1
		100mA			5SV54460RC	4,300	1
		300mA			5SV56460RC	4,300	1

*MRP - Maximum Retail Price

Automatic Changeover and Current Limiter 5TR4 ACCL

Selection & ordering data

	Rated current I _n (A)	MW#	Reference No	Unit MRP ₹	Std. Pkg. (Nos.)
	2A	4	5TR44650RC02	2750	1/1
	2.5A	4	5TR44650RC03	2750	1/1
	4A	4	5TR44650RC04	2630	1/1
	5A	4	5TR44650RC05	2630	1/1
	6A	4	5TR44650RC06	2630	1/1
	8A	4	5TR44650RC08	2630	1/1
	10A	4	5TR44650RC10	2630	1/1
	15A	4	5TR44650RC15	2630	1/1
	20A	4	5TR44650RC20	2630	1/1
	25A	4	5TR44650RC25	2630	1/1
	30A	4	5TR44650RC30	2800	1/1


1MW = 18 mm

MRP - Maximum Retail Price

Purchase MOQ for our authorised dealers is in multiples of standard packing, contact Siemens Sales Offices for further details

Switch Disconnectors

Selection and ordering data

	In (A)	(MW)	Reference no	Unit MRP (₹)	Std.Pkg. ** (Nos.)
1P, 240V AC 	25	1	5TE3125-ORC	265.-	1/12
	40		5TE3140-ORC	350.-	1/12
	63		5TE3163-ORC	385.-	1/12
2P, 415V AC 	25	2	5TE3225-ORC	435.-	1/6
	40		5TE3240-ORC	480.-	1/6
	63		5TE3263-ORC	615.-	1/6
3P, 415V AC 	25	3	5TE3325-ORC	810.-	1/4
	40		5TE3340-ORC	935.-	1/4
	63		5TE3363-ORC	1040.-	1/4
4P, 415V AC 	25	4	5TE3425-ORC	860.-	1/3
	40		5TE3440-ORC	1060.-	1/3
	63		5TE3463-ORC	1170.-	1/3

** Purchase MOQ for our authorised dealers is in multiples of standard packing, contact Siemens Sales Office for further details