

TEKNIC



Control and Signaling Devices Ø 22.5 Plastic Series



Control and signalling devices Ø 22.5

Salient features

This range of Ø 22.5 pushbuttons, selector switches, illuminated switches, illuminated selector switches and pilot lights have been designed to provide the following salient features:


- Economy of space
- Aesthetically elegant
- SELF WIPING CONTACT
- Robust in materials of construction
- Simple to fix - screw driver is all that required
- Safe in operation
- Fixing method unaffected by excessive vibration-unit does not rotate
- Very good flame resistance
- Protection against electric shock (unit earthed)
- Shrouded terminals

Actuators

The circular actuators have chrome plated metal bezels, and are interchangeable on the different types of contact elements.

Contact elements

The contact elements are double break and have self wiping contacts. The elements are interchangeable and can be stacked without additional hardware, 1 to 6 elements (NO or NC) can be used with non illuminated actuators, whereas, 1 to 4 elements (NO or NC) can be used for illuminated actuators. **Gold plated NO and NC contact elements for low voltage, low current switching circuits < 25 mA, are available.**



Illuminated pushbuttons and pilot lights

Pilot lights and illuminated switches are suitable for direct connection, through series resistor, through series resistor and diode, using bayonet cap filament bulb type BA9S, as follow :

Supply voltage for direct connection without series resistor : 6V-130V
 Supply voltage through series resistor : 12V-415V
 Supply voltage through series resistor and diode : 230V AC
 Bulb : Filament, type BA9S with OAL max., 28 mm

LED illuminated actuators & pilot lights are available with integral LED, LED in bayonet cap suitable for operating at various voltages namely 6V, 12V, 24V, 30V, 48V, 110V, 230V, AC or DC and 415V AC. LED bulbs with bayonet cap are constructed in the standard BA9S design with OAL max., 28 mm. On request an extra short circuit protection consisting of built in fuse in the LED modules can be provided.

Pilot lights are available with built in transformers suitable for operating at 230, 110 volts AC input and 6V, 12V and 24V output.


Terminals

Contact elements and pilot lights are designed to have shrouded terminals with combi screws.

Fixing

The control devices Ø 22.5 can be fixed in any position on panels of 1 to 6 mm thickness. We recommend minimum fixing centers of 30 mm X 40 mm. However, the dimensions and configuration should be decided on the basis of the application. The actuators and the lense assemblies lock on to the holding bracket using a bayonet type of fixing which enables a simple and fast assembly. The complete assembly is locked into position on the panel by two M4 pointed screws on the bracket, tightened equally from the rear. The screws should be tightened adequately to such an extent as to pierce through the paint on the panel from inside. These screws also ensure the earthing of the unit.

Fixing arrangement



Electrical and mechanical characteristics

Environment

Standard conformity : CSA - C22.2 No. 14-95, UL508, IEC 947 - 5 (1) 1990, IS 13947
 Approvals : ASTA UK certified as per IEC 947 - 5 - (1) 1990
 : CSA - C22.2 No. 14-95, UL508
 Degree of protection : IP 65 as per IEC 529, NEMA 4X, 12 as per UL 50
 Ambient : - 25°C to + 70°C
 Operating position : All positions

Contact Block

Rated insulation voltage : 500 V
 Rated thermal current : 10 A
 Contact operation : Self wiping, slow break NO or NC
 Make and break capacity : AC 15 4 A, 415V AC
 As per IEC 947 - 5 - (1) 1990 : DC 13 0.5 A, 110V DC
 As per CSA - C22.2 No. 14-95, UL508, : A 600 Q600
 Terminal capacity : minimum 1 x 0.5 mm², maximum 2 x 1.5 mm² or 1 x 2.5 mm²
 Terminal marking : 1-2 for NC, 3-4 for NO
 Short circuit protection : 10 A cartridge fuse HRC type, rated for resistive loading
 Mechanical life : Over 1 million operations
 Electric rating :
 (for 1 million operation cycles, operation at 3600 cycles per hour, load factor 0.5)

AC 15	V	24	120	230	DC 13	V	24	110
	A	5	4	3		A	0.5	0.2






Modules for pilot light & illuminated switches with integral LED / multichip LED bulb (BA9S cap)

Current consumptions (applicable to all colours) :
 24 VAC/DC, 110 VAC & 240 VAC : max. 20 mA
 110 VDC : max. 15 mA
 220 VDC : max. 10 mA
 Service life (at nominal voltage and at ambient temperature of 25°C) : 50,000 hours
 Voltage limits (nominal voltage) : < 20% of rated voltage >
 Short circuit protection : on specific request
 Terminal capacity : min. 1 x 0.5 mm², max. 2 x 1.5 mm² or 1 x 2.5 mm²

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

MOMENTARY ACTUATORS				
	TYPE	COLOUR	ORDERING CODE	Price in Rs.
		White	P2AF1	52.00
		Black	P2AF2	52.00
	Flush	Green	P2AF3	52.00
		Red	P2AF4	52.00
		Blue	P2AF6	52.00
		Yellow	P2AF8	52.00
	Flush with	White	P2AF1BA	70.00
	Arrow marking	Black	P2AF2WA	70.00
		White	P2AP1	52.00
		Black	P2AP2	52.00
	Projecting	Green	P2AP3	52.00
		Red	P2AP4	52.00
		Blue	P2AP6	52.00
		Yellow	P2AP8	52.00
		White	P2AF1RR	68.00
		Black	P2AF2RR	68.00
	Flush Relay	Green	P2AF3RR	68.00
	Reset Actuators	Red	P2AF4RR	68.00
		Blue	P2AF6RR	68.00
		Yellow	P2AF8RR	68.00
		White	P2AF1BT7	91.00
		Black	P2AF2BT7	91.00
	Booted	Green	P2AF3BT7	91.00
		Red	P2AF4BT7	91.00
		Blue	P2AF6BT7	91.00
		Yellow	P2AF8BT7	91.00

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES







MUSHROOM HEAD ACTUATORS

	TYPE	COLOUR	ORDERING CODE	Price in Rs.
				
		Black	P2AM2	83.00
	Momentary	Green	P2AM3	83.00
	Ø 40mm	Red	P2AM4	83.00
		Blue	P2AM6	83.00
		Yellow	P2AM8	83.00
				
	Push Pull	Black	P2AMPP2	114.50
	Ø 40 mm	Red	P2AMPP4	114.50
				
	Latching	Black	P2AMLS2	114.50
	Ø 30mm	Red	P2AMLS4	114.50
				
	Latching	Black	P2AML2	114.50
	Ø 40mm	Red	P2AML4	114.50
				
	Latching	Black	P2AMLKB2	230.00
	with Key	Red	P2AMLKB4	230.00
	Ø 40mm			

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø
PLASTIC SERIES



MUSHROOM HEAD ACTUATORS				
	TYPE	COLOUR	ORDERING CODE	Price in Rs.
		Black	P2AMJ2	113.00
	Momentary Ø 60mm	Green	P2AMJ3	113.00
		Red	P2AMJ4	113.00
		Blue	P2AMJ6	113.00
		Yellow	P2AMJ8	113.00
	Push Pull	Black	P2AMPPJ2	149.00
	Ø 60 mm	Red	P2AMPPJ4	149.00
	Latching	Black	P2AMLJ2	149.00
	Ø 60mm	Red	P2AMLJ4	149.00
	Trigger type	Black	P2AMLT2	172.00
	Press to Lock	Red	P2AMLT4	172.00
	turn to release			
	Ø 40 mm			
	Trigger type	Black	P2AMLTKB2	286.00
	Press to Lock	Red	P2AMLTKB4	286.00
	key to release			
	Ø 40 mm			
	Trigger type	Red	P2AMPPT4	200.00
	Press to Lock			
	pull to release			
	Ø 40 mm			

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

SELECTOR ACTUATORS

	TYPE	COLOUR	ORDERING CODE	Price in Rs.
	Selector 2 position LATCHING	Black	P2AS2-2P	160.00
	with ext. knob		P2AS2E-2P	160.00
	2 position MOMENTARY	Black	P2AS2-2PSR	160.00
	with ext. knob		P2AS2E-2PSR	160.00
	3 position STAY PUT	Black	P2AS2-3P	160.00
	with ext. knob		P2AS2E-3P	160.00
	MOMENTARY on both sides	Black	P2AS2-3PSR	173.00
	with ext. knob		P2AS2E-3PSR	173.00
	3 position MOMENTARY on right	Black	P2AS2-3PSRR	173.00
	with ext. knob		P2AS2E-3PSRR	173.00
	3 position MOMENTARY on left	Black	P2AS2-3PSRL	173.00
	with ext. knob		P2AS2E-3PSRL	173.00

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

KEY SELECTOR ACTUATORS







TYPE	COLOUR	ORDERING CODE	Price in Rs.
2 Position Stayput	Black	P2AK2-2PB	220.00
		P2AK2-2PO	220.00
		P2AK2-2PI	220.00
Spring Return	Black	P2AK2-2POSR	220.00
3 Position Stayput	Black	P2AK2-3PA	230.00
	Black	P2AK2-3PB	230.00
	Black	P2AK2-3PC	230.00
Spring Return	Black	P2AK2-3PSR	230.00
Spring Return right to centre	Black	P2AK2-3PSRR	230.00
Spring Return left to centre	Black	P2AK2-3PSRL	230.00

* X stands for position in which key is removable

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

TWIN ACTUATORS				
	TYPE	COLOUR	ORDERING CODE	Price in Rs.
		Green Red	P2ATF3F4	98.00
	Double Flush w/o IO Mark			
		Yellow Black	P2ATF8F2	98.00
		Green Red	P2ATF3F4(IO)	98.00
	Double Flush with IO Mark			
		Yellow Black	P2ATF8F2(IO)	98.00
		Green Red	P2ATF3P4	98.00
	1 Flush, 1 Projecting w/o IO Mark			
		Yellow Black	P2ATF8P2	98.00
		Green Red	P2ATF3P4(IO)	98.00
	1 Flush, 1 Projecting with IO Mark			
		Yellow Black	P2ATF8P2(IO)	98.00

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

ILLUMINATED MOMENTARY ACTUATORS WITH BULB					
	TYPE	COLOUR	ORDERING CODE	Price in Rs.with bulb	
	Illuminated Flush				
		White	P2ALF1	142.00	
	Filament Bulb	Green	P2ALF3	142.00	
	6V to 130V AC/DC	Red	P2ALF4	142.00	
		Amber	P2ALF5	142.00	
		Blue	P2ALF6	142.00	
		Clear	P2ALF7	142.00	
		Yellow	P2ALF8	142.00	
	Direct Connection Please mention the voltage required after the ordering code				
			White	P2ALRF1	149.00
		Green	P2ALRF3	149.00	
Filament Bulb		Red	P2ALRF4	149.00	
24V,48V,130V,230V AC/DC		Amber	P2ALRF5	149.00	
		Blue	P2ALRF6	149.00	
		Clear	P2ALRF7	149.00	
		Yellow	P2ALRF8	149.00	
Connection with Resistor Please mention the voltage required after the ordering code					
		Illuminated Projecting			
		White	P2ALP1	142.00	
		Green	P2ALP3	142.00	
	Filament Bulb	Red	P2ALP4	142.00	
	6V to 130V AC/DC	Amber	P2ALP5	142.00	
		Blue	P2ALP6	142.00	
		Clear	P2ALP7	142.00	
		Yellow	P2ALP8	142.00	
	Direct Connection Please mention the voltage required after the ordering code				
			White	P2ALRP1	149.00
		Green	P2ALRP3	149.00	
Filament Bulb		Red	P2ALRP4	149.00	
24V,48V,130V,230V AC/DC		Amber	P2ALRP5	149.00	
		Blue	P2ALRP6	149.00	
		Clear	P2ALRP7	149.00	
		Yellow	P2ALRP8	149.00	
Connection with Resistor Please mention the voltage required after the ordering code					

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES







ILLUMINATED ACTUATORS WITH INTEGRAL LED / LED BULB

	Type	Colour of LED / Lens	Ordering Code	Price in Rs. with Int. LED	Price in Rs. with LED Bulb
	Illuminated Flush, Momentary				
	Integral LED	White LED / White Lens	P2ALRF1L(S)	306.00	
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ALRF3L	185.00	
	110VAC, 110VDC, 230VAC, 220VDC	Red LED / Red Lens	P2ALRF4L	185.00	
		Amber LED / Amber Lens	P2ALRF5L	185.00	
		Blue LED / Blue Lens	P2ALRF6L	396.00	
		White LED / Clear Lens	P2ALRF7L(S)	306.00	
		Yellow LED / Yellow Lens	P2ALRF8L	185.00	
Integral LED	Please mention the voltage required after the ordering code				
	LED Bulb, BA9S type	White LED Bulb / White Lens	P2ALF1LB(S)		371.00
	24V AC/DC,	Green LED Bulb / Green Lens	P2ALF3LB		195.00
	110VAC, 110VDC	Red LED Bulb / Red Lens	P2ALF4LB		195.00
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	P2ALF5LB		195.00
		Blue LED Bulb / Blue Lens	P2ALF6LB		393.00
		White LED Bulb/ Clear Lens	P2ALF7LB(S)		371.00
		Yellow LED Bulb / Yellow Lens	P2ALF8LB		195.00
	LED Bulb	Please mention the voltage required after the ordering code			
	Illuminated Projecting, Momentary				
	Integral LED	White LED / White Lens	P2ALRP1L(S)	306.00	
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ALRP3L	185.00	
	110VAC, 110VDC, 230VAC, 220VDC	Red LED / Red Lens	P2ALRP4L	185.00	
		Amber LED / Amber Lens	P2ALRP5L	185.00	
		Blue LED / Blue Lens	P2ALRP6L	396.00	
		White LED / Clear Lens	P2ALRP7L(S)	306.00	
		Yellow LED / Yellow Lens	P2ALRP8L	185.00	
Integral LED	Please mention the voltage required after the ordering code				
	LED Bulb, BA9S type	White LED Bulb / White Lens	P2ALP1LB(S)		371.00
	24V AC/DC,	Green LED Bulb / Green Lens	P2ALP3LB		195.00
	110VAC, 110VDC	Red LED Bulb / Red Lens	P2ALP4LB		195.00
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	P2ALP5LB		195.00
		Blue LED Bulb / Blue Lens	P2ALP6LB		393.00
		White LED Bulb/ Clear Lens	P2ALP7LB(S)		371.00
		Yellow LED Bulb / Yellow Lens	P2ALP8LB		195.00
	LED Bulb	Please mention the voltage required after the ordering code			

TEKNIC

MRP w.e.f. 01.01.2021









Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

ILLUMINATED SELECTOR WITH BULB				
	TYPE	COLOUR	ORDERING CODE	Price in Rs. with bulb
	2 Position Stayput illuminated selector actuator			
		White	P2ASL1-2P	250.00
	Filament Bulb	Green	P2ASL3-2P	250.00
	6V to 130V AC/DC	Red	P2ASL4-2P	250.00
		Amber	P2ASL5-2P	250.00
		Blue	P2ASL6-2P	250.00
		Clear	P2ASL7-2P	250.00
		Yellow	P2ASL8-2P	250.00
Direct Connection	Please mention the voltage required after the ordering code			
		White	P2ASLR1-2P	259.00
	Filament Bulb	Green	P2ASLR3-2P	259.00
	24V,48V,130V,230V AC/DC	Red	P2ASLR4-2P	259.00
		Amber	P2ASLR5-2P	259.00
		Blue	P2ASLR6-2P	259.00
		Clear	P2ASLR7-2P	259.00
		Yellow	P2ASLR8-2P	259.00
Connection with Resistor	Please mention the voltage required after the ordering code			
2 Position, Momentary illuminated selector actuator				
		White	P2ASL1-2PSR	250.00
	Filament Bulb	Green	P2ASL3-2PSR	250.00
	6V to 130V AC/DC	Red	P2ASL4-2PSR	250.00
		Amber	P2ASL5-2PSR	250.00
		Blue	P2ASL6-2PSR	250.00
		Clear	P2ASL7-2PSR	250.00
		Yellow	P2ASL8-2PSR	250.00
Direct Connection	Please mention the voltage required after the ordering code			
		White	P2ASLR1-2PSR	259.00
	Filament Bulb	Green	P2ASLR3-2PSR	259.00
	24V,48V,130V,230V AC/DC	Red	P2ASLR4-2PSR	259.00
		Amber	P2ASLR5-2PSR	259.00
		Blue	P2ASLR6-2PSR	259.00
		Clear	P2ASLR7-2PSR	259.00
		Yellow	P2ASLR8-2PSR	259.00
Connection with Resistor	Please mention the voltage required after the ordering code			

TEKNIC

MRP w.e.f. 01.01.2021











Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

ILLUMINATED SELECTOR ACTUATOR WITH LED					
	TYPE	COLOUR	ORDERING CODE	Price in Rs. with integral LED	Price in Rs. with LED bulb
	2 Position Stayput illuminated selector actuator				
	Integral LED	White LED / White Lens	P2ASLR1L(S)-2P	402.00	
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ASLR3L-2P	293.00	
	110VAC, 110VDC,	Red LED / Red Lens	P2ASLR4L-2P	293.00	
	230VAC, 220VDC	Amber LED / Amber Lens	P2ASLR5L-2P	293.00	
		Blue LED / Blue Lens	P2ASLR6L-2P	479.00	
		White LED / Clear Lens	P2ASLR7L(S)-2P	402.00	
		Yellow LED / Yellow Lens	P2ASLR8L-2P	293.00	
Integral LED	Please mention the voltage required after the ordering code				
	LED Bulb BA9S type	White LED Bulb / White Lens	P2ASL1LB(S)-2P		480.00
	24V AC/DC,	Green LED Bulb / Green Lens	P2ASL3LB-2P		303.00
	110VAC, 110VDC	Red LED Bulb / Red Lens	P2ASL4LB-2P		303.00
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-2P		303.00
		Blue LED Bulb / Blue Lens	P2ASL6LB-2P		502.00
		White LED Bulb / Clear Lens	P2ASL7LB(S)-2P		480.00
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-2P		303.00
	LED Bulb	Please mention the voltage required after the ordering code			
	Integral LED	White LED / White Lens	P2ASLR1L(S)-2PSR	402.00	
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2ASLR3L-2PSR	293.00	
	110VAC, 110VDC,	Red LED / Red Lens	P2ASLR4L-2PSR	293.00	
	230VAC, 220VDC	Amber LED / Amber Lens	P2ASLR5L-2PSR	293.00	
		Blue LED / Blue Lens	P2ASLR6L-2PSR	479.00	
		White LED / Clear Lens	P2ASLR7L(S)-2PSR	402.00	
		Yellow LED / Yellow Lens	P2ASLR8L-2PSR	293.00	
	Integral LED	Please mention the voltage required after the ordering code			
	LED Bulb BA9S type	White LED Bulb / White Lens	P2ASL1LB(S)-2PSR		480.00
	24V AC/DC,	Green LED Bulb / Green Lens	P2ASL3LB-2PSR		303.00
	110VAC, 110VDC	Red LED Bulb / Red Lens	P2ASL4LB-2PSR		303.00
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-2PSR		303.00
		Blue LED Bulb / Blue Lens	P2ASL6LB-2PSR		502.00
		White LED Bulb / Clear Lens	P2ASL7LB(S)-2PSR		480.00
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-2PSR		303.00
	LED Bulb	Please mention the voltage required after the ordering code			

TEKNIC

MRP w.e.f. 01.01.2021











Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

ILLUMINATED SELECTOR WITH BULB					
	TYPE	COLOUR	ORDERING CODE	Price in Rs. with bulb	
	3 Position Stayput illuminated selector actuator				
	Stayput	White	P2ASL1-3P	262.00	
	Filament Bulb	Green	P2ASL3-3P	262.00	
	6V to 130V AC/DC	Red	P2ASL4-3P	262.00	
		Amber	P2ASL5-3P	262.00	
		Blue	P2ASL6-3P	262.00	
		Clear	P2ASL7-3P	262.00	
		Yellow	P2ASL8-3P	262.00	
	Please mention the voltage required after the ordering code				
	Momentary	White	P2ASL1-3PSR	270.00	
	Filament Bulb	Green	P2ASL3-3PSR	270.00	
	6V to 130V AC/DC	Red	P2ASL4-3PSR	270.00	
		Amber	P2ASL5-3PSR	270.00	
		Blue	P2ASL6-3PSR	270.00	
		Clear	P2ASL7-3PSR	270.00	
		Yellow	P2ASL8-3PSR	270.00	
	Please mention the voltage required after the ordering code				
	Momentary / Stayput	White	P2ASL1-3PSRL	270.00	
	Filament Bulb	Green	P2ASL3-3PSRL	270.00	
	6V to 130V AC/DC	Red	P2ASL4-3PSRL	270.00	
		Amber	P2ASL5-3PSRL	270.00	
		Blue	P2ASL6-3PSRL	270.00	
		Clear	P2ASL7-3PSRL	270.00	
		Yellow	P2ASL8-3PSRL	270.00	
	Please mention the voltage required after the ordering code				
Momentary / Stayput	White	P2ASL1-3PSRR	270.00		
Filament Bulb	Green	P2ASL3-3PSRR	270.00		
6V to 130V AC/DC	Red	P2ASL4-3PSRR	270.00		
	Amber	P2ASL5-3PSRR	270.00		
	Blue	P2ASL6-3PSRR	270.00		
	Clear	P2ASL7-3PSRR	270.00		
	Yellow	P2ASL8-3PSRR	270.00		
Direct Connection	Please mention the voltage required after the ordering code				
	3 Position illuminated selector actuator				
	Stayput	White	P2ASLR1-3P	272.00	
	Filament Bulb	Green	P2ASLR3-3P	272.00	
	24V,48V,130V,230V AC/DC	Red	P2ASLR4-3P	272.00	
		Amber	P2ASLR5-3P	272.00	
		Blue	P2ASLR6-3P	272.00	
		Clear	P2ASLR7-3P	272.00	
		Yellow	P2ASLR8-3P	272.00	
	Please mention the voltage required after the ordering code				
	Momentary	White	P2ASLR1-3PSR	281.00	
	Filament Bulb	Green	P2ASLR3-3PSR	281.00	
	24V,48V,130V,230V AC/DC	Red	P2ASLR4-3PSR	281.00	
		Amber	P2ASLR5-3PSR	281.00	
		Blue	P2ASLR6-3PSR	281.00	
		Clear	P2ASLR7-3PSR	281.00	
		Yellow	P2ASLR8-3PSR	281.00	
	Please mention the voltage required after the ordering code				
	Momentary / Stayput	White	P2ASLR1-3PSRL	281.00	
	Filament Bulb	Green	P2ASLR3-3PSRL	281.00	
	24V,48V,130V,230V AC/DC	Red	P2ASLR4-3PSRL	281.00	
		Amber	P2ASLR5-3PSRL	281.00	
		Blue	P2ASLR6-3PSRL	281.00	
		Clear	P2ASLR7-3PSRL	281.00	
		Yellow	P2ASLR8-3PSRL	281.00	
	Please mention the voltage required after the ordering code				
Momentary / Stayput	White	P2ASLR1-3PSRR	281.00		
Filament Bulb	Green	P2ASLR3-3PSRR	281.00		
24V,48V,130V,230V AC/DC	Red	P2ASLR4-3PSRR	281.00		
	Amber	P2ASLR5-3PSRR	281.00		
	Blue	P2ASLR6-3PSRR	281.00		
	Clear	P2ASLR7-3PSRR	281.00		
	Yellow	P2ASLR8-3PSRR	281.00		
Connection with Resistor	Please mention the voltage required after the ordering code				

TEKNIC

MRP w.e.f. 01.01.2021


Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

ILLUMINATED SELECTOR WITH LED						
	TYPE	COLOUR	ORDERING CODE	Price in Rs. with integral LED	Price in Rs. with LED bulb	
	3 Position Illuminated Selector Actuator					
	Stayput	White LED / White Lens	P2ASLR1L(S)-3P	415.00		
	Integral LED	Green LED / Green Lens	P2ASLR3L-3P	307.00		
	6V, 12V, 24V, 48V AC/DC	Red LED / Red Lens	P2ASLR4L-3P	307.00		
	110VAC, 110VDC,	Amber LED / Amber Lens	P2ASLR5L-3P	307.00		
	230VAC, 220VDC	Blue LED / Blue Lens	P2ASLR6L-3P	490.00		
		White LED / Clear Lens	P2ASLR7L(S)-3P	415.00		
		Yellow LED / Yellow Lens	P2ASLR8L-3P	307.00		
	Please mention the voltage required after the ordering code					
	Momentary	White LED / White Lens	P2ASLR1L(S)-3PSR	422.00		
	Integral LED	Green LED / Green Lens	P2ASLR3L-3PSR	316.00		
	6V, 12V, 24V, 48V AC/DC	Red LED / Red Lens	P2ASLR4L-3PSR	316.00		
	110VAC, 110VDC,	Amber LED / Amber Lens	P2ASLR5L-3PSR	316.00		
	230VAC, 220VDC	Blue LED / Blue Lens	P2ASLR6L-3PSR	495.00		
		White LED / Clear Lens	P2ASLR7L(S)-3PSR	422.00		
		Yellow LED / Yellow Lens	P2ASLR8L-3PSR	316.00		
	Please mention the voltage required after the ordering code					
	Momentary/Stayput	White LED / White Lens	P2ASLR1L(S)-3PSRL	422.00		
	Integral LED	Green LED / Green Lens	P2ASLR3L-3PSRL	316.00		
	6V, 12V, 24V, 48V AC/DC	Red LED / Red Lens	P2ASLR4L-3PSRL	316.00		
	110VAC, 110VDC,	Amber LED / Amber Lens	P2ASLR5L-3PSRL	316.00		
	230VAC, 220VDC	Blue LED / Blue Lens	P2ASLR6L-3PSRL	495.00		
		White LED / Clear Lens	P2ASLR7L(S)-3PSRL	422.00		
		Yellow LED / Yellow Lens	P2ASLR8L-3PSRL	316.00		
	Please mention the voltage required after the ordering code					
	Momentary/Stayput	White LED / White Lens	P2ASLR1L(S)-3PSRR	422.00		
	Integral LED	Green LED / Green Lens	P2ASLR3L-3PSRR	316.00		
	6V, 12V, 24V, 48V AC/DC	Red LED / Red Lens	P2ASLR4L-3PSRR	316.00		
110VAC, 110VDC,	Amber LED / Amber Lens	P2ASLR5L-3PSRR	316.00			
230VAC, 220VDC	Blue LED / Blue Lens	P2ASLR6L-3PSRR	495.00			
	White LED / Clear Lens	P2ASLR7L(S)-3PSRR	422.00			
	Yellow LED / Yellow Lens	P2ASLR8L-3PSRR	316.00			
Please mention the voltage required after the ordering code						
Integral LED	Please mention the voltage required after the ordering code					
	3 Position Illuminated Selector Actuator with LED Bulb					
	Stayput	White LED Bulb / White Lens	P2ASL1LB(S)-3P		492.00	
	LED Bulb BA9S type	Green LED Bulb / Green Lens	P2ASL3LB-3P		316.00	
	24V AC/DC,	Red LED Bulb / Red Lens	P2ASL4LB-3P		316.00	
	110VAC, 110VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-3P		316.00	
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	P2ASL6LB-3P		515.00	
		White LED Bulb / Clear Lens	P2ASL7LB(S)-3P		492.00	
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-3P		316.00	
	Please mention the voltage required after the ordering code					
	Momentary	White LED Bulb / White Lens	P2ASL1LB(S)-3PSR		501.00	
	LED Bulb BA9S type	Green LED Bulb / Green Lens	P2ASL3LB-3PSR		324.00	
	24V AC/DC,	Red LED Bulb / Red Lens	P2ASL4LB-3PSR		324.00	
	110VAC, 110VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-3PSR		324.00	
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	P2ASL6LB-3PSR		523.00	
		White LED Bulb / Clear Lens	P2ASL7LB(S)-3PSR		501.00	
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-3PSR		324.00	
	Please mention the voltage required after the ordering code					
	Momentary / Stayput	White LED Bulb / White Lens	P2ASL1LB(S)-3PSRL		501.00	
	LED Bulb BA9S type	Green LED Bulb / Green Lens	P2ASL3LB-3PSRL		324.00	
	24V AC/DC,	Red LED Bulb / Red Lens	P2ASL4LB-3PSRL		324.00	
	110VAC, 110VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-3PSRL		324.00	
	230VAC, 220VDC	Blue LED Bulb / Blue Lens	P2ASL6LB-3PSRL		523.00	
		White LED Bulb / Clear Lens	P2ASL7LB(S)-3PSRL		501.00	
		Yellow LED Bulb / Yellow Lens	P2ASL8LB-3PSRL		324.00	
	Please mention the voltage required after the ordering code					
	Momentary / Stayput	White LED Bulb / White Lens	P2ASL1LB(S)-3PSRR		501.00	
	LED Bulb BA9S type	Green LED Bulb / Green Lens	P2ASL3LB-3PSRR		324.00	
	24V AC/DC,	Red LED Bulb / Red Lens	P2ASL4LB-3PSRR		324.00	
110VAC, 110VDC	Amber LED Bulb / Amber Lens	P2ASL5LB-3PSRR		324.00		
230VAC, 220VDC	Blue LED Bulb / Blue Lens	P2ASL6LB-3PSRR		523.00		
	White LED Bulb / Clear Lens	P2ASL7LB(S)-3PSRR		501.00		
	Yellow LED Bulb / Yellow Lens	P2ASL8LB-3PSRR		324.00		
Please mention the voltage required after the ordering code						
LED Bulb	Please mention the voltage required after the ordering code					

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø PLASTIC SERIES





TWIN ILLUMINATED ACTUATORS WITH FILAMENT BULB				
	Type	COLOUR	ORDERING CODE	Price in Rs. with bulb
	Twin Illuminated 1 Flush, 1 Projecting (IO) Mark			
	Filament Bulb	Red	P2ATL5 F3P4 (IO)	192.00
	6V to 130V AC/DC	Green		
		Amber Lens		
Direct Connection	Please mention the voltage required after the ordering code			
	Twin Illuminated Double Flush, (IO) Mark			
	Filament Bulb	Red	P2ATLR5 F3P4 (IO)	200.00
	24V,48V,130V,230V AC/DC	Green		
		Amber Lens		
Connection with Resistor	Please mention the voltage required after the ordering code			
	Twin Illuminated Double Flush, (IO) Mark			
	Filament Bulb	Red	P2ATL5 F3F4 (IO)	192.00
	6V to 130V AC/DC	Green		
		Amber Lens		
Direct Connection	Please mention the voltage required after the ordering code			
	Twin Illuminated Double Flush, (IO) Mark			
	Filament Bulb	Red	P2ATLR5 F3F4 (IO)	200.00
	24V,48V,130V,230V AC/DC	Green		
		Amber Lens		
Connection with Resistor	Please mention the voltage required after the ordering code			

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø




PLASTIC SERIES

TWIN ILLUMINATED ACTUATORS WITH LED					
TYPE		COLOUR	ORDERING CODE	Price in Rs.with Int. LED	Price in Rs. with LED Bulb
Twin Illuminated 1 Flush, 1 Projecting, (IO) Mark					
	Integral LED	Green	P2ATLR5LF3P4 (IO)	236.00	
	6V, 12V, 24V, 48V AC/DC	Red			
	110VAC, 110VDC,	Amber Lens / Amber LED			
	230VAC, 220VDC				
Integral LED Please mention the voltage required after the ordering code					
	LED Bulb, BA9S type	Green	P2ATL5LBF3P4 (IO)		253.00
	24V AC/DC,	Red			
	110VAC, 110VDC	Amber Lens / Amber LED			
	230VAC, 220VDC				
LED Bulb Please mention the voltage required after the ordering code					
Twin Illuminated Double Flush, (IO) Mark					
	Integral LED	Green	P2ATLR5LF3P4 (IO)	236.00	
	6V, 12V, 24V, 48V AC/DC	Red			
	110VAC, 110VDC,	Amber Lens / Amber LED			
	230VAC, 220VDC				
Integral LED Please mention the voltage required after the ordering code					
	LED Bulb, BA9S type	Green	P2ATL5LBF3P4 (IO)		253.00
	24V AC/DC,	Red			
	110VAC, 110VDC	Amber Lens / Amber LED			
	230VAC, 220VDC				
LED Bulb Please mention the voltage required after the ordering code					

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø PLASTIC SERIES

PILOT LIGHTS WITH BULB					
	TYPE		COLOUR	ORDERING CODE	Price in Rs. with bulb
	PILOT LIGHTS WITH FILAMENT BULB				
			White	P2PLB1	118.00
	Filament Bulb		Green	P2PLB3	118.00
	6V to 130V AC/DC		Red	P2PLB4	118.00
			Amber	P2PLB5	118.00
			Blue	P2PLB6	118.00
			Clear	P2PLB7	118.00
			Yellow	P2PLB8	118.00
	Direct Connection	Please mention the voltage required after the ordering code			
			White	P2PLBR1	126.00
	Fil. Bulb		Green	P2PLBR3	126.00
	24V,48V,130V,230V AC/DC		Red	P2PLBR4	126.00
			Amber	P2PLBR5	126.00
			Blue	P2PLBR6	126.00
			Clear	P2PLBR7	126.00
			Yellow	P2PLBR8	126.00
	Connection with Resistor	Please mention the voltage required after the ordering code			
	Filament bulb				
	Pri. Volt.	Sec. Volt.	White	P2PLBT1 XXX / YY	323.00
	110VAC	06	Green	P2PLBT3 XXX / YY	323.00
	110VAC	12	Red	P2PLBT4 XXX / YY	323.00
	110VAC	24	Amber	P2PLBT5 XXX / YY	323.00
	Pri. Volt.	Sec. Volt.	Blue	P2PLBT6 XXX / YY	323.00
	240VAC	06	Clear	P2PLBT7 XXX / YY	323.00
	240VAC	12	Yellow	P2PLBT8 XXX / YY	323.00
	240VAC	24			
	Connection with Transformer			XXX - Primary Voltage	
		YY - Secondary Voltage			

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø
PLASTIC SERIES



PILOT LIGHTS				
	TYPE	Colour of LED / Lens	ORDERING CODE	Price in Rs. with Int. LED
	Pilot Light with Integral LED			
	Integral LED	White LED / White Lens	P2PLBR1L(S)	300.00
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	P2PLBR3L	161.00
	110VAC, 110VDC,	Red LED / Red Lens	P2PLBR4L	161.00
	230VAC, 220VDC	Amber LED / Amber Lens	P2PLBR5L	161.00
		Blue LED / Blue Lens	P2PLBR6L	406.00
		White LED / Clear Lens	P2PLBR7L(S)	300.00
		Yellow LED / Yellow Lens	P2PLBR8L	161.00
Integral LED	Please mention the voltage required after the ordering code			
	Integral LED, Flasher	White LED Bulb / White Lens	P2PLBR1LF(S)	300.00
	24V, 110V, 230V, AC	Green LED Bulb / Green Lens	P2PLBR3LF	161.00
		Red LED Bulb / Red Lens	P2PLBR4LF	161.00
		Amber LED Bulb / Amber Lens	P2PLBR5LF	161.00
		Blue LED Bulb / Blue Lens	P2PLBR6LF	406.00
		White LED Bulb/ Clear Lens	P2PLBR7LF(S)	300.00
		Yellow LED Bulb / Yellow Lens	P2PLBR8LF	161.00
Integral LED	Please mention the voltage required after the ordering code			
	Integral LED	White LED / White Lens	P2PLBR1LU(S)	419.00
	24V upto 240V AC/DC	Green LED / Green Lens	P2PLBR3LU	266.00
		Red LED / Red Lens	P2PLBR4LU	266.00
		Amber LED / Amber Lens	P2PLBR5LU	266.00
		Blue LED / Blue Lens	P2PLBR6LU	507.00
		White LED / Clear Lens	P2PLBR7LU(S)	419.00
		Yellow LED / Yellow Lens	P2PLBR8LU	266.00
Integral LED, Universal	Please mention the voltage required after the ordering code			
	Integral LED	White LED / White Lens	P2PLBR1L(S)	345.00
	415VAC	Green LED / Green Lens	P2PLBR3L	203.00
		Red LED / Red Lens	P2PLBR4L	203.00
		Amber LED / Amber Lens	P2PLBR5L	203.00
		Blue LED / Blue Lens	P2PLBR6L	448.00
		White LED / Clear Lens	P2PLBR7L(S)	345.00
		Yellow LED / Yellow Lens	P2PLBR8L	203.00
Integral LED, 415VAC	Please mention the voltage required after the ordering code			
	Integral LED, Test Lamp	White LED / White Lens	P2PLBR1L(S)**TL	405.00
	24V AC/DC	Green LED / Green Lens	P2PLBR3L**TL	245.00
	110VAC, 110VDC,	Red LED / Red Lens	P2PLBR4L**TL	245.00
	230VAC, 220VDC	Amber LED / Amber Lens	P2PLBR5L**TL	245.00
		Blue LED / Blue Lens	P2PLBR6L**TL	528.00
		White LED / Clear Lens	P2PLBR7L(S)**TL	405.00
		Yellow LED / Yellow Lens	P2PLBR8L**TL	245.00
Integral LED, Test Lamp	** Please mention the voltage required after the ordering code			

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø

PLASTIC SERIES

PILOT LIGHTS					
	TYPE	Colour of LED / Lens	ORDERING CODE	Price in Rs. with LED Bulb	
	Pilot Light with LED Bulb				
	LED Bulb, BA9S type	White LED Bulb / White Lens	P2PLB1LB(S)	348.00	
	24V AC/DC,	Green LED Bulb / Green Lens	P2PLB3LB	171.00	
	110VAC, 110VDC	Red LED Bulb / Red Lens	P2PLB4LB	171.00	
	230VAC, 220VDC	Amber LED Bulb / Amber Lens	P2PLB5LB	171.00	
		Blue LED Bulb / Blue Lens	P2PLB6LB	371.00	
		White LED Bulb / Clear Lens	P2PLB7LB(S)	348.00	
		Yellow LED Bulb / Yellow Lens	P2PLB8LB	171.00	
Direct Connection	Please mention the voltage required after the ordering code				
	LED Bulb, BA9S type				
	Pri. Volt.	Sec. Volt.	White LED Bulb / White Lens	P2PLBT1LB(S) XXX / YY	581.00
	110VAC	06	Green LED Bulb / Green Lens	P2PLBT3LB XXX / YY	406.00
	110VAC	12	Red LED Bulb / Red Lens	P2PLBT4LB XXX / YY	406.00
	110VAC	24	Amber LED Bulb / Amber Lens	P2PLBT5LB XXX / YY	406.00
	Pri. Volt.	Sec. Volt.	Blue LED Bulb / Blue Lens	P2PLBT6LB XXX / YY	606.00
	240VAC	06	White LED Bulb / Clear Lens	P2PLBT7LB(S) XXX / YY	581.00
	240VAC	12	Yellow LED Bulb / Yellow Lens	P2PLBT8LB XXX / YY	406.00
	240VAC	24			
Connection with Transformer			XXX - Primary Voltage		
			YY - Secondary Voltage		

TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø
PLASTIC SERIES

LED PILOT LIGHTS ECONOMY SERIES				
	Type	Colour of LED / Lens	ORDERING CODE	Price in Rs. with Int. LED
	Integral LED	White LED / White Lens	3PLBR1L(S)	284.00
	6V, 12V, 24V, 48V AC/DC	Green LED / Green Lens	3PLBR3L	139.00
	110VAC, 110VDC,	Red LED / Red Lens	3PLBR4L	139.00
	230VAC, 220VDC	Amber LED / Amber Lens	3PLBR5L	139.00
		Blue LED / Blue Lens	3PLBR6L	392.00
		White LED / Clear Lens	3PLBR7L(S)	284.00
		Yellow LED / Yellow Lens	3PLBR8L	139.00
	Please mention the voltage required after the ordering code			
	Integral LED	White LED / White Lens	3PLBR1LU(S)	364.00
	24V upto 240V AC/DC	Green LED / Green Lens	3PLBR3LU	231.00
		Red LED / Red Lens	3PLBR4LU	231.00
		Amber LED / Amber Lens	3PLBR5LU	231.00
		Blue LED / Blue Lens	3PLBR6LU	472.00
		White LED / Clear Lens	3PLBR7LU(S)	364.00
		Yellow LED / Yellow Lens	3PLBR8LU	231.00
	Please mention the voltage required after the ordering code			
	Integral LED, Dual colour			
	24VAC	Green LED	3PLBR34L	224.00
	110VAC	Red LED		
	230VAC	White Lens		
Please mention the voltage required after the ordering code				
	Integral LED with Buzzer			
	24VAC			
	110VAC	Red LED / Red Lens	3PLBR4LBZ	241.00
	230VAC			
Please mention the voltage required after the ordering code				
	Integral LED			
	6V, 12V, 24V, 48V AC/DC	Red LED / Red Lens	3PLBR4LTL	210.00
	110VAC, 110VDC,			
	230VAC, 220VDC			
Please mention the voltage required after the ordering code				





















TEKNIC

MRP w.e.f. 01.01.2021

Control & Signalling Devices 22.5 Ø
METALLIC SERIES

CONTACT ELEMENTS			
	TYPE	ORDERING CODE	Price in Rs.
	PANEL MOUNTING		
	NORMALLY OPEN (NO) SILVER CONTACT	S1	55.00
	NORMALLY OPEN (NO) SILVER CONTACT (BREAK BEFORE MAKE)	S1S	55.00
		NORMALLY OPEN (NO) SILVER CONTACT (MAKE BEFORE BREAK)	S1E
		NORMALLY CLOSED (NC) SILVER CONTACT	S2
		NORMALLY OPEN (NO) GOLD CONTACT	S3
		NORMALLY CLOSED (NC) GOLD CONTACT	S4
	BASE MOUNTING		
	NORMALLY OPEN (NO) SILVER CONTACT	S5	55.00
		NORMALLY CLOSED (NC) SILVER CONTACT	S6
		NORMALLY OPEN (NO) GOLD CONTACT	S7
		NORMALLY CLOSED (NC) GOLD CONTACT	S8

Common types of control and signalling devices Ø 22,5 P series

Description	Type of Actuator or Lense Assembly	Colour of Actuator or Lense	Contact Elements NO = S1 NC = S2 or Lamp Holder	Type of complete Control or Signalling Device	
Flush Pushbutton	P2AF3	Green	1NO	P2PSF310	
	P2AF8	Yellow	2NO+1NC	P2PSF821	
Projecting Pushbutton	P2AP2	Black	2NC	P2PSP202	
	P2AP4	Red	3NO+3NC	P2PSP433	
Booted Pushbutton	P2AB3BT7	Green	2NO	P2PSB3BT720	
	P2AB4BT7	Red	2NC	P2PSB4BT702	
Mushroom Pushbutton Spring return	P2AM2	Black	1NO+1NC	P2PSM211	
	P2AM4	Red	1NC	P2PSM401	
Mushroom Pushbutton latching turn to release	P2AML2	Black	1NC	P2PSML201	
	P2AML4	Red	2NO+2NC	P2PSML422	
Mushroom Pushbutton latching, key to release	P2AMLKB4	Red	1NO+1NC	P2PSMLKB411	
Selector Actuator(2 Pos)	P2AS2-2P	Black	1NO	P2PSS210-2P	
Selector Actuator(3 Pos)	P2AS2-3P	Black	1NO+1NC	P2PSS211-3P	
Key Actuator (2 Pos), key removable in both positions	P2AK2-2PB		1NO	P2PSK210-2PB	
Key Actuator (3 Pos), key removable in left & right positions	P2AK2-3PB		1NO+1NC	P2PSK211-3PB	
Twin Pushbutton marked "I O"	P2ATF2-F4-IO	Flush-Black	1 NO	P2PSTF210-F401-IO	
Flush - Flush		Flush-Red	1 NC		
Twin Pushbutton not marked	P2ATF3-P4	Flush-Green	1NO+1NC	P2PSTF311-P411	
Flush - Projecting		Proj-Red	1NO+1NC		
Flush Illuminated Pushbutton with integral LED for 24V DC	P2ALRF3L24DC	Green	1NO+1NC	P2PSLRF3L1124DC	
Projecting Illuminated Pushbutton with integral LED for 230V AC	P2ALRP4L230AC	Red	1NO+1NC	P2PSLRP4L11230AC	
Twin Luminous Pushbutton marked "I O" Flush - Flush direct connection (130V)	P2ATL3-F2-F4 IO130	Lense-Green Flush-Black Flush-Red	1 NO + 1 NC 1 NC	P2PSTL3F211-F401-IO130	
Twin Luminous Pushbutton not marked Flush - Projecting with resistance and (230AC)	P2ATLR5-F3-P4230	Lense-Amber Flush-Green Proj.-Red	1 NO 1 NC	P2PSTLR5F310-P401 230	
Pilot Light for direct connection upto 130V	P2PLLA3	Green	2LHB130	P2PLB3130	
	P2PLLA4	Red	2LHB130	2PLPB4130	
Pilot Light through resistor and diode for 230 V AC. Bulb:130 V.	P2PLLA5	Amber	2LHBR230 AC	P2PLBR5230AC	
	P2PLLA6	Blue	2LHBR230 AC	P2PLBR6230AC	
Pilot Light with transformer for 230 V Bulb:24 V.	P2PLLA4	Red	2LHBT230/24	P2PLBT4230/24	
	P2PLLA3	Green	2LHBT230/24	P2PLBT3230/24	
Pilot Light with LED bulb for 110V AC Bulb: 110V	P2PLLA5	Amber	2LHLB110	P2PLB5LB110	
Pilot light economy type with integral LED for 220 DC	-	White	-	3PLBR1L220DC	

TEKNIC

GENERAL TERMS AND CONDITIONS

General Terms : Prices are ex-works Mumbai

GST : 18%

Prices are subject to revision without notice and ruling at the time of delivery.

This price list supersedes all previous Price Lists.

Warranty Policy : TEKNIC equipment is guaranteed under the following terms:

For a period of 12 months from the date of sale, TEKNIC guarantees that its products are free from defects in material and workmanship, with the exception of consumables rendered unserviceable through normal use. During the said period, TEKNIC will replace or repair all parts acknowledged as defective due to factory workmanship and which have been returned in a timely manner by Buyer to TEKNIC and all costs and duties paid, together with a detailed description of the failure and a certified declaration of the number of hours of operation. Repaired or replaced parts will be redelivered FCA (named place) as per INCOTERMS 2000. This warranty is subject to the provision of correct usage, proper maintenance and does not cover defects arising out of fire, faulty operation, accident, inefficient maintenance and willful or accidental damage.

TEKNIC guarantee applies to all equipment, parts and components stored, installed, protected, maintained and used in accordance with TEKNIC specifications and instructions, and respecting the rules for normal use, without any modification by Buyer.

All other conditions or warranties, whether express or implied, relating to the quality and operation of the equipment are excluded, as well as any liability for loss or damage caused directly or indirectly by the equipment or resulting from its use.

Proof of purchase to be provided to avail warranty.

TEKNIC ELECTRIC (I) PVT. LTD.

Head Office : 703/704/705, Madhava, Bandra Kurla Complex, Bandra (E), Mumbai – 400051. Tel : +91-22-42532500

Works : 65, Marol Co-op. Industrial Estate Ltd., M. Vassanji Road, Andheri (East), Mumbai – 400059. Tel : +91-22-42534500

Email : teknico@teknico.co.in mfg@teknico.co.in Website : www.teknico.co.in