



NATIONAL PRICE LIST

w.e.f. Date 01/04/2022

U.K. ENTERPRISE

Ring Terminals (Non Insulated)



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
			10 - 10.2	UR - 7123	15.50
0.75 - 4.0	UR - 7317	2.20	10 - 12.7	UR - 7028	14.50
1.0 - 4.0	UR - 7318	2.20	16 - 5.2	UR - 7124	12.00
1.5 - 2.2	UR - 7103	2.50	16 - 5.2	UR - 7125	13.00
1.5 - 3.2	UR - 7001	2.50	16 - 6.4	UR - 7029	12.60
1.5 - 3.7	UR - 7002	2.50	16 - 6.4	UR - 7126	16.00
1.5 - 4.2	UR - 7003	2.50	16 - 8.2	UR - 7030	15.00
1.5 - 3.2	UR - 7153	2.50	16 - 9.7	UR - 7031	16.00
1.5 - 3.7	UR - 7048	2.50	16 - 8.2	UR - 7127	18.00
1.5 - 4.2	UR - 7049	2.50	16 - 10.2	UR - 7032	18.00
1.5 - 4.2	UR - 7004	2.60	16 - 10.2	UR - 7128	20.00
1.5 - 5.2	UR - 7005	2.60	16 - 12.7	UR - 7033	20.00
1.5 - 4.2	UR - 7154	3.10	25 - 6.4	UR - 7156	27.00
1.5 - 5.2	UR - 7006	3.10	25 - 8.2	UR - 7051	27.00
1.5 - 6.4	UR - 7007	3.10	25 - 6.4	UR - 7129	30.00
1.5 - 6.4	UR - 7106	3.20	25 - 8.2	UR - 7034	29.00
2.5 - 3.2	UR - 7107	2.90	25 - 10.2	UR - 7035	29.00
2.5 - 3.7	UR - 7008	3.00	25 - 6.4	UR - 7130	32.00
2.5 - 3.7	UR - 7108	3.00	25 - 8.2	UR - 7036	32.00
2.5 - 4.2	UR - 7009	2.80	25 - 10.2	UR - 7131	40.00
2.5 - 5.2	UR - 7010	2.80	25 - 10.2	UR - 7132	41.00
2.5 - 5.2	UR - 7109	3.30	25 - 12.7	UR - 7037	41.00
2.5 - 6.4	UR - 7011	3.20	35 - 6.4	UR - 7133	34.00
2.5 - 5.2	UR - 7110	4.40	35 - 8.2	UR - 7038	34.00
2.5 - 6.4	UR - 7012	4.40	35 - 8.2	UR - 7134	40.00
2.5 - 8.2	UR - 7013	4.40	35 - 10.2	UR - 7039	40.00
2.5 - 8.2	UR - 7014	6.10	35 - 10.2	UR - 7135	46.00
2.5 - 10.2	UR - 7015	6.10	35 - 12.7	UR - 7040	46.00
2.5 - 10.2	UR - 7151	6.20	50 - 8.2	UR - 7136	52.00
2.5 - 12.7	UR - 7047	6.20	50 - 10.2	UR - 7041	52.00
4-6 - 4.2	UR - 7155	4.90	50 - 10.2	UR - 7137	54.00
4-6 - 5.2	UR - 7050	4.90	50 - 10.2	UR - 7138	62.00
4-6 - 5.2	UR - 7016	5.90	50 - 12.7	UR - 7042	59.00
4-6 - 6.4	UR - 7017	5.60	50 - 16.2	UR - 7139	74.00
4-6 - 8.2	UR - 7018	5.60	70 - 10.2	UR - 7140	74.00
4-6 - 6.4	UR - 7019	6.80	70 - 12.7	UR - 7043	74.00
4-6 - 6.4	UR - 7115	7.80	70 - 12.7	UR - 7141	78.00
4-6 - 8.2	UR - 7020	7.80	70 - 16.2	UR - 7142	90.00
4-6 - 8.2	UR - 7116	9.80	95 - 10.2	UR - 7143	96.00
4-6 - 10.2	UR - 7022	9.90	95 - 10.2	UR - 7144	104.00
4-6 - 10.2	UR - 7023	9.90	95 - 12.7	UR - 7044	102.00
4-6 - 12.7	UR - 7024	9.40	95 - 16.2	UR - 7145	112.00
10 - 5.2	UR - 7025	7.10	120-12.7	UR - 7146	138.00
10 - 5.2	UR - 7026	6.90	120-16.2	UR - 7147	168.00
10 - 6.4	UR - 7120	7.80	120-20.3	UR - 7148	206.00
10 - 8.2	UR - 7121	9.70	150-12.7	UR - 7149	272.00
10 - 8.2	UR - 7122	12.00	150-16.2	UR - 7045	259.00
10 - 10.2	UR - 7027	12.00	150-20.3	UR - 7046	306.00

Ring Terminals (Insulated)



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
0.75 - 4.0	URI - 7501	2.70	2.5 - 6.4	URI - 7076	4.80
1.0 - 4.0	URI - 7502	2.70	2.5 - 8.2	URI - 7077	4.90
1.5 - 2.2	URI - 7052	3.70	2.5 - 6.4	URI - 7078	6.90
1.5 - 3.2	URI - 7054	3.70	2.5 - 8.2	URI - 7079	6.90
1.5 - 3.7	URI - 7055	3.70	2.5 - 10.2	URI - 7080	6.90
1.5 - 4.2	URI - 7056	3.70	2.5 - 10.2	URI - 7081	7.00
1.5 - 3.2	URI - 7057	3.90	2.5 - 12.7	URI - 7082	7.00
1.5 - 3.7	URI - 7058	3.90	4-6 - 4.2	URI - 7083	6.00
1.5 - 4.2	URI - 7059	3.90	4-6 - 5.2	URI - 7084	6.00
1.5 - 4.2	URI - 7061	3.10	4-6 - 4.2	URI - 7085	6.90
1.5 - 5.2	URI - 7062	3.10	4-6 - 5.2	URI - 7086	6.90
1.5 - 4.2	URI - 7063	3.70	4-6 - 5.2	URI - 7087	7.80
1.5 - 5.2	URI - 7065	4.60	4-6 - 6.4	URI - 7089	7.00
1.5 - 6.4	URI - 7066	4.40	4-6 - 8.2	URI - 7090	7.00
1.5 - 6.4	URI - 7067	4.60	4-6 - 6.4	URI - 7092	7.80
2.5 - 3.2	URI - 7068	3.90	4-6 - 6.4	URI - 7093	9.00
2.5 - 3.7	URI - 7069	3.90	4-6 - 8.2	URI - 7094	9.00
2.5 - 3.7	URI - 7070	4.40	4-6 - 8.2	URI - 7096	11.00
2.5 - 4.2	URI - 7071	3.80	4-6 - 10.2	URI - 7097	11.00
2.5 - 5.2	URI - 7072	3.80	4-6 - 10.2	URI - 7099	11.00
2.5 - 5.2	URI - 7073	4.00	4-6 - 12.7	URI - 7100	11.00
2.5 - 6.4	URI - 7074	4.00			
2.5 - 5.2	URI - 7075	5.40			

Ring Terminals Double Grip (Pre-Insulated)



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
1.5 - 2.2	URR - 7435	4.10	2.5 - 6.4	URR - 7459	6.50
1.5 - 3.2	URR - 7437	4.10	2.5 - 8.2	URR - 7460	6.50
1.5 - 3.7	URR - 7438	4.10	2.5 - 6.4	URR - 7461	7.90
1.5 - 4.2	URR - 7439	4.10	2.5 - 8.2	URR - 7462	7.90
1.5 - 3.2	URR - 7440	4.10	2.5 - 10.2	URR - 7463	7.90
1.5 - 3.7	URR - 7441	4.10	2.5 - 10.2	URR - 7464	8.50
1.5 - 4.2	URR - 7442	4.10	2.5 - 12.7	URR - 7465	8.50
1.5 - 4.2	URR - 7444	4.30	4-6 - 4.2	URR - 7466	8.40
1.5 - 5.2	URR - 7445	4.30	4-6 - 5.2	URR - 7467	8.40
1.5 - 4.2	URR - 7446	4.80	4-6 - 4.2	URR - 7468	9.20
1.5 - 5.2	URR - 7448	4.80	4-6 - 5.2	URR - 7469	9.20
1.5 - 6.4	URR - 7449	4.80	4-6 - 5.2	URR - 7470	11.00
1.5 - 6.4	URR - 7450	5.00	4-6 - 6.4	URR - 7472	9.50
2.5 - 3.2	URR - 7451	4.80	4-6 - 8.2	URR - 7473	9.50
2.5 - 3.7	URR - 7452	4.80	4-6 - 6.4	URR - 7475	11.00
2.5 - 3.7	URR - 7453	4.90	4-6 - 6.4	URR - 7476	12.00
2.5 - 4.2	URR - 7454	4.90	4-6 - 8.2	URR - 7477	12.00
2.5 - 5.2	URR - 7455	4.60	4-6 - 8.2	URR - 7479	14.00
2.5 - 5.2	URR - 7456	5.20	4-6 - 10.2	URR - 7480	14.00
2.5 - 6.4	URR - 7457	5.20	4-6 - 10.2	URR - 7482	14.00
2.5 - 5.2	URR - 7458	6.50	4-6 - 12.7	URR - 7483	14.00

Fork Terminals



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
0.75-3.5	UF - 7209	2.30	2.5-5.0	UF - 7280	6.20
1.0-3.5	UF - 7211	2.30	4-6-3.1	UF - 7252	4.30
1.5-3.1	UF - 7212 SP	2.60	4-6-3.5	UF - 7253	4.30
1.5-3.5	UF - 7249	2.30	4-6-4.5	UF - 940SP	7.20
1.5-3.1	UF - 7218 SP	2.80	10-6.5	UF - 7254	10.20
2.5-3.5	UF - 7251	2.50	10-8.2	UF - 7255	10.20
			16-6.2	UF - 0131	13.00

End Sealing Ferrules



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
0.5	UH - 508	0.70	6.0	UH - 518	1.30
0.75	UH - 509	0.70	6.0	UH - 519	1.60
1.0	UH - 510	0.70	6.0	UH - 520	2.10
1.0	UH - 511	0.80	10	UH - 521	2.60
1.5	UH - 512	0.80	10	UH - 522	2.70
1.5	UH - 513	0.90	10	UH - 523	3.10
2.5	UH - 514	0.90	16	UH - 524	2.70
2.5	UH - 515	1.00	16	UH - 525	3.10
4.0	UH - 516	1.00	16	UH - 526	3.60
4.0	UH - 517	1.10			

Pin Terminals



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
0.75	UP - 59	2.50	6	UP - 6	7.20
1.0	UP - 44	2.50	10	UP - 7	8.40
1.5	UP - 9	2.50	16	UP - 8	14.00
1.5	UP - 35	2.70	25	UP - 86	33.00
2.5	UP - 1	2.50	35	UP - 87	38.00
2.5	UP - 2	2.50	50	UP - 88	55.00
4	UP - 3	4.70	70	UP - 89	76.00
4	UP - 4	5.80	95	UP - 90	110.00
6	UP - 5	4.90			

Fork Terminals (Insulated)



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
0.75-3.5	UFI - 7923	2.90	2.5 - 5.0	UFI - 7929	7.80
1.0-3.5	UFI - 7924	2.90	4-6 - 3.1	UFI - 7930	5.50
1.5-3.1	UFI - 7212 SP	3.10	4-6 - 3.5	UFI - 7931	5.50
1.5 - 3.5	UFI - 7926	2.90	10 - 6.5	UFI - 7932	12.00
1.5-3.1	UFI - 7218 SP	3.30	10 - 8.2	UFI - 7933	12.00
2.5 - 3.5	UFI - 7928	3.10			

End Sealing Ferrules (Insulated)



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
0.5	UHI-0.5-8	0.92	2.5	UHI-2.5-12	1.70
0.5	UHI-0.5-10	1.00	4	UHI-4-10	1.80
0.75	UHI-0.75-8	0.98	4	UHI-4-12	2.00
0.75	UHI-0.75-10	1.05	6	UHI-6-10	2.20
1.0	UHI-1.0-8	1.10	6	UHI-6-12	2.60
1.0	UHI-1.0-10	1.20	10	UHI-10-12	3.20
1.5	UHI-1.5-8	1.15	10	UHI-10-15	3.60
1.5	UHI-1.5-10	1.30	16	UHI-16-12	3.80
2.5	UHI-2.5-8	1.30	16	UHI-16-15	4.60
2.5	UHI-2.5-10	1.50	25	UHI-25-16	12.00
			35	UHI-35-16	14.00

Pin Terminals (Insulated)



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
0.75	UPI - 60	2.90	4	UPI - 20	5.80
1.0	UPI - 45	2.90	4	UPI - 21	7.60
1.5	UPI - 17	2.90	6	UPI - 22	7.90
1.5	UPI - 40	3.30	6	UPI - 23	8.80
2.5	UPI - 18	3.10	10	UPI - 24	11.40
2.5	UPI - 19	3.10	16	UPI - 25	16.00

Fork Terminals Double Grip (Pre- Insulated)



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
1.5 - 3.5	UFR - 7935	4.00	4-6 - 3.1	UFR - 7939	7.30
2.5 - 3.5	UFR - 7937	4.40	4-6 - 3.5	UFR - 7940	7.30
2.5 - 5.0	UFR - 7938	10.50			

End Sealing Ferrules Twin Type (Insulated)



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
0.5	UTW-0.5-8	2.20	1.5	UTW-1.5-10	2.60
0.5	UTW-0.5-10	2.20	2.5	UTW-2.5-10	3.20
0.75	UTW-0.75-8	2.30	2.5	UTW-2.5-12	3.20
0.75	UTW-0.75-10	2.30	4	UTW-4-10	3.30
1.0	UTW-1.0-8	2.40	4	UTW-4-12	3.30
1.0	UTW-1.0-10	2.40	6	UTW-6-12	3.70
1.5	UTW-1.5-8	2.60			

Pin Terminals Double Grip (Pre- Insulated)



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
1.5	UPR - 26	4.10	4	UPR - 29	7.80
1.5	UPR - 42	4.30	4	UPR - 30	8.60
2.5	UPR - 27	4.40	6	UPR - 31	8.80
2.5	UPR - 28	4.40	6	UPR - 32	9.60

Copper Tube Terminals Light Duty



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
2.5 - 5.2	UCT - 05	5.80	120-12.7	UCT - 22	115.00
4 - 6.2	UCT - 06	8.10	120-16.2	UCT - 23	115.00
6 - 6.2	UCT - 07	9.00	150-10.2	UCT - 24	163.00
10 - 6.2	UCT - 08	11.00	150-12.7	UCT - 25	163.00
16 - 6.2	UCT - 09	15.00	150-16.2	UCT - 26	163.00
25 - 8.2	UCT - 10	25.00	185-12.7	UCT - 27	241.00
35 - 6.2	UCT - 11	27.00	185-16.2	UCT - 28	241.00
35 - 8.2	UCT - 12	27.00	225-16.2	UCT-231	300.00
50 - 6.2	UCT - 13	36.00	240-16.2	UCT - 29	338.00
50 - 8.2	UCT - 14	36.00	240-20.3	UCT - 30	338.00
50 - 10.2	UCT - 15	36.00	300-16.2	UCT - 31	487.00
70 - 8.2	UCT - 16	63.00	300-20.3	UCT - 32	487.00
70 - 10.2	UCT - 17	63.00	400-20.3	UCT - 33	670.00
70 - 12.7	UCT - 18	63.00	500-20.3	UCT - 34	880.00
95 - 10.2	UCT - 19	86.00	630-20.3	UCT - 35	1230.00
95 - 12.7	UCT - 20	86.00	800	UCT - 62	2121.00
120-10.2	UCT - 21	115.00	1000	UCT - 76	4585.00

Copper Tube Terminals Heavy Duty (Export Series)



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
1.5 - 5.2	UCT-538	7.20	70 - 8.4	UCT-557	93.00
1.5 - 6.5	UCT-539	7.50	70 - 10.5	UCT-358	93.00
2.5 - 4.2	UCT-388	7.50	70 - 13.0	UCT-559	93.00
2.5 - 5.2	UCT-540	7.80	95 - 10.5	UCT-359	132.00
2.5 - 6.5	UCT-541	7.80	95 - 13.0	UCT-561	132.00
4 - 5.2	UCT-389	9.10	120 - 13.0	UCT-241	180.00
4 - 6.5	UCT-543	9.10	120 - 17.0	UCT-546	180.00
6 - 5.2	UCT-390	11.00	150 - 13.0	UCT-242	234.00
6 - 6.5	UCT-544	11.00	150 - 17.0	UCT-564	217.00
6 - 8.4	UCT-545	11.00	185 - 17.0	UCT-243	308.00
10 - 6.5	UCT-353	12.00	240 - 17.0	UCT-244	455.00
10 - 8.4	UCT-547	13.00	240 - 21.0	UCT-567	455.00
16 - 6.5	UCT-354	16.00	300 - 17.0	UCT-245	664.00
10 - 8.4	UCT-549	17.00	300 - 21.0	UCT-569	664.00
20 - 8.4	UCT-550	18.00	400 - 17.0	UCT-246	1044.00
25 - 6.5	UCT-355	26.00	400 - 21.0	UCT-571	1044.00
25 - 8.4	UCT-551	26.00	500 - 17.0	UCT-247	1425.00
25 - 10.5	UCT-552	26.00	500 - 21.0	UCT-596	1425.00
35 - 6.5	UCT-542	35.00	550 - 24.0	UCT-573	1745.00
35 - 8.4	UCT-356	35.00	630 - 21.0	UCT-248	2138.00
35 - 10.5	UCT-554	36.00	800 -	UCT-599	3564.00
50 - 8.4	UCT-357	57.00	1000 -	UCT-590	4994.00
50 - 10.5	UCT-556	57.00			

Copper Tube Terminals (Long Barrel)



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
25-8.2	UCT - 282	30.00	150-12.7	UCT - 288	330.00
35-8.2	UCT - 283	47.00	185-12.7	UCT - 289	475.00
50-8.2	UCT - 284	78.00	240-16.2	UCT - 290	670.00
70-10.5	UCT - 285	120.00	300-16.2	UCT - 291	853.00
95-12.7	UCT - 286	187.00	400-20.3	UCT - 292	1320.00
120-12.7	UCT - 287	267.00	500-20.3	UCT - 293	2310.00
			630-20.3	UCT - 294	3180.00

Copper Tube In Line Connectors



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
1.5-7	UC-450	2.80	50-40	UC-26	56.00
1.5-15	UH-453	3.10	70-40	UC-51	94.00
2.5-7	UC-451	3.50	95-45	UC-52	123.00
2.5-15	UH-454	3.80	120-45	UC-53	146.00
4-15	UC-3	5.40	150-55	UC-54	207.00
4.6-7	UC-452	6.00	185-75	UC-55	284.00
4.6-15	UH-455	6.30	240-80	UC-56	436.00
6-15	UC-4	7.20	300-85	UC-57	620.00
10-20	UH-460	9.90	400-90	UC-58	915.00
16-20	UC-6	11.00	500-100	UC-59	1630.00
16-23	UC-461	15.00	630-110	UC-61	1897.00
25-32	UC-24	27.00	800-150	UC-42	3330.00
35-36	UC-25	37.00	1000-170	UC-43	4955.00

Copper Insulated In-line Connector



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
1.5	UHI-463	4.30	4-6	UHI-465	9.50
2.5	UHI-464	5.30			

Copper Reducer Terminals



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
2.5	UCR - 1	18.00	70	UCR - 27	118.00
2.5	UCR - 7	17.00	70	UCR - 6	180.00
4	UCR - 15	18.00	70	UCR - 28	177.00
4	UCR - 16	17.00	95	UCR - 29	173.00
6	UCR - 17	19.00	95	UCR - 31	170.00
6	UCR - 18	17.00	95	UCR - 32	251.00
10	UCR - 19	22.00	120	UCR - 34	230.00
10	UCR - 20	20.00	120	UCR - 35	260.00
10	UCR - 21	26.00	150	UCR - 10	376.00
10	UCR - 22	24.00	150	UCR - 37	292.00
16	UCR - 23	45.00	185	UCR - 30	479.00
16	UCR - 24	45.00	185	UCR - 38	383.00
16	UCR - 2	32.00	225	UCR - 39	628.00
25	UCR - 25	52.00	240	UCR - 44	823.00
25	UCR - 3	69.00	240	UCR - 43	601.00
35	UCR - 4	68.00	300	UCR - 45	814.00
50	UCR - 26	76.00	300	UCR - 47	762.00
50	UCR - 5	174.00	400	UCR - 101	1723.00

Aluminium Reducer Terminals




SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
2.5	UAR - 1	8.20	70	UAR - 28	75.00
2.5	UAR - 7	8.20	95	UAR - 29	71.00
4	UAR - 15	8.20	95	UAR - 8	100.00
6	UAR - 16	8.40	95	UAR - 31	70.00
6	UAR - 17	8.50	95	UAR - 32	105.00
6	UAR - 18	7.60	120	UAR - 33	86.00
10	UAR - 19	9.30	120	UAR - 34	86.00
10	UAR - 20	9.30	120	UAR - 35	100.00
10	UAR - 21	9.30	120	UAR - 36	134.00
10	UAR - 22	9.30	150	UAR - 10	157.00
16	UAR - 23	19.00	150	UAR - 37	122.00
16	UAR - 24	19.00	185	UAR - 30	200.00
16	UAR - 2	13.00	185	UAR - 38	160.00
25	UAR - 25	21.00	225	UAR - 39	262.00
25	UAR - 3	27.00	225	UAR - 46	377.00
35	UAR - 4	28.00	225	UAR - 42	334.00
50	UAR - 26	32.00	240	UAR - 44	343.00
50	UAR - 5	54.00	240	UAR - 43	251.00
70	UAR - 27	49.00	300	UAR - 45	340.00
70	UAR - 6	63.00	300	UAR - 47	317.00

Aluminum Tube Terminals



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
2.5 - 3	UAT - 151	2.40	70 - 12	UAT - 226	19.00
2.5 - 3.5	UAT - 309	2.40	95 - 10	UAT - 227	20.00
4 - 4	UAT - 155	2.50	95 - 12	UAT - 228	20.00
4 - 5	UAT - 317	2.50	95 - 16	UAT - 229	20.00
6 - 5	UAT - 158	2.80	120 - 10	UAT - 257	30.00
6 - 6	UAT - 313	2.80	120 - 12	UAT - 230	30.00
10 - 4	UAT - 159	3.60	120 - 16	UAT - 231	30.00
10 - 6	UAT - 214	3.60	150 - 10	UAT - 258	38.00
10 - 8	UAT - 215	3.60	150 - 12	UAT - 232	38.00
16 - 6	UAT - 252	5.00	150 - 16	UAT - 233	38.00
16 - 8	UAT - 216	5.00	185 - 10	UAT - 311	48.00
16 - 10	UAT - 217	5.00	185 - 12	UAT - 234	48.00
25 - 6	UAT - 253	7.00	185 - 16	UAT - 235	48.00
25 - 8	UAT - 218	7.00	225 - 12	UAT - 320	67.00
25 - 10	UAT - 219	7.00	240 - 12	UAT - 236	80.00
25 - 12	UAT - 220	7.00	240 - 16	UAT - 237	80.00
35 - 6	UAT - 254	8.50	300 - 16	UAT - 300	110.00
35 - 8	UAT - 221	8.50	300 - 20	UAT - 259	110.00
35 - 10	UAT - 222	8.50	400 - 20	UAT - 260	160.00
50 - 8	UAT - 255	12.00	500 - 20	UAT - 296	245.00
50 - 10	UAT - 312	12.00	630 - 20	UAT - 261	320.00
50 - 12	UAT - 224	12.00	800	UAT - 318	500.00
70 - 8	UAT - 256	12.00	1000	UAT - 319	730.00
70 - 10	UAT - 225	19.00			

Aluminium In - Line Connectors



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
2.5 - 16	UAC - 145	2.20	120 - 65	UAC - 9	27.00
2.5 - 16	UAC - 6	2.20	150 - 70	UAC - 10	32.00
4 - 16	UAC - 5	2.40	185 - 75	UAC - 11	42.00
6 - 16	UAC - 13	2.60	225 - 85	UAC - 147	62.00
10 - 20	UAC - 14	3.00	240 - 90	UAC - 16	64.00
10 - 20	UAC - 146	3.00	300 - 100	UAC - 17	98.00
16 - 26	UAC - 4	3.80	400 - 115	UAC - 18	143.00
25 - 35	UAC - 3	5.50	500 - 125	UAC - 19	230.00
35 - 40	UAC - 2	6.00	630 - 140	UAC - 20	270.00
50 - 45	UAC - 12	9.00	800 - 160	UAC - 148	380.00
70 - 55	UAC - 1	16.00	1000-210	UAC - 149	665.00
95 - 60	UAC - 15	18.00			

Aluminum Tube Terminals Long Barrel



SIZE sq. mm.	CAT. NO.	RATE EACH	SIZE sq. mm.	CAT. NO.	RATE EACH
2.5 - 3	UAT - 551	4.20	95 - 10	UAT - 527	26.00
2.5 - 3.5	UAT - 509	4.20	95 - 12	UAT - 528	26.00
4 - 4	UAT - 555	4.20	95 - 16	UAT - 529	26.00
4 - 5	UAT - 517	4.20	120 - 10	UAT - 557	38.00
6 - 5	UAT - 558	4.50	120 - 12	UAT - 530	38.00
6 - 6	UAT - 513	4.50	120 - 16	UAT - 531	38.00
10 - 6	UAT - 514	4.60	150 - 10	UAT - 658	48.00
10 - 8	UAT - 515	4.60	150 - 12	UAT - 532	48.00
16 - 6	UAT - 552	6.40	150 - 16	UAT - 533	48.00
16 - 8	UAT - 516	6.40	185 - 10	UAT - 511	60.00
16 - 10	UAT - 617	6.40	185 - 12	UAT - 534	60.00
25 - 8	UAT - 518	8.00	185 - 16	UAT - 535	60.00
25 - 10	UAT - 519	8.00	225 - 12	UAT - 620	95.00
25 - 12	UAT - 520	8.00	240 - 12	UAT - 536	100.00
35 - 8	UAT - 521	11.00	240 - 16	UAT - 537	100.00
35 - 10	UAT - 522	11.00	300 - 16	UAT - 500	139.00
50 - 8	UAT - 655	15.00	300 - 20	UAT - 559	139.00
50 - 10	UAT - 512	15.00	400 - 20	UAT - 560	195.00
50 - 12	UAT - 524	15.00	500 - 20	UAT - 596	307.00
70 - 8	UAT - 556	24.00	630 - 20	UAT - 561	402.00
70 - 10	UAT - 525	24.00	800	UAT - 618	604.00
70 - 12	UAT - 526	24.00	1000	UAT - 619	875.00