



VIRAL[®]

CONTROLGEARS



M.R.P LIST w.e.f 1st NOV 2021 Version 1.4

RELIABLE & ECONOMICAL



DZ HBC FUSE LINKS



LIMIT SWITCH



PUSH BUTTON



AIRVENT



2.25 INCH DISPLAY
LENGTH COUNTER



FUSE CARRIER



DIN RAIL TIMER



PUSH BUTTON
STATION



60 A 6 WAY CLOSE
TYPE TERMINAL STRIP



DIGITAL 3 PHASE
POWER ANALYSER



LOOP POWERED
TRANSMITTER



SINGLE PHASE VOLT
& AMPERE METER



LIQUID LEVEL
CONTROLLER




15 A 6 WAY OPEN
TYPE TERMINAL STRIP





BLADE TYPE HBC
FUSE LINK


D - TYPE HBC FUSE SYSTEM


**SPECIFICATION : 500 V ~ 250 V ---- 2 TO 63A HBC 120 KA AC & 4 KA DC.
CONFORMING TO IS - 8187 IEC - 269 CEE - 016 VDE - 0635 / 0636**


	FUSE CARRIER				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	2A to 25A 35A to 63A	8536.10.90 8536.10.90	FC - 25 FC - 63	10 10	50.00 68.00

	DZ HBC FUSE LINKS				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	2A, 4A, 6A, 10A, 16A, 20A, 25A 35A, 50A, 63A	8536.10.40 8536.10.40	FL - 2 to 25A FL - 35 to 63A	25 25	26.00 47.00


	DZ GAUGE PIECES				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	2A, 4A, 6A, 10A	8536.10.90	GP - 2 to 10A	25	19.00
	16A, 20A, 25A	8536.10.90	GP - 16 to 25A	25	23.00
35A, 50A, 63A	8536.10.90	GP - 35 to 63A	25	28.50	


	DZ TRIPLE POLE BASES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	25A Triple Pole Base with Cover(2 to 25A) 63A Triple Pole Base with Cover(35 to 63A)	8536.10.90 8536.10.90	TP - 25 TP - 63	5 5	300.00 550.00


	DZ SINGLE POLE BASES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	25A Panel Mounting Type (2 to 25A)	8536.10.90	SPPM - 25	10	105.00
	25A Busbar Mounting Type (2 to 25A)	8536.10.90	SPBM - 25	10	95.00
	63A Panel Mounting Type (35 to 63A)	8536.10.90	SPPM - 63	10	185.00
63A Busbar Mounting Type (35 to 63A)	8536.10.90	SPBM - 63	10	169.00	


	DZ SINGLE POLE BASES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	25A Totally Enclosed Type (2 to 25A)	8536.10.90	SPTE - 25	10	153.00

D - TYPE HBC FUSE SYSTEM SPARES

	SPARES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	25A Rings for SPPM - 25 (25A)	8536.10.90	R - 25	20	17.00
	63A Rings for SPPM - 63 (63A)	8536.10.90	R - 63	20	18.00


	SPARES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	Bakelite Cover for TP - 25 (25A) Bakelite Cover for TP - 63 (63A)	8536.10.90 8536.10.90	BAK - 25 BAK - 63	20 20	21.00 27.00

	SPARES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	SPTE - 25 Cover (25A)	8536.10.90	SPTEC - 25	20	21.00

	SPARES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	Glasses & Springs (25A / 63A)	8536.10.90	GS - 25 / 63	50	14.00


FERRULE TYPE (10 X 38) HBC FUSE LINKS

CONFORMING TO IS - 13703 IEC - 269 2A TO 63A 500 HBC 120 KA

	HBC FERULE TYPE LINKS				
	RATING	HSN CODE	MODEL NO.	STD PKG	MRP
	2A, 4A, 6A	8536.10.40	FLF - 2 to 6A	25	26.00
	10A, 16A	8536.10.40	FLF - 10 to 16A	25	28.00
	20A, 25A, 32A	8536.10.40	FLF - 20 to 32A	25	42.00
	35A, 50A, 63A	8536.10.40	FLF - 35 to 63A	25	54.00


FERRULE TYPE (22 X 58) HBC FUSE LINKS


CONFORMING TO IS - 13703 IEC - 269 2A TO 100A 500 V AC 120 KA 'G'

	HBC FERULE TYPE LINKS				
	RATING	HSN CODE	MODEL NO.	STD PKG	MRP
	2A, 4A, 6A, 10A	8536.10.40	VLF - 2 to 10A	10	70.00
	16A, 20A, 25A	8536.10.40	VLF - 16 to 25A	10	73.00
	32A, 35A, 40A	8536.10.40	VLF - 32 to 40A	10	75.00
	50A, 60A, 63A	8536.10.40	VLF - 50 to 63A	10	78.00
	80A, 100A	8536.10.40	VLF - 80 to 100A	10	89.00

VHF TYPE (14 X 51) HBC FUSE SYSTEM


WITH INTERNATIONALLY ACCEPTED COLOUR CODED (FOR AMP. RATING) TRIP INDICATOR
SPECIFICATION CONFORMING TO IS - 13703 2A TO 63A 500 V ~ HBC 120 KA


	BAKELITE FUSE FITTINGS				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	2A to 63A	8536.10.90	VCHC - 63	10	127.00

	HF HBC FUSE LINKS				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	2A, 4A, 6A, 10A	8536.10.40	VHF - 2 to 10A	25	36.00
	16A, 20A, 25A, 32A	8536.10.40	VHF - 16 to 32A	25	40.00
	35A, 40A, 50A, 60A, 63A	8536.10.40	VHF - 35 to 63A	25	46.00


BLADE TYPE SQUARE BODY HBC FUSE LINK 2A TO 400A


Conforming to IS - 13703 IEC - 269 500 V HBC 120 KA


	OPEN TYPE FUSE BASES 00 - 160 AMP - 500 V AC				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	BAKELITE MOULDED (160A)	8536.10.90	NHB - 00	3	200.00
	DMC MOULDED (160A)	8536.10.90	NHB - 00 DMC	3	220.00

	OPEN TYPE FUSE BASES 01 - 250 AMP - 500 V AC				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	BAKELITE MOULDED (250A)	8536.10.90	NHB - 01	—	636.00
	DMC MOULDED (250A)	8536.10.90	NHB - 01 DMC	—	662.00

	OPEN TYPE FUSE BASES 02 - 400 AMP - 500 V AC				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	BAKELITE MOULDED (400A)	8536.10.90	NHB - 02	—	970.00
	DMC MOULDED (400A)	8536.10.90	NHB - 02 DMC	—	994.00


	VNHF - 00 TYPE LINKS				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	2A, 4A, 6A, 10A, 16A, 20A, 25A, 32A, 40A, 50A, 60A, 63A	8536.10.40	VNHF - 00 2-63A	3	200.00
	80A	8536.10.40	VNHF - 00 - 080	3	202.00
	100A	8536.10.40	VNHF - 00 - 100	3	204.00
	125A	8536.10.40	VNHF - 00 - 125	3	208.00
	160A	8536.10.40	VNHF - 00 - 160	3	210.00

	VNHF - 01 TYPE LINKS				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	63A	8536.10.40	VNHF - 01 - 63	3	300.00
	100A	8536.10.40	VNHF - 01 - 100	3	300.00
	125A	8536.10.40	VNHF - 01 - 125	3	302.00
	160A	8536.10.40	VNHF - 01 - 160	3	306.00
	200A	8536.10.40	VNHF - 01 - 200	3	310.00
	250A	8536.10.40	VNHF - 01 - 250	3	312.00
315A	8536.10.40	VNHF - 01 - 315	3	318.00	


	VNHF - 02 TYPE LINKS				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	160A	8536.10.40	VNHF - 02 - 160	2	370.00
	200A	8536.10.40	VNHF - 02 - 200	2	370.00
	250A	8536.10.40	VNHF - 02 - 250	2	375.00
	315A	8536.10.40	VNHF - 02 - 315	2	380.00
	400A	8536.10.40	VNHF - 02 - 400	2	385.00


LOW VOLTAGE (BARREL TYPE) BAKELITE HBC FUSE SYSTEM


SPECIFICATION CONFORMING TO IS - 13703, BS - 88PART - I & II 1988 & IEC - 269 PART I (1986)
2A TO 63A 500 V - HBC 120 KA


	NS TYPE HBC FUSE LINKS				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	2A, 4A, 6A, 10A, 16A, 20A & 25A	8536.10.40	VNS - 2 to 25A	20	36.00


	NS SLOTTED TYPE HBC FUSE LINKS				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	2A, 4A, 6A, 10A, 16A, 20A & 25A	8536.10.40	VNSS - 2 to 25A	20	38.00

	TIA TYPE HBC FUSE LINK				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	2A, 4A, 6A, 10A, 16A, 20A, 25A, 32A, 35A, 40A, 50A, 60A, 63A	8536.10.40	VTIA - 2 to 63 A	10	65.00


	TIS TYPE HBC FUSE LINK				
	RATING	HSN CODE	CAT. NO.	STD PKG	MRP
	20A, 25A, 32A, 35A, 40A, 50A, 60A, 63A	8536.10.40	VTIS - 20 to 63 A	10	80.00


	BAKELITE FUSE FITTINGS (PANEL MOUNTING)				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	20A Panel Mounting Type (2A to 20A)	8536.10.40	VCF - 20	10	100.00
	32A Panel Mounting Type (2A to 32A)	8536.10.40	VCF - 32	5	180.00
	63A Panel Mounting Type (25A to 63A)	8536.10.40	VCF - 63	5	300.00

	BAKELITE FUSE FITTINGS (BUSBAR MOUNTING)				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	20A Busbar Mounting Type (2A to 20A)	8536.10.40	VCB - 20	10	110.00
	32A Busbar Mounting Type (2A to 32A)	8536.10.40	VCB - 32	5	244.00
	63A Busbar Mounting Type (25A to 63A)	8536.10.40	VCB - 63	5	415.00

	BAKELITE FUSE FITTINGS (BACK MOUNTING)				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	20A Back Mounting Type (2A to 20A)	8536.10.40	VCP - 20	10	136.00
	32A Back Mounting Type (2A to 32A)	8536.10.40	VCP - 32	5	294.00
	63A Back Mounting Type (25A to 63A)	8536.10.40	VCP - 63	5	478.00

SLIDE LOCK FUSE BASE


	SLIDE LOCK FUSE BASE (FRONT CONNECTION)				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	Slide Lock Fuse Base 5A Front Connection	8536.10.30	VSL - 5	44	58.00
	Slide Lock Fuse Base 15A Front Connection	8536.10.30	VSL - 15	20	92.00

	SLIDE LOCK FUSE BASE (BACK CONNECTION)				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	Slide Lock Fuse Base 5A Back Connection	8536.10.30	VSLB - 5	25	73.00
	Slide Lock Fuse Base 15A Back Connection	8536.10.30	VSLB - 15	10	124.00


LOW VOLTAGE TERMINAL STRIPS AND TERMINAL BLOCKS

6A to 100A, 500 V HV TEST AT 2.5 KV / MIN

	PVC TERMINAL STRIPS (CLOSE TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	6A	12	8536.10.90	TSPC - 6/12	20	42.00
	10A	12	8536.10.90	TSPC - 10/12	36	75.00

	BAKELITE TERMINAL STRIPS (CLOSED TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	6A	12	8536.10.90	TSC - 6/12	20	43.00
	10A	2	8536.10.90	TSC - 10/2	75	13.00
	10A	12	8536.10.90	TSC - 10/12	15	73.00
	15A	12	8536.10.90	TSC - 15/12	12	116.00

	BAKELITE TERMINAL STRIPS (CLOSED TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	30A	2	8536.10.90	TSC - 30/2	40	25.00
	30A	3	8536.10.90	TSC - 30/3	20	36.00
	30A	4	8536.10.90	TSC - 30/4	20	47.00
	30A	5	8536.10.90	TSC - 30/5	20	61.00
	30A	6	8536.10.90	TSC - 30/6	15	70.00
	30A	8	8536.10.90	TSC - 30/8	14	93.00
	30A	10	8536.10.90	TSC - 30/10	12	117.00
	30A	12	8536.10.90	TSC - 30/12	10	138.00

	BAKELITE TERMINAL STRIPS (CLOSED TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	60A	2	8536.10.90	TSC - 60/2	24	75.00
	60A	3	8536.10.90	TSC - 60/3	14	110.00
	60A	4	8536.10.90	TSC - 60/4	10	146.00
	60A	6	8536.10.90	TSC - 60/6	8	217.00

	BAKELITE TERMINAL STRIPS (OPEN TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	15A	2	8536.10.90	TSO - 15/2	75	11.00
	15A	3	8536.10.90	TSO - 15/3	70	18.50
	15A	4	8536.10.90	TSO - 15/4	50	22.00
	15A	6	8536.10.90	TSO - 15/6	25	29.00
	15A	8	8536.10.90	TSO - 15/8	35	40.00
	15A	10	8536.10.90	TSO - 15/10	25	44.00
	15A	12	8536.10.90	TSO - 15/12	25	55.00
	15A	16	8536.10.90	TSO - 15/16	30	73.00

	BAKELITE TERMINAL STRIPS (OPEN TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	30A	2	8536.10.90	TSO - 30/2	40	24.00
	30A	3	8536.10.90	TSO - 30/3	20	35.00
	30A	4	8536.10.90	TSO - 30/4	20	46.00
	30A	5	8536.10.90	TSO - 30/5	20	56.00
	30A	6	8536.10.90	TSO - 30/6	15	69.00
	30A	8	8536.10.90	TSO - 30/8	10	92.00
	30A	10	8536.10.90	TSO - 30/10	10	112.00
30A	12	8536.10.90	TSO - 30/12	10	134.00	

	BAKELITE TERMINAL STRIPS (OPEN TYPE) FOR SUBMERSIBLE PUMP PANEL					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	30A	3	8536.10.90	TSOA - 30/3	10	80.00
30A	5	8536.10.90	TSOA - 30/5	10	129.00	

	BAKELITE TERMINAL STRIPS (OPEN TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	60A	2	8536.10.90	TSO - 60/2	30	39.50
	60A	3	8536.10.90	TSO - 60/3	16	58.00
	60A	4	8536.10.90	TSO - 60/4	10	76.00
	60A	5	8536.10.90	TSO - 60/5	10	91.00
	60A	6	8536.10.90	TSO - 60/6	10	107.00
	60A	8	8536.10.90	TSO - 60/8	10	144.00
	60A	10	8536.10.90	TSO - 60/10	8	180.00
60A	12	8536.10.90	TSO - 60/12	10	210.00	

	BAKELITE TERMINAL STRIPS (OPEN TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	100A	3	8536.10.90	TSO - 100/3	4	328.00
100A	4	8536.10.90	TSO - 100/4	3	436.00	

	BAKELITE TERMINAL BLOCKS (ADD ON TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	60A	1	8536.10.90	TBAT - 60	20	30.00
100A	1	8536.10.90	TBAT - 100	20	108.00	


	BAKELITE END PLATES FOR TERMINAL BLOCKS					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	60A	-	8536.10.90	TBEP - 60	20	14.00
100A	-	8536.10.90	TBEP - 100	20	15.00	


	SHIELD KIT FOR TERMINAL STRIPS (OPEN TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
15A	12	8536.10.90	TSOC - 15/12	100	6.00	


	SHIELD KIT FOR TERMINAL STRIPS (OPEN TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
	30A	12	8536.10.90	TSOC - 30/12	50	26.00
	30A	12	8536.10.90	SADDLES	100	8.00
30A	12	8536.10.90	SHIELD	50	11.00	


	NYLON CONNECTOR (6 WAY FOR SPP)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
10A	6	8536.10.90	VNCSPP - 6	100	30.00	

	10 A NYLON CONNECTOR					
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP	
Add On Connector For PCB Colours : Red, Yellow, Blue, Black, Grey and Green	8536.10.90	VNAT - 10	100	7.00		

	BAKELITE TERMINAL STRIPS (CLOSED TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
6A	2	8536.10.90	TSC - 6/2	100	9.50	
6A	3	8536.10.90	TSC - 6/3	50	13.00	
6A	4	8536.10.90	TSC - 6/4	40	16.00	
6A	5	8536.10.90	TSC - 6/5	50	19.00	
6A	6	8536.10.90	TSC - 6/6	40	26.00	
6A	7	8536.10.90	TSC - 6/7	35	27.00	
6A	8	8536.10.90	TSC - 6/8	20	29.50	
6A	9	8536.10.90	TSC - 6/9	20	33.50	
6A	10	8536.10.90	TSC - 6/10	30	38.00	


	BAKELITE TERMINAL STRIPS (CLOSED TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
10A	3	8536.10.90	TSC - 10/3	50	18.00	
10A	4	8536.10.90	TSC - 10/4	40	25.00	
10A	5	8536.10.90	TSC - 10/5	50	31.00	
10A	6	8536.10.90	TSC - 10/6	30	37.00	
10A	7	8536.10.90	TSC - 10/7	25	43.00	
10A	8	8536.10.90	TSC - 10/8	40	49.00	
10A	9	8536.10.90	TSC - 10/9	20	54.00	
10A	10	8536.10.90	TSC - 10/10	15	62.00	


	BAKELITE TERMINAL STRIPS (CLOSED TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
15A	1	8536.10.90	TSC - 15/1	100	10.00	
15A	2	8536.10.90	TSC - 15/2	50	19.50	
15A	3	8536.10.90	TSC - 15/3	40	29.00	
15A	4	8536.10.90	TSC - 15/4	40	39.00	
15A	5	8536.10.90	TSC - 15/5	20	48.00	
15A	6	8536.10.90	TSC - 15/6	20	57.00	
15A	8	8536.10.90	TSC - 15/8	20	77.00	
15A	9	8536.10.90	TSC - 15/9	10	88.00	
15A	10	8536.10.90	TSC - 15/10	10	97.00	

	PVC TERMINAL STRIPS (CLOSED TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
6A	1	8536.10.90	TSPC - 6/1	100	3.80	
6A	2	8536.10.90	TSPC - 6/2	100	7.50	
6A	3	8536.10.90	TSPC - 6/3	50	12.00	
6A	4	8536.10.90	TSPC - 6/4	40	15.00	
6A	6	8536.10.90	TSPC - 6/6	40	23.00	
6A	7	8536.10.90	TSPC - 6/7	42	26.00	
6A	8	8536.10.90	TSPC - 6/8	20	30.00	
6A	10	8536.10.90	TSPC - 6/10	30	37.00	


	PVC TERMINAL STRIPS (CLOSED TYPE)					
	RATING	WAYS	HSN CODE	CAT. NO.	STD PKG	MRP
10A	2	8536.10.90	TSPC - 10/2	100	13.00	
10A	3	8536.10.90	TSPC - 10/3	50	19.00	
10A	4	8536.10.90	TSPC - 10/4	25	25.00	
10A	6	8536.10.90	TSPC - 10/6	15	37.00	
10A	9	8536.10.90	TSPC - 10/9	10	55.00	
10A	10	8536.10.90	TSPC - 10/10	15	61.00	


CONNECTION PLATES


	OPEN TYPE CONNECTION PLATES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
63 AMP BAKELITE MOULDED CONNECTION PLATE	8536.10.90	VTP - 63	9	40.00	
63 AMP DMC MOULDED CONNECTION PLATE	8536.10.90	VTP - 63 - DMC	9	45.00	


 <p>BAKELITE MOULDED</p> <p>DMC MOULDED</p>	OPEN TYPE CONNECTION PLATES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	63 AMP BAKELITE MOULDED CONNECTION PLATE	8536.10.90	VTPN - 63	8	48.00
	63 AMP DMC MOULDED CONNECTION PLATE	8536.10.90	VTPN - 63 - DMC	8	55.00
	100 AMP BAKELITE MOULDED CONNECTION PLATE	8536.10.90	VTPN - 100	3	77.00
	100 AMP DMC MOULDED CONNECTION PLATE	8536.10.90	VTPN - 100 - DMC	3	98.00
	200 AMP DMC MOULDED CONNECTION PLATE	8536.10.90	VTPN - 200 - DMC	—	280.00
	300 AMP DMC MOULDED CONNECTION PLATE	8536.10.90	VTPN - 300 - DMC	—	500.00

LEGEND PLATES


	PLASTIC LEGEND PLATES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	ON, OFF, SLOW, FAST, START, STOP, LEFT, RIGHT, E-STOP, UP, DOWN, PUMP ON, PUMP OFF, NEUTRAL, R-PHASE, Y-PHASE, B-PHASE, SPP, OVERLOAD, TRIP, REVERSE, IN, FORWARD, OUT, RELAY ON, ETC.	8536.10.90	VL - 22.5	100	3.80


	DANGER LEGEND PLATES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	415 V, 1100 V, 2500 V, 3300 V, 6600 V, 11000 V, 25000 V, 33000 V, 66000 V, ETC	8536.10.90	VL - 100	60	14.00

	PANEL LOCK LEGEND PLATES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	CLOSE - OPEN OPEN - CLOSE	8536.10.90	VLPR	100	5.00

	PANEL LOCK LEGEND PLATES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	EMERGENCY STOP	8536.10.90	VLA - 22.5	100	9.50

PUSH BUTTONS

	PUSH BUTTON				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	5 A Push Button 19 mm with 1 NO + 1 NC	8536.90.90	VDPB - 5/1	24	60.00
5 A Push Button 19 mm with 2 NO + 2 NC	8536.90.90	VDPB - 5/2	12	122.00	


	22.5 PUSH BUTTON 1 NO + 1 NC				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	Colour : Red, Yellow, Green, Blue, Black and White	8536.90.90	VDPB - 22.5	15	34.00

FIRE RETARDING PUSH BUTTON STATION BOXES

	PUSH BUTTON STATION PLASTIC BOXES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	Push Button Station Plastic Boxes For Single Way 72 X 68 X 51 mm	8536.69.10	VPB - 1	6	76.00
	Push Button Station Plastic Boxes For Two Way 104 X 68 X 51 mm	8536.69.10	VPB - 2	6	98.00
	Push Button Station Plastic Boxes For Three Way 140 X 68 X 51 mm	8536.69.10	VPB - 3	2	124.00


22.5 PUSH BUTTON STATIONS


FIRE RETARDING VIRGIN PLASTICS, HIGHLY CONDUCTIVE LIVE PARTS, HIGH AESTHETIC VALUE,
ANTI ROTATIONAL DEVICE, HIGH QUALITY OF SPRINGS GIVE LONG LIFE

	22.5 PUSH BUTTON STATIONS				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	ON	8536.90.90	VPBS - 5/1	6	110.00
	ON - OFF	8536.90.90	VPBS - 5/2	3	168.00
	REVERSE - OFF - FORWARD	8536.90.90	VPBS - 5/3	2	228.00


AIRVENT PLAIN / SNAP TYPE FILTER

HIGH AESTHETIC LOOK, WITH FLAME RETARDING VIRGIN INDUSTRIAL PLASTIC MATERIAL, RAL COLOUR 7032 (Dark Color)
/ 7035 (Light Color), THICK FILTER SHEET, RUBBER GASKET AND SET OF CORROSIVE RESISTIVE FIXING SCREW SET.

	NORMAL ACTION				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	90 X 90 mm (Fan Size 3")	8414.59.90	VAV - 90	1	51.00
	130 X 130 mm (Fan Size 4")	8414.59.90	VAV - 130	1	88.00
	184 X 184 mm (Fan Size 6")	8414.59.90	VAV - 184	1	168.00
238 X 238 mm (Fan Size 8")	8414.59.90	VAV - 238	1	278.00	


	SNAP ACTION				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	147 X 147 mm (Fan Size 4")	8414.59.90	VAV - 147	1	110.00
	203 X 203 mm (Fan Size 6")	8414.59.90	VAV - 203	1	229.00
	255 X 255 mm (Fan Size 8")	8414.59.90	VAV - 255	1	319.00


NEUTRAL LINKS


	NEUTRAL LINKS				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	16A - 32A	8538.10.10	VNL - 32	50	32.00


SWITCHES

CONFORM TO IS - 13947 - 5 - 1 & IEC 609475

	LIMIT SWITCHES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	Limit Switch 1 NO + 1 NC with Aluminium Housing & Roller (Normal Action)	8536.50.10	VLSR	5	386.00
	Limit Switch 1 NO + 1 NC with Aluminium Housing & Roller (Snap Action)	8536.50.10	VLSRS	5	418.00

	LIMIT SWITCHES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	Element 1 NO + 1 NC (Normal Action)	8536.50.10	VLSN	10	125.00
	Element 1 NO + 1 NC (Snap Action)	8536.50.10	VLSS	10	156.00

	LIMIT SWITCHES				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	Roller Assembly for Limit Switch	8536.50.10	VRA	10	54.00

	REVERSE FORWARD SWITCH				
	DESCRIPTION	HSN CODE	CAT. NO.	STD PKG	MRP
	16A 500 V~ 50 C/S HANDLES	8536.50.90	VCRF - 16 HANDLES	1	450.00
		8536.50.90		1	31.00

Dilip Jain
9428335564

Shubham Jain
8160068658



SHREE NAKODA ELECTRIC CO.

Dealing In : All Range Of Control Panel Accessories & Starter Spares

SIBASS VIRAL IDEAL STRONGER SURDHI

Shop No.2, Shrinath Chambers, Kothari Pole, Gandhi Road,
Ahmedabad - 380001, Tel . : 079 - 22112824, 22155074,
Email : shreenakodaele@gmail.com

